Poultry Science
Index to Authors and Subjects

Volume 68
1989

Published by the
Poultry Science Association
309 West Clark Street
Champaign, Illinois 61820

Index of Authors

A

Abawi, F. G., 1490
Abdel-Zaher, M., 164*
Abplanalp, H., 17
Abrams, C. F., 175*
Acar, N., 1*, 165*
Ackman, R. G., 153
Acton, J. C., 1*
Adams, A. W., 3*, 59*, 70
Adams, B. M., 96*
Adams, M. H., 2*, 119*, 165*, 186*, 199*, 651
Adams, R. L., 166*
Adams, T. E., 96*
Adefope, N. A., 152*, 209*
Ademoyero, A. A., 854
Adene, D. F., 17
Adrian, W. J., 198*
Aguilera-Quintana, I., 166*, 195*, 202*
Aguillard, C. D., 62*, 70*, 71*
Ahn, D. U., 100, 1088, 1218
Aho, P., 2*, 58*
Ajuyah, A., 29*
Akiba, Y., 323
Akpobome, G. O., 2, 28
Alak, J., 258
Allen, P. C., 3*
Allsep, T. H., 3*, 166*
Amin-Hanjani, S., 137
Ammerman, C. B., 107, 185* 1368
Ammermani, E., 167*
Anderson, K. E., 3*, 70
Andrews, D. K., 4*
Andrews, P. D., 4*
Ang, C.Y.W., 5*, 1307, 1470
Angel, C. R., 5*, 6*, 131*
Anthony, N. B., 6*, 27, 591
Arakawa, A., 311
Arce, M. J., 107*, 108*
Ariza, M. G., 6*
Arjona, A. A., 167*
Arp, L. H., 646
Artoni, S.M.B., 1381
Atkinson, J. L., 99*
Attar, A. J., 167*
Augustine, P. C., 7*, 37*, 1643
Austic, R. E., 27*, 158*, 1255
Axtell, R. C., 187*
Aylward, E., 121*

B

Baba, E., 311
Bacon, J. R., 58*, 1055
Bacon, L. D., 113*, 116*, 380
Bacon, W. L., 6*, 55*, 61, 100*, 1282, 1447
Bafundo, K. W., 7*, 374, 1011
Bagley, L. G., 724
Bahr, J. M., 46*, 84*, 162*, 1402
Bai, Y., 7*, 163*
Baier, J. G., 8*, 15*, 16*, 47*, 143*
Bailey, C. A., 94*, 98*, 107*, 108*, 162*, 1658
Bailey, J. E., 435
Bailey, J. S., 168*, 178*
Baker, D. H., 31*, 110*, 157*
Baker, R. D., 1653
Bakst, M. R., 8*, 25*, 110*, 168*
Balander, R., 129*
Ball, H. R., Jr., 155*, 749, 1436
Ball, S. J., 75*
Ballard, F. J., 75*
Balnave, D., 8*
Balog, J. M., 9*, 149*, 1519
Baltz, J. M., 972
Bandli, D.V., 42*
Banks, P. A., 739
Baracos, V. E., 9*, 108*
Barbato, G. F., 141*
Barbour, G., 10*
Barnes, D. E., 124*, 125*
Barnes, D. G., 77*
Barnhart, H. M., 168*
Bartels, J. E., 160*, 211*
Bartels, K. E., 169*
Bartol, F. F., 417
Bartov, I., 145, 1535
Bastien, R. W., 168*
Bater, B., 10*
Batson, D. B., 670
Baughman, G. R., 79, 130*, 134*, 1185, 1428
Bayyari, G. R., 10*, 33*
Beane, W. L., 128*
Beard, C. W., 58*, 1454
Beasley, J., 11*, 105*
Beck, M. M., 86*, 106*
Bednik, P., 89
Beers, K. W., 11*, 428
Beetham, P. K., 43*
Behnam, I. A., 145*
Belay, T., 169*, 208*
Bell, D. E., 11*, 169*, 170*
Bennett, C. D., 617, 836
Benoff, F. H., 12*
Berger, H., 204*
Bergquist, D., 86*
Bernier, P. E., 66*
Bernon, D. E., 1161
Berridge, B. R., 105*
Berrio, L. F., 12*, 64*, 170*
Besch, E. L., 608
Beyer, R. S., 171*, 1703
Bhargava, S., 12*
Bickford, A. A., 148*
Bielfelt, S. W., 315
Biggers, J. D., 972
Biggert, M. D., 184*
Bilgili, S. F., 1*, 121*, 165*, 171*, 172*, 194*, 200*, 1588
Birkhold, S. G., 13*, 72*
Birrenkott, G. P., 3*, 166*
Bitgood, J. J., 13*, 105*. 158*
Blair, M. E., 278, 287
Blair, R. W., 63*, 172*, 187*, 1718
Blake, J. P., 161*
Blakewood, E. G., 1695
Blalock, T. L., 14*
Bliss, B. A., 151*
Bloom, S. E., 14*, 41*, 65*
Bodine, A. B., 131*, 147*
Boila, R. J., 24*
Bokanyi, R. P., 14*
Bokhari, S. A., 15*
Bond, P. L., 8*, 15*, 16*, 47*, 143*
Book, C. M., 16*
Bootwalla, S. M., 16*, 172*, 1153
Bosch, N. B., 78*
Bottcher, R. W., 175*
Bottje, W. G., 11*, 428
Boulos, N. Z., 608
Boyle, M. L., III, 1319
Brachet, P., 47*, 48*
Brackenbury, J. H., 577
Bradac, J., 129*
Bradley, F., 70*
Bradley, G. L., 11*, 169*, 170*
Braithwaite, L. A., 17*
Brake, J., 17*, 79, 144*, 167*, 173*, 207*, 731, 1185
Bramwell, R. K., 134*
Branton, S. L., 18*, 173*
Brar, R. S., 1019
Bravo-Ureta, B. E., 124*
Brean, S. E., 79*
Brewer, C. E., 18*, 181*, 182*, 183*
Brewer, R. M., 172*
Brigmon, R. L., 608
Briles, C. O., 18*, 173*
Briles, R. W., 13*, 14*, 146*, 233,
Briles, W. E., 13*, 14*, 51*, 72*, 87*, 146*, 233, 639
Brillard, J. P., 174*, 558
Britton, J. G., 19*
Britton, W. M., 19*, 65*, 176*, 185*, 1226
Brocht, D., 23*, 93*
Brown, E. M., 399
Brown, [illegible] 182*, 183*
Brown, P. K., 156*
Brown-Borg, H. M., 19*, 174*
Buhr, R. J., 20*, 386, 1603
Buonomo, F. C., 20*, 130*
Buresh, R. E., 86
Burke, W. H., 20*, 21*, 65*, 81*, 805
Bursian, S., 885
Burton, S. D., 203*
Bushong, R. D., 121*, 200*
Butcher, G. D., 21*, 193*
Byrd, J. A., 21*, 118*

*Indicates Abstract.

C

Cabel, M. C., 22*, 175*, 186*, 205*, 438
Cabrera, R., 22*
Calderon, V. M., 23*
Calnek, B. W., 17
Calvert, C. C., 23*
Campbell, D. R., 539
Campbell, L. D., 24*, 135*
Campbell, W. R., 731
Cantor, A. H., 24*, 111*, 128*, 175*, 197*, 202*, 210*, 670, 706, 891
Capps, S. G., 175*
Carawan, R. E., 132*, 447
Carey, J. B., 25*, 122*, 176*
Carmer, S. G., 501
Carpenter, G. H., 37*
Carpenter, M. D., 825
Carsia, R. V., 25*, 80*, 92*
Cartwright, A. L., 14*, 36*, 762
Cason, J. A., 176*
Cassens, R. G., 139*
Catherman, D. R., 670
Cecil, H. C., 8*, 25*, 168*
Chaille, T. B., 825
Chaloupka, G. W., 152*
Chamblee, T., 198*
Chamblee, T. N., 176*, 1619
Chang, P. W., 1710
Chang, T. S., 26*
Chang, Y. H., 447, 656, 1078, 1100
Chaplin, S. B., 26*
Charles, R. G., 26*
Chen, B.-J., 27*
Chen, T. C., 27*, 154*, 190*
Chen, W.-L., 27*
Cheng, S., 28*
Cheng, T. K., 28*, 29*
Cherian, G., 29*, 74*
Choi, J. H., 29*
Choi, Y., 136*
Christensen, V. L., 30*, 177*, 211*, 724, 1436
Christmas, R. B., 30*, 109*, 177*, 180*
Chu, M.-H., 61*
Chu, Y., 226
Chuang, J. T., 27*
Chung, H. C., 31*
Chung, K.-S., 31*
Chung, T. K., 31*
Clare, R. A., 639
Clark, M. E., 112*
Clark, W. D., 32*
Clarke, R. N., 972
Classen, H. L., 26*, 32*, 873
Clauer, P. J., 32*
Closser, J., 1213
Cogburn, L. A., 33*, 93*, 116*, 154*
Colberg, M., 165*, 186*, 199*
Colucci, P. E., 54*
Combs, G. F., Jr., 88*
Comeaux, A. P., 1289
Compton, M. M., 33*
Conway, D. P., 92*
Cook, J. R., 33*, 88*
Cook, M. E., 4*, 7*, 97*, 115*, 140*, 160*, 161*, 163*
Coon, C. N., 28*, 29*, 45*, 73*, 85*, 107*
Cooper, M. D., 118*
Copeland, K.F.T., 1678
Corah, L., 121*
Corrier, D. E., 34*, 41*, 42*, 81*, 867, 1351, 1357, 1637
Cotter, P., 102*
Cotterill, O. J., 62*
Cowen, B. S., 1193
Cox, N. A., 43*, 55*, 136*, 168*, 178*
Craig, J. V., 9*, 35*, 85*, 102*, 70, 1040, 1720
Craig-Veit, C. B., 96*
Cravener, T. L., 1133
Creger, C. R., 43*, 44*, 1569
Crittenden, L. B., 35*, 129*, 136*
Crober, D. C., 72*
Cuca, M., 35*
Cunningham, D. L., 211
Cunningham, F. E., 36*
Cupo, M. A., 36*
Curtis, S. C., 522
Curtis, S. E., 76*, 501, 510

D

Dale, N. M., 36*, 143*, 159*, 188*, 443, 857
Daly, K. R., 37*
Damon, R. A., Jr., 1319
Damron, B. L., 37*, 55, 109*, 202* 505, 909
Danforth, H. D., 7*, 37*, 1643
Daniels, H. D., 38*
Danielson, D. M., 8*
Daniloff, J. K., 202*
Darden, J. R., 37
Darko, E. A., 54*
Darre, M. J., 38*
Davis, C. E., 178*, 249
Davis, C. Y., 136
Davis, D. R., 155*
Davis, G. S., 39*, 423, 846, 880
Davis, J. B., 1226
Dawson, L. E., 754
Dawson, P. L., 749
Day, E. J., 87*, 186*, 189*, 195*
Dayton, A. D., 92*
De Basilio, V., 39*, 151*
De Reviers, M., 558
De Groote, G., 1506
Dearth, R. N., 1179
Deaton, J. W., 39*, 87*, 91*, 173*, 176*, 193*, 218, 627, 839, 1342
Deetz, L. E., 40*, 178*, 179*
deGraft-Hanson, J. A., 40*
DeGruccio, A., 79*
Del Rio, R. M., 40*
Delany, M. E., 14*, 41*
DeLee, J. A., 88*, 179*, 191*
DeLoach, J. R., 34*, 40*, 41*, 42*, 47*, 1351, 1357
Denbow, D. M., 42*, 52*, 69*, 70*, 167*, 181*, 925, 938
Denny, T. P., 81*
Denton, J. H., 153*, 162*
Despins, J. L., 1326
Desplenter, L., 489
Dewar, W. A., 93*
Dhillon, A. S., 42*
Diaz, A., 96*
Dibner, J. J., 179*
Dick, J. W., 43*, 94*, 111*
Dick, R. L., 1*
Dickens, J. A., 43*, 196*, 249, 1478
Dickerman, R. W., 1402
Dickson, T. G., 183*
Dieckert, J. W., 43*, 44*, 1569
Dieckert, M. C., 43*, 44*, 1569
Diehl, K. C., Jr., 1033
Dietert, R. R., 44*, 116*, 226
Diez, F. N., 44*
Doamekpor, S. K., 45*
Dobson, D. C., 45*
Dockerty, T. R., 1653
Dodgson, J. B., 113*
Doerr, J. A., 45*
Donahue, S. M., 46*
Donoghue, D. J., 46*
Donovan, D. J., 7*, 1011
Dopuch, A. B., 13*
Dorr, P. E., 1241
Douglas, C. R., 180*, 825
Douglas, J. H., 8*, 15*, 16*, 47*, 143*
Drane, J. W., 558
Droleskey, R. E., 47*, 1351
Dugan, V. P., 608
Duke, G. E., 26*, 100*
Dunnington, E. A., 27, 344, 352, 359, 591, 1631
Dupuis, L., 47*, 48*

E

Easterday, B. C., 150*
Edens, F. W., 19*, 162*, 174*
Edwards, H. M., Jr., 48*, 50*, 139*, 180*, 181*, 719, 1527
Egbert, W. R., 1588
El Boushy, A. R., 799
El Halawani, M. E., 48*, 49*, 86*, 106*
El-Gendy, E. A., 49*
Elissalde, M. H., 163*, 180*, 211*, 1637
Elkin, R. G., 49*, 50*
Elliot, M. A., 50*, 180*, 181*
Ellis, M. G., 646
Elsasser, T. H., 98*
Emmerson, D. A., 50*, 181*
Emsley, A., 596
Eoff, H. J., 191*
Erkert, E. L., 51*
Escribano, F., 131*
Eskridge, K. M., 106*

Eslick, M. L., 51*
Etches, R. J., 112*, 1592
Evanson, O., 100*
Eyal-Giladi, H., 110*

F

Fadly, A. M., 136*
Fairfull, R. W., 46, 1161
Fancher, B. I., 51*, 113, 163, 897, 1385
Fanguy, R. C., 2*, 153*
Farrell, D. J., 112*, 443
Fattori, T. R., 52*
Fell, R. V., 178*
Felts, J. V., 52*
Ferket, P., 131*
Ferket, P. R., 18*, 53*, 57*, 181*, 182*, 676, 687
Fernandez, E., 185
Ferrando, C., 185
Fethiere, R., 54*, 182*
Firman, J. D., 54*, 120*, 1724
Firmanova, A., 89
Fischer, E. N., 54*
Fletcher, D. L., 55*, 136*, 150*, 206*, 238, 244, 386
Flinchum, J. D., 55*
Flinders, J. T., 134*
Flunker, L. K., 909
Forbus, E., 4*
Ford, S. A., 180*
Foster, D. N., 55*, 1447
Frank, R., 106*
Frappier, S. H., 196*
French, J. D., 82*
Friedman, A., 110*
Friend, K. L., 111*
Frohlich, A. A., 327
Froman, D. P., 66*, 78*, 79*
Froning, G. W., 56*, 155*
Frost, T. J., 56*
Fuentes, M.F.F., 57*
Fujisaki, K., 842
Fukata, T., 311
Fuller, J. C., Jr., 57*
Furuse, M., 306, 795

G

Gabriel, L., 197*
Gajulapalli, R., 58*
Garber, T. K., 1631
Garces, T. R., 210*
Gardiner, E. E., 172*, 187*
Gardner, F. A., 60*, 127*, 153*
Garlich, J. D., 57*, 83*, 204*, 1185
Garwood, V. A., 58*, 1033, 1540
Garza, C., 196*
Gast, R. K., 58*, 1454
Gates, R. S., 149*, 470
Gavora, J. S., 1161
Gee, G., 63*
Gehman, M., 1047
Gempeshaw, C. M., II, 12*, 58*, 1055
George, S. M., 164*
Gernat, A. G., 59*
Giambrone, J. J., 1213
Gibbs, P. S., 33*
Gibson, R. M., 1658
Gilbert, J. M., 59*, 183*
Gildersleeve, R. P., 189*, 198*, 203*
Gingher, P. E., 210*
Glahn, R. P., 11*, 159*, 1193, 1205
Gleaves, E. W., 106*, 958
Glick, B., 59*, 111*
Godke, R. A., 1695
Goeke, S., 11*
Golemboski, K. A., 44*
Gomez-Gonzalez, F., 60*, 153*
Gonalons, E., 185
Gonyou, H. W., 101*
Gonzales, D. S., 60*, 999
Goodrum, J. W., 1226
Goodwin, M. A., 182*, 183*
Goto, K., 323
Grant, R. J., 40*, 61*, 178*, 179*
Gray, H. G., 1710
Gray, K. S., 61*
Greaser, M. L., 139*
Greger, J. L., 115*, 140*
Grewal, G. S., 1019
Grimes, J. L., 181*, 182*, 183*, 1436
Griminger, P., 61*
Gross, W. B., 1631
Grunder, A. A., 46, 1714
Guemene, D., 1592
Guenter, W., 31*, 67*, 126*
Guinan, M. J., 16*
Guise, K. S., 132*, 1027
Guodong, L., 76*
Guyonnet, V., 183*
Gvaryahu, G., 211
Gwyther, M. J., 191*
Gyles, N. R., 1

H

Haddad, E. E., 169
Hagedorn, T. K., 62*, 77*
Hagger, C., 221
Hagler, W. M., Jr., 173*
Halbrendt, C., 1055
Hales, L. A., 460
Hallett, J. H., 999
Halvorson, D., 106*
Hamilton, P. B., 854, 1246
Hamilton, R.M.G., 46, 482, 744
Haque, A.K.M., 62*
Hardin, J. M., 173*
Hardin, R. T., 62*, 123*
Hargis, B. M., 21*, 40*, 107*, 108*, 118*, 1148
Hargrove, T. L., 63*
Harms, R. H., 16*, 21*, 30*, 52*, 54*, 63*, 86, 135*, 172*, 177*, 182*, 184*, 187*, 193*, 206*, 715, 825, 1153, 1442
Harper, J. A., 460
Harper, S. H., 93*
Harris, G. C., Jr., 33*, 88*, 179*, 191*
Harrison, P. C., 101*
Hart, L. E., 63*, 187*
Harter-Dennis, J. M., 1063
Harvey, R. B., 69*, 81*, 98*, 180*, 197*, 211*, 622, 867, 1658
Hashimoto, K., 110*
Hashimoto, Y., 582
Hastings, J. E., 64*
Haugh, C. G., 1033
Havenstein, G. B., 184*, 209*, 369, 596, 1168, 1174
Hayashi, K., 1396
Hayek, M. G., 670
Hazel, J. W., 64*
Heath, J. L., 64*, 136*, 152*
Hebert, J. A., 12*, 64*, 170*
Helgestad, E., 104*
Hemendinger, R. A., 65*, 1319
Hengemuehle, S. M., 26*
Henry, P. R., 107, 185*, 193*, 1368
Herald, T. J., 1461
Hermans, L., 496
Hermes, J. C., 65*
Hess, J. B., 65*, 66*, 185*
Hester, P. Y., 9*, 66*, 149*, 528, 1294
Hickling, D., 67*
Hierholzer, R. E., 119*
Hill, C. H., 297
Hinshaw, V. S., 67*, 114*, 150*
Hioe, C. E., 67*
Ho, M. L., 154*
Hoffbeck, S. L., 108*, 153*
Holleman, K. A., 68*
Hooge, D., 11*
Horiguchi, M., 323
Howarth, B., 68*
Hsia, H. Y., 68*
Hsu, K. T., 69*, 193*
Hudson, H. A., 185*
Huff, W. E., 69*, 81*, 98*, 180*, 197*, 211*, 622, 867, 1205, 1658
Huffman, D. L., 1588
Hughes, M. R., 408
Hughes, S., 129*
Huiatt, T. W., 57*
Hulan, H. W., 153
Hulet, R. M., 52*, 69*, 70*, 278, 287
Hurnik, J. F., 157*, 335
Hurwitz, S., 880, 914, 1118
Hussein, A. S., 111*, 175*, 197*, 706, 891
Hutchinson, D., 140*

I

Icin, S., 70*
Ingle, D. L., 204*
Ingram, D. R., 62*, 70*, 71*, 77*, 1442

Intehar, K. J., 55*
Isaacks, R. E., 71*
Isariyodom, S., 771
Ito, K., 850
Itoh, H., 564
Ivey, F. J., 144*, 179*
Izat, A. L., 2*, 119*, 165*, 186*, 199*, 205, 207, 651
Izquierdo, O. A., 510

J

Jabe, J. M., 71*
Jackson, M. E., 53*, 66*, 186*, 195*
Jackson, S., 1547
Jacob, J. P., 172*, 187*
Jacobs, R. D., 187*
Janky, D. M., 13*, 72*, 193*, 1232
Jansen, H. N., 72*
Jarvi, S. I., 72*
Jaynes, J. M., 1695
Jeffrey, J. S., 73*
Jenkins, M. C., 37*
Jensen, L. S., 23*, 35*, 61, 113, 163, 171*, 163*, 209*, 212* 897, 1385, 1612, 1672, 1703, 1727
Jetton, J. P., 77*
Jevine, R. L., 73*
Jiang, Z., 73*, 74*, 133*
Jimenez, M., 185
Johnson, A. L., 147*, 148*
Johnson, B. E., 74*, 90*
Johnson, J. K., 75*
Johnson, L. W., 171*
Johnson, R. J., 75*, 92*, 117*
Johnson, R. W., 76*
Johnson, T. H., 24*, 111*, 128*, 175*, 197*, 202*, 210*, 706, 891
Johnson, W. A., 1289, 1695
Johnston, N. P., 134*, 319
Johnstone, B. J., 91*
Jones, F. T., 187*
Jones, J. E., 193*
Jones, M. E., 76*
Jones, S. J., 154*
Jones, W., 121*
Jones, W. T., 37*
Jordan, H. C., 76*
Jurkovic, P. 89

K

Kamiyoshi, M., 77*
Karatzas, C. N., 811
Kassid, J. F., 77*
Katanbaf, M. N., 344, 352, 359
Keeler, C. L., Jr., 64*
Keeling, L., 159*
Kelemen, D. W., 144*, 188*
Kempainen, R. J., 569, 1688
Kendall, R. L., 13*, 153*
Keshavarz, K., 78*
Ketels, E., 1506
Khan, M. I., 161*
Khidir, W. J., 77*
Kim, C. D., 464
Kim, H., 164*, 212*
King, A. J., 78*
King, D. B., 25*, 74*
King, N., 196*
Kinsella, J., 133*
Kirby, J. D., 66*, 78*, 79*
Kirn, B. N., 1724
Kitagawa, H., 582
Kitchell, R. L, 16*
Klandorf, H., 79*
Klasing, K. C., 91*
Kling, H., 61*
Klinger, J., 102*
Kneissl, U., 90*
Kobayashi, S., 564
Kobland, J. D., 210*
Kocsis, J. F., 80*, 92*
Koelkebeck, K. W., 80*, 126*
Koen, T. B., 739
Koga, O., 1156
Kohl, H., 528, 1294
Koldovsky, O., 265
Kon, Y., 582
Kondaiah, N., 393
Korn, N., 147*
Kostelc, J. G., 179*
Kotula, K. L., 81*
Krautman, B. A., 166*, 198*
Krishnan, K. A., 116*
Krogdahl, A., 1561
Kropp, P. S., 1*
Krueger, K. K., 66
Krueger, W. F., 99*, 435
Kubena, L. F., 42*, 69*, 81*, 98*, 180*, 197*, 211*, 622, 867, 1658
Kucera, J., 89
Kudo, N., 582
Kuenzel, W. J., 926
Kuhlers, D. L., 160*
Kuhnlein, U., 1161
Kumar, M. V., 81*

L

Lacy, M. P., 82*, 188*
Lamm, E. T., 25*, 80*
Lamont, S. J., 28*, 94, 101*, 150*, 464, 646
Langevin, C., 29*
Larsen, D., 67*
Latimer, J. W., 192*
Latshaw, D., 10*, 82*
Laurent, S. M., 30*, 62*, 70*, 71*, 77*, 83*, 188*
Lauterio, T. J., 1263
Lawrence, L., 173*
Lechene, C. P., 972
Lee, C. G., 83*
Lee, H. 83*
Lee, H. T., 84*
Lee, H.-Y., 35*, 85*, 1720
Lee, K., 84*, 1024, 1332
Lee, K.-H., 84*
Lee, S. R., 189*
Leeper, R. W., 80*, 85*
Leeson, S., 96*, 546, 617, 836
Lehning, E., 885
Leighton, A. T., Jr., 52*
Leske, K. L., 85*
Lewis, P. A., 86*
Lewis, R. H., 189*
Li, Q., 117*
Li, S., 186*, 189*, 195*
Lien, K., 29*
Lien, R. J., 86*, 1126, 1409
Liewen, M. B., 86*
Lightsey, S. F., 69*, 121*, 193*, 200*
Likel, M., 1643
Lilburn, M. S., 6*, 50*, 120*, 141*, 857, 1263, 1274
Lillard, H. S., 190*, 1100, 1307, 1470
Lillehoj, H. S., 31*, 74*
Lin, J. H., 166*
Lin, S. W., 190*
Link, G. A., 57*
Liou, S. S., 33*
Liu, J. K., 87*, 108*, 153*, 1513
Loess-Perez, S. M., 87*
Long, P. L., 75*, 183*
Longstaff, M., 93*
Lopez, C. C., 107*, 108*
Lott, B. D., 39*, 87*, 91*, 193*, 204*, 1342
Lu, J., 88*
Lukacs, N. W., 146*, 233
Lundin, L. G., 1313
Lyon, B. G., 190*
Lyon, C. E., 110*, 178*, 190*, 191*, 212*, 238, 249, 663
Lyons, J. J., 22*, 145*, 1114

M

Mabon, J., 152*, 209*
Macari, M., 1381
Mack, F. K., 113*
Macy, L. B., 33*, 88*, 179*, 191*
Mafeni, J. M., 173*
Magar, V. D., 128*
Maiorino, P. M., 258
Malone, G. W., 6*, 88*, 152*
Mandour, M. A., 1168, 1174
Manley, R. W., 69*, 70*
March, B. E., 89*, 1718
Marguerat, C., 221
Marion, J. E., 55
Marks, H. L., 37*, 89*, 191*, 192*, 455
Marple, D. N., 569, 1688
Marquardt, R. R., 126*, 327
Marrett, L. E., 89*
Marsboom, R., 489, 496
Marsh, J. A., 25*, 74*, 90*
Marshall, J., 136*
Martin, F. G., 109*
Mashaly, M. M., 133*, 148*, 169
Maslin, W. R., 173*

Mast, M. G., 1109
Mather, F. B., 55, 90*, 608, 1442
Mathis, G. F., 90*
Matsui, T., 670
Mauldin, J. M., 192*
Maurer, A. J., 10*, 100, 105*, 1088, 1218
Maurice, D. V., 69*, 121*, 193*, 200*
Mauro, L. J., 48*, 49*
May, J. D., 39*, 87*, 91*, 193*, 218, 627
Maynard, P. M., 91*
McCandless, R., 1643
McCorkle, F. M., 71*, 91*
McCormick, C. C., 78*
McDaniel, G. R., 51*, 160*, 211*, 558
McDougald, L. R., 40*, 59*, 178*, 179*
McFarlane, J. M., 501, 510, 522
McGeachin, R. B., 107*
McGinnis, J. P., 244, 386
McGuinness, M. C., 33*, 116*
McIlroy, P. J., 92*
McKenzie, M. E., 92*
McMartin, D., 70*
McMillan, I., 17*, 476
McMurtry, J. P., 23*, 75*, 92*, 93*, 1294
McNab, J. M., 93*, 990
McNabb, F.M.A., 990
McWhinney, S.L.R., 94*
Meier, T. I., 94*
Mellor, D. B., 127*
Mench, J. A., 76*
Mendonca, Jr., C. X., 35*, 1672
Merka, W. C., 94*, 95*, 132*
Merkley, J. W., 95*, 762, 1540
Meteyer, C. S., 148*
Meyer, W. E., 95*
Michelangeli, C., 96*
Miles, R. D., 52*, 54*, 107, 182*, 185*, 193*, 202*, 539, 1368
Miles, S. A., 96*
Millam, J. R., 16*, 95*, 96*
Millar, I., 1519
Miller, C., 97*
Miller, D. E., 23*
Miller, E. H., 97*, 194*
Miller, J., 125*
Miller, L., 97*, 118*
Miller, M. F., 164*, 212*
Milliken, G. A., 9
Mills, E. O., 113*
Mills, J. S., 98*
Mims, S. D., 111*
Mirande, C., 63*
Mirosh, L. W., 79*, 98*, 130*
Mitchell, A. D., 98*
Mitchell, G. E., Jr., 670
Mittelstaedt, C. W., 194*
Mizuno, S., 850
Moafi, M., 99*
Mohammad, N. Z., 145*
Mollenhauer, H. H., 41*, 42*, 47*, 1351, 1357
Montilla, J. J., 39*, 96*, 151*
Moore, R. W., 99*, 1148
Moorhead, P. D., 1447
Moran, E. T., Jr., 1*, 99*, 121*, 165*, 171*, 172*, 194*, 200*, 211*, 1141
Moreng, R. E., 55*
Morgan, G. W., 176*, 198*, 1619
Morris, G. K., 100*
Morrison, T. O., 100*
Morrison, W. D., 17*
Moshtaghian, J., 80*
Moss, C. W., 84*, 1024
Mueller, L. R., 100*
Muir, W. M., 101*, 1040
Muiruri, H. K., 101*
Munn, B. J., 166*, 195*, 202*, 1289
Munns, P. L., 101*
Muntifering, R. B., 670
Muramatsu, T., 771
Murano, T., 842
Murphy, C. N., 179*
Murphy, D. W., 109*
Murphy, J., 102*
Murphy, M. R., 157*
Murray, E. E., 194*
Myers-Miller, D. J., 1274

N

Na-Lampang, P., 102*
Naber, E. C., 40*, 103*, 140*, 1282
Nagata, Y., 850
Nahm, K. H., 103*
Nakai, M., 582
Nakano, T., 1303
Nakaue, H. S., 98*, 104*, 194*
Nam, C. H., 1624
Namiki, K., 842
Nejad, H., 11*
Nelson, C. E., 104*
Nelson, P., 160*
Nestor, K. E., 61*, 141*, 209*, 369, 1168, 1174, 1179, 1282, 1447
Neumann, L. M., 104*, 105*
Newberry, L. A., 105*
Newman, J., 106*
Ngiam-Rilling, K., 1263, 1274
Niemiec, J., 145*
Nissen, S. L., 57*
Nockels, C. F., 55*
Noll, S. L., 106*, 781, 1513
Nordskog, A. W., 94
Norman, J. O., 40*, 41*, 42*, 1351, 1357
Norton, R. A., 22*
Novero, R. P., 106*
Nwokolo, E., 106*, 1374, 1485

O

Oates, S. S., 120*
Obi, I. N., 107*
Obunike, J. C., 107*
O'Doherty, G. O., 7*
Odom, T. W., 107*, 108*, 196*, 428
Ohkawara, H., 323
Ohtani, H., 323
Oju, E. M., 108*, 153*
Okumura, J. I., 306, 771, 795
Oldroyd, N. O., 159*
Olomu, J. M., 9*, 108*
Olson, B., 885
O'Mahony, M., 197*
Omar, S., 186*, 189*, 195*
Ono, Y., 107*
Oogburn, L., 93*
Opel, H., 177
Opitz, G., 1027
Orban, J. I., 124*, 196*
Ort, J. F., 30*, 183*, 731, 1436
Orth, M. W., 4*, 7*, 163*
Ortiz, D. N., 109*
Ortmayer, H. B., 161*
Otis, J. S., 132*, 1027
Ottinger, M. A., 117*, 979
Ouart, M. D., 55, 109*, 539
Oyofo, B. A., 41*, 42*, 47*, 1351, 1357

P

Palmer, D. H., 109*
Pancer, Z., 110*
Pancorbo, O. C., 168*
Panda, B., 393
Pandya, Y., 81*
Panigrahy, B., 94*
Pankratz, J., 1047
Papa, C. M., 110*, 196*, 212*, 238, 244, 249, 386, 663, 1478
Paradis, T. J., 1710
Pardue, S. L., 21*, 196*
Parkhurst, C. R., 134* 1428
Parsons, C. M., 80*, 85*, 110*
Pasin, G., 197*
Patten, J. D., 319
Patterson, P. H., 126*, 830
Pawluezuk, B., 1714
Payne, C. J., 111*
Pearson, S. A., 197*
Peebles, E. D., 97*, 194*
Pescatore, A. J., 24*, 111*, 128*, 175*, 197*, 202*, 1063
Pesti, G. M., 21*, 112*, 124*, 198*, 200*, 443
Peterson, I. L., 112*
Peterson, R. A., 37*
Petitte, J. N., 112*
Pevzner, I. Y., 113*
Pfaff, W. K., 24*, 128*, 202*
Pharr, G. T., 113*
Phelps, P. V., 198*, 203*
Phetteplace, H. W., 114*
Phillips, T. D., 69*, 81*, 622, 867
Philpott, M., 114*
Pierson, E.E.M., 208*
Pimentel, J. L., 115*, 830
Pinchasov, Y., 61, 1612, 17127
Pitcovski, J., 94

Pittilo, R. M., 75*
Plavnik, I., 880, 914, 1118
Polin, D., 138*, 885
Polley, C. R., 1168, 1174
Potchanakorn, M., 115*
Potter, L. M., 69*, 70*, 115*, 181*, 278, 287
Pratt, D. E., 166*
Prelusky, D. B., 744
Price, J. F., 754
Proudfoot, F. G., 153
Proudman, J. A., 116*, 177
Pruss, M., 146*
Puigserver, A., 47*, 48*
Purchase, H. G., 116*
Pusztai, A., 86*
Putnam, J. R., 14*
Puzzi, J. V., 116*
Pym, R., 117*

Q

Quarles, C. L., 167*, 178*, 179*, 198*
Quere, P., 117*, 118*
Qureshi, M. A., 53*, 97*, 109*, 118*

R

Rabon, H. W., Jr., 125*, 199*, 201*, 417
Rafferty, R. W., 118*
Rahmani, T.M.-Z., 137*
Rajcic-Spasojevic, G., 999
Rao, K. S., 119*, 199*, 1499
Rao, P. V., 1368
Rasmussen, A. L., 1109
Raterink, R., 799
Ratnayake, W.M.N., 153
Raup, T. J., 428
Reagan, J. O., 249
Reed, W. M, 631
Reiber, M. A., 119*, 165*, 186*, 199*
Reid, B. L., 258, 265
Reid, D. W., 2*
Reid, W. M., 119*
Reine, A. H., 140*, 197*
Remus, J. C., 120*
Renden, J. A., 120*, 569, 1688
Renner, P. A., 120*, 369, 1179
Revington, W. H., 1*, 121*, 165*, 200*
Reynnells, R., 121*
Rhoades, J. F., 121*, 193*, 200*
Richards, B. A., 76*
Richards, M. P., 122*, 970
Richardson, J. W., 1055
Richter, E. R., 14*
Riddell, C., 32*, 873
Riley, G., 86*
Riley, W. W., Jr., 1255
Rising, R., 258
Rives, D. V., 57*, 122*, 187*
Roberson, R., 123*
Roberts, J. R., 408
Robeson, L. G., 8*, 15*, 16*, 47*, 143*
Robey, W. W., 156*
Robinson, F. E., 32*, 62*, 74*, 123*
Robinson, N. A., 123*
Robinzon, B., 110*, 948
Rock, J. S., 38*, 124*
Rogers, S. R., 124*, 200*
Rogler, J. C., 49*, 50*
Roland, D. A., Sr., 56*, 119*, 124*, 125*, 196*, 199*, 201*, 417, 1241, 1499
Rosebrough, R. W., 98*, 125*, 126*
Rosebrough, R., 93*,
Rosenberger, J. K., 64*
Ross, C. C., 201*
Ross, E., 126*
Rossi, A., 202*
Roth, R. P., 179*
Rothschild, M. F., 464
Rotter, B. A., 126*, 327
Rotter, R. G., 327
Rottinghaus, G. E., 622, 867
Roush, W. B., 127*, 159*
Rowland, G. N., III, 65*. 198*
Rucker, K., 127*
Rudas, P., 1553
Ruff, M. D., 127*, 380, 1643
Ruiz, N., 86, 715
Ruszler, P. L., 128*, 833, 1326
Rutz, F., 128*, 202*

S

Sabour, M., 1161
Sacco, R. E., 1168, 1174, 1179
Saif, Y. M., 184*, 1179, 1447
Saitoh, H., 850
Saitoh, S., 323
Salih, A. M., 754
Salmon, R. E., 142
Salter, D. W., 35*, 128*
Salyi, G., 1553
Sammelwitz, P. H., 129*
Sampson, G. R., 40*
Sams, A. R., 44*, 129*, 162*, 1148, 1232
Satnick, J. L., 159*
Satterlee, D. G., 166*, 195*, 202*, 1289
Satterlee, N. L., 195*, 202
Savage, J. E., 139*
Savage, T. F., 98*, 130*, 460
Saylor, W. W., 6*
Scanes, C. G., 25*, 46*, 74*, 90*, 130*, 1015
Schaberg, D. M., 42*
Schaeffer, J. L., 189*, 203*, 1246
Schat, K. A., 17
Scheideler, S., 131*
Scheideler, S. E., 53*, 130*, 175*, 187*, 203*
Schlegel, B. F., 1011
Schleim, K.-D., 146*
Schlimme, D., 136*
Schmisseur, E., 1047
Schrader, D. L., 631
Schultz, C. D., 1619
Scott, D. L., 1653
Scott, K. C., 131*
Scott, T. A., 123*
Scott, T. R., 111*, 131*
Searcy, G. K., 5*, 1470
Sell, J. L., 5*, 6*, 131*, 136*, 265, 676, 687, 1561
Seman D. H., 670
Seto, F., 132*
Sexton, K. J., 569, 1688
Sexton, T. J., 168*
Shane, S. M., 203*
Shanks, R. D., 76*, 501
Shapiro, R. S., 1205
Sharkey, D. L., 204*
Sharp, P., 147*
Sharp, P. J., 805
Shaw, E. M., 132*
Shaw, S. L., 44*
Sheerar, M. G., 67*
Sheldon, B. W., 132*, 447, 656, 749, 1068, 1074, 1078, 1084, 1345
Shen, T.-F., 27*
Shih, J.C.H., 83*, 144*, 188*, 204*
Shimizu, S., 842
Shimizu, T., 306
Shoffner, R. N., 132*, 1027
Shultz, F. T., 315
Shuman, R. M., 132*, 204*
Sibbald, I. R., 124, 1021, 1299, 1361, 1707
Siegel, H. S., 192*, 205*
Siegel, P. B., 27, 114*, 151*, 344, 352, 359, 591, 1631
Sieminski-Brodzina, L. M., 133*
Silsby, J. L., 48*, 49*
Sim, J. S., 29*, 73*, 74*, 84*, 106*, 133*, 1303, 1374, 1485
Simmons, J. D., 18*, 162*, 204*, 218, 839, 1342
Simon, J., 510
Siopes, T. D., 134*, 423, 846, 880,, 1126, 1409, 1428, 1337
Sizemore, F. G., 205*
Skeeles, J. K., 10*, 105*
Skinner, J. L., 186*, 205*
Skinner, J. T., 134*
Slaugh, B. T., 134*, 319
Slemons, R. D., 73*, 135*
Sloan, D. R., 109*, 135*, 187*, 206*
Slominski, B. A., 135*
Smalley, E. B., 160*
Smeltzer, M. A., 183*
Smith, D. M., 68*, 154*, 754, 1461
Smith, D. P., 55*, 136*, 206*
Smith, E. J., 136*
Smith, H., 210*
Smith, J. H., 1263
Smith, M., 136*
Smith, M. O., 169*, 208*, 210*

Smith, R. C., 125*
Smyth, J. R., Jr., 137*, 1319
Snapir, N., 110*, 948
Soh, T., 1156
Soliman, A. Z., 138
Solomon, M., 136*
Somes, R. G., Jr., 137*, 138*
Sooncharernying, S., 139*, 719
Sosnicki, A. A., 139*
Southern, L. L., 156*, 1236
Souza, F. M., 57*
Spratt, D., 1547
Spurlock, M. E., 139*
Squires, M. W., 103*, 140*
Stadelman, W. J., 166*
Stahl, J. L., 140*
Stanley, V. G., 140*, 197*, 435
Stark, A. P., 141*
Steele, N. C., 125*, 126*
Steffe, J. F., 68*, 154*
Steiger-Stafl, D., 221
Steigner, J. W., 141*
Stephens, J. F., 14*, 40*, 142*, 206*
Stevens, V. I., 142
Stickley, T. K., 142*, 206*
Stilborn, H. L., 142*, 207*
Story, J. D., 10*
Stothers, S. C., 24*
Stranzinger, G., 221
Strausberg, R. L., 1643
Strohlein, D. A., 37*
Strong, C. F., Jr., 143*, 1730
Strout, R. G., 37*, 639
Struwe, F. J., 47*, 143*
Su, Y., 5*
Suk, Y., 143*
Sullivan, T. W., 8*, 15*, 16*, 40*, 47*, 50*, 143*, 178*, 1490
Summers, G. D., 189*
Summers, J. D., 546, 1547
Sun, L., 144*
Sunde, M. L., 830
Sundlof, S. F., 909
Suthama, N., 1396
Swann, G. S., 144*, 207*
Swayne, D. E., 73*
Swicegood, L. R., 33*
Swick, R. A., 144*, 179*, 208*
Szabo, J., 1553
Szymkiewicz, M., 145*

T

Tadtiyanant, C., 145*
Taka, M. R., 145*
Takahashi, K., 323
Tamas, T., 146*
Tanaka, K., 77*, 1156
Tarver, F. R., 187*
Tasaki, I., 306
Taylor, R. L., Jr., 71*, 88*, 91*, 102*, 146*, 233, 639
Teeter, R. G., 169*, 194*, 208*, 210*
Temple, C. A., 156*
Terashima, Y., 564
Thaxton, J. P., 189*, 198*, 203*
Thomas, B. R., 408
Thomas, C. B., 147*
Thomas, R. A., 1*, 651
Thommes, R. C., 130*
Thompson, B. K., 46, 482
Thompson, O. C., 40*
Thomson, E., 112*
Thorbecke, G. J., 117*, 118*
Thorne, D. H., 1114
Thurston, R. J., 147*
Tilly, J. L., 147*, 148*
Tilmon, H. D., 88*
Timmons, M. B., 134*, 470, 1428
Tivzenda, P. T., 18*, 173*
Toelle, V. D., 131*, 184*, 209*, 596
Toledo, R. T., 1100
Tomita, T., 1396
Tonkinson, L. V., 1011
Towner, R. H., 184*, 596
Toyomizu, M., 1396
Trampel, D. W., 5*, 6*, 148*
Trenholm, H. L., 744
Trout, J. M., 148*
Tsai, H., 149*, 999
Tsark, W., 93*
Tsau, K., 79*
Tsiagbe, V. K., 117*
Tucker, R. E., 670
Tufft, L. S., 209*
Turner, E. C., Jr., 833, 1326
Turner, G. M., 149*
Turner, K. A., 149*
Turner, L. W., 149*
Tuttle, J. W., 149*
Twining, P. V., Jr., 167*
Tyczkowski, J. K., 198*, 203*, 1246

U

Uchino, T., 842
Uijttenboogaart, T. G., 150*
Umeda, I., 771
Underwood, M., 885
Untawale, G. G., 56*
Urquhart, M. W., 150*
Uryu, N., 850
Uytdewilligen, M., 29*

V

Vagnoni, D. B., 1236
Van Campen, H., 150*
Van Der Flaes, L., 496
Van Krey, H. P., 151*
van Niekerk, T., 1631
Van Tienhoven, A., 211
Van Wicklen, G. L., 21*
Vandepopuliere, J. M., 19*, 22*, 62*, 145*, 1114
Vanparijs, O., 489, 496
Vargas, R. E., 39*, 96*, 151*
Varghese, S. K., 151*, 152*
Vasilatos-Younken, R., 6*, 61*, 100*, 1113
Vena, V. E., 1205
Vergara, P., 185
Verrinder Gibbins, A. M., 76*, 1678
Vimini, R. J., 72*, 139*
Vo, K. V., 152*, 209*
Von Vleck, M. F., 125*, 126*

W

Wabeck, C. J., 152*
Wages, D. P., 731
Waibel, P. E., 40*, 87*, 106*, 108*, 153*, 781, 1513
Wakefield, T., Jr., 152*, 209*
Waldroup, P. W., 22*, 134*, 142*, 175*, 178*, 186*, 199*, 205*, 207*, 438
Walker, L. T., 60*, 153*
Walker, R. L., 187*
Wallenstein, R. C., 183*
Walser, M. M., 87*
Walters, B. S., 153*
Wang, G. T., 210*
Wang, P. C., 98*
Wang, S. F., 154*
Wang, S. W., 154*
Wany, S. Y., 154*
Warner, C. M., 94
Warnick, R. E., 155*
Warpinski, P., 155*
Warren, M. W., 155*
Washburn, K. W., 49*, 143*, 156*, 192*, 1425
Watanabe, E., 564
Watkins, B. A., 114*, 156*, 698
Watkins, K. L., 7*, 156*, 1236
Watson, K. S., 56*
Weaver, W. D., Jr., 157*, 167*
Webster, A. B., 157*, 335
Wedekind, K. J., 110*, 157*
Wei, R., 158*
Weitzel, B., 197*
Welch, C. C., 158*
Wellenreiter, R. H., 1133
Wentworth, B. C., 60*, 105*, 149*, 999
Westendorf, M. L., 670
Whistler, P. E., 1068, 1074, 1345
Whitten, R. W., 189*
Wideman, R. F., Jr., 141*, 158*, 159*, 1193, 1205
Widjajanti, P., 210*
Wiernusz, C. J., 169*, 208*, 210*
Wiggins, M. E., 3*, 166*
Wilhelmson, M., 1313
Wilkins, G. C., 127*
Wilks, G., 146*
Williams, C. M., 83*, 204*
Williams, S. N., 539
Williamson, A.D.B., 577
Wilson, H. R., 37*, 52*, 90*, 159*, 608, 1418, 1442
Wilson, J. L., 82*, 159*, 188*, 192*
Wilson, R. L., 43*
Wineland, M. J., 187*, 211*
Winowiski, T. S., 18*
Winterfield, R., 21*

Witzel, D. A., 180*, 211*
Wolynetz, M. S., 124, 1021, 1299, 1361, 1707,
Wong-Valle, J., 160*, 211*, 1368
Woods, J., 130*
Woodward, S. A., 193*, 1232
Wu, C., 476
Wu, W., 160*
Wyatt, C. L., 163, 212*

X

Xu, T., 160*, 161*

Y

Yamamoto, R., 161*, 163*
Yang, N., 476
Yau, J.-C., 162*
Yazwinski, T. A., 22*
Yersin, A. G., 162*
Yi, Y. H., 27*
Yokota, H. O., 306
York, G., 197*
Yoselewitz, I., 8*
Yoshimura, Y., 162*
Young, L. L., 110*, 164*, 212*
Yuste, P., 93*

Z

Zakaria, A. H., 1150, 1585
Zarkadas, C. G., 811
Zatari, I., 131*
Zeidler, G., 197*
Zeytun, I. H., 163*
Zhang, W. J., 24*
Zhao, S., 163*
Zimmermann, N. G., 4*, 104*, 1619
Ziprin, R. L., 34*, 41*, 42*, 163*, 1351, 1357, 1637
Zuim, S.M.F., 1381

Index of Subjects

1,25-dihydroxyvitamin D_3, 1-α-hydroxyvitamin D_3, egg shell quality, vitamin D_3, 56*
broiler, calcium, fluorescent light, tibial dyschondroplasia, 139*
1,25-dihydroxy-cholecalciferol, 1-hydroxycholecalciferol, broiler, tibial dyschondroplasia, vitamin D_3 metabolites, 4*
1-α-hydroxyvitamin D_3, 1,25-dihydroxyvitamin D_3, egg shell quality, vitamin D_3, 56*
1-hydroxycholecalciferol, 1,25-dihydroxy-cholecalciferol, broiler, tibial dyschondroplasia, vitamin D_3 metabolites, 4*
2-hydroxy-4-methylthiobutanoic acid, Alimet™, methionine metabolism, 179*
2-thiobarbituric acid, broiler meat, microbiological spoilage, shelf-life, 1307†
25-hydroxyvitamin D_3, cimetidine, egg shell quality, layer, 212*
3-methylhistidine, broiler growth, plasma levels, 73*
4-H, Future Farmers of America, game hens, poultry youth project, 152*
pigeon fitting, showmanship, 151*
4-H embryology, education, planning guide, video tape, 39*
5-day fast, egg production, egg weight, protein conversion, pullet, 143*
5-hydroxylysine, amino acid composition, collagen, elastin, skeletal muscle, 811
5-hydroxytryptamine, leukocyte migration, serotonin, wattle response, 91*
6-carboxyfluorescein diacetate, broiler breeder, fluorescence concentration analyzer, propidium iodide, sperm viability, 33*
Abdominal fat, amino acid(s), broiler, carcass quality, 22*
arginine, protein level, 35*
broiler, caffeine, carcass composition, 95*
carcass yield, metabolizable energy, nutrient concentration, 195*
compensatory growth, glycolic acid, restricted feeding, 61
broiler breast meat, carcass yield, crude protein, lysine, 186*
broiler cross-diet interaction, dietary energy, starter diets, 205*
broiler performance, metabolizable energy, poultry by-product meal, 1672
carcass fat prediction, nonesterified fatty acids, triacylglycerides, turkey, 1282
correlation, quail–Japanese, sex differences, testes, 89*
Abdominal fat deposition, broiler male performance, essential amino acids, potassium, protein, 1385
broiler performance, essential amino acids, potassium, protein level, 897
protein level, thyroid hormones, 113
Abdominal fat pad, broiler chick, dietary energy:protein ratio, feed efficiency, nicarbazin, 1535
Absorption, conalbumin, emulsions, lysozyme, ovalbumin, 1*
epididymal region, fowl, seminal plasma, spermiophagy, 582
Acceptability, chicken *versus* pork fat, frankfurters, stability, texture, 44*
Accessory hepatic lobe, congenital anomalies, duplicate polydactyly, reduplication of ceca, 1019†
Acclimation, broiler, environmental temperature, feed consumption, water consumption, 91*
heat stress, mortality, 208*
Acclimatization, collection harnesses, excreta collection, excreta energy, true metabolizable energy bioassay, 1707†
Acetate, broiler chick, feed intake, propionate, short-chain fatty acids, 1612
Acetic acid, chick performance, energy utilization, growth, protein utilization, 795
Acetylsalicylic acid, aspirin, egg shell quality, prostaglandin, 9*
Acid preserved broiler carcasses, broiler performance, dead bird disposal, poultry by-product meal, 6*
Acid base, calcium, kidney, methionine, urolithiasis, 159*
Acid-base balance, broiler, heat stress, nicarbazin, 428
Acid-insoluble ash, calcium digestibility, layer, total collection method, 28*
chromic oxide, digestibility, marker, 54*
Activators, complement activity, hemolytic, inhibitors, turkey, 646
ad libitum feeding, broiler breeder male, restricted feeding, semen quantity and quality, testosterone, 569
Adaptability, behavior, Leghorn pullet, open field, welfare, 157*
Added fat, age, dietary protein, strain comparisons, turkey, 278
breast meat, carcass characteristics, dietary protein, turkey, 287
broiler breeder performance, egg shell quality, hatchability, lighting programs, 1185
fertility, metabolizable energy, 173*
broiler chick diet, fatty acids, metabolizable energy, saturated fatty acids, 1506
Adenosine triphosphate, duodenal Ca^{2+}-adenosine triphosphatase, egg shell formation, plasma calcium, uterine Ca^{2+}-adenosine triphosphatase, 564
Adenovirus inclusions, kidney, renal tubular epithelium, turkey, 148*
Adenylyl cyclase, adrenocortical cells, cAMP, dietary protein restriction, 92*
cAMP, growth hormone, somatostatin, 46*
triiodothyronine, 46*
Adherence, chick intestine, inhibition, *Salmonella typhimurium*, sugars, 1351
Adipocyte, beta agonist, broiler, carcass composition, cimaterol, 762
carcass characteristics, growth response, quail–Japanese, 1540
Adipsin, broiler, fat, RNA expression, transcription, 14*
Adoptive immunity, immunocyte precursors, PFC formation, 132*
Adrenal, adrenocorticotropic hormone, cold stress, corticosterone, turkey poult, 846†

*Indicates Abstract.
†Indicates Research Note.

Adrenocortical cells, adrenocorticotropic hormone, aldosterone secretion, angiotensin II, turkey, 80*
sodium restriction, turkey, 80*
adenylyl cyclase, cAMP, dietary protein restriction, 92*
Adrenocortical function, thyroidectomy, triiodothyronine, 25*
Adrenocorticotropic hormone, adrenal, cold stress, corticosterone, turkey poult, 846†
cold stress, corticosterone rhythmicity, turkey poult, 423
differential leucocyte counts, hydrocortisone, layer, stress, 1710†
DNA degradation, programmed cell death, thymocytes, 33*
Aflatoxin, aluminosilicate, broiler growth, 45*
broiler, glutathione, liver, methionine, 11*
hydrated sodium calcium aluminosilicate, ochratoxin A, 69*
broiler chick, interaction, salinomycin, 197*
broiler performance, lysine, methionine, 98*
chick, IgG, IgM, lymphocyte, mitogens, 131*
hydrated sodium calcium aluminosilicate, T-2 toxin, 81*
mold inhibitor, particle size, protein level, 103*
salmonellosis, T-2 toxin, 163*
Aflatoxin toxicity, aluminosilicate, broiler, Ethacal® feed component, 203*
Aflatoxin-B_1, cell damage, macrophages, phagocytosis, 109*
Age, added fat, dietary protein, strain comparisons, turkey, 278
amylase, lipase, protease, turkey, 1561
antibodies, *Brucella abortus*, immunization interval, sheep red blood cells, 101*
breast meat, broiler, lysine, methionine, 67*
broiler, ceca, *Salmonella typhimurium* persistance, 1454
feed withdrawal, strain, yield, 152*
cholesterol, correlation coefficients, egg, layer, 133*
diet, intestinal disaccharidases, turkey poult, 265
egg shell quality, saline drinking water, 8*
feed efficiency, turkey, white meat yield, 155*
Age influence, broiler, digestive transit time, rate of food passage, transit markers, 185
Aged hens, chick performance, zinc, 55*
Ahemeral, egg weight, hemeral, layer performance, lighting programs, 1624
Air scrubbing, broiler carcasses, chilling, microbiological quality, *Salmonella typhimurium*, 43*
Albumen, dwarf *versus* normal, egg composition, yolk, 591
Albumen media, egg microbiology, pathogenic bacteria, yolk media, 136*
Albumen shear strength, albumen pH, egg storage conditions, hard-cooked egg peelability, 1226
Aldosterone secretion, ACTH, adrenocortical cells, angiotensin II, turkey, 80*
sodium restriction, turkey, 80*
Alimet™, 2-hydroxy-4-methylthiobutanoic acid, methionine metabolism, 179*
broiler, dietary acids, heat stress, methionine, 208*
Allo-Kramer shear, broiler breast meat, hot boning, sample orientation, 206*
objective texture, *Pectoralis major* muscle, single blade, 191*
Alloantigen, embryo development, histocompatibility complex, 87*
lymphocyte, T-cell, 51*
Alpha cDNA, cloning, northern analysis, nucleotide sequence, pituitary genes, 55*
Aluminosilicate, aflatoxin, broiler growth, 45*
aflatoxin toxicity, broiler, Ethacal® feed component, 203*
Aluminum, carnegeite, egg specific gravity, hydroxysodalite, sodium aluminosilicate, 201*
excreta, layer, phosphorus, silicon, 125*
Amelanosis, chick embryo, embryo allografts, immune response, melanocytes, 137*
down color, eumelanogenesis, Smyth line, 1319
Amino acid availability, blood meal, feather meal, true metabolizable energy, turkey, 1513
Amino acid composition, 5-hydroxylysine, collagen, elastin, skeletal muscle, 811
Amino acid deficiency, chick growth, protein level, 61*
Amino acid digestibility, excreta, protein digestibility, uric acid, 327†
Amino acid level, arginase activity, canavanine, chick performance, jack bean, 96*
Amino acid ratio, broiler chick, isoleucine requirement, protein level, protein source, 10*
Amino acid requirements, broiler, carcass composition, carcass yield, 207*
chick, dietary energy, pelleting, restricted feeding, 1118
threonine, turkey poult, 54*
Amino acid(s), abdominal fat, broiler, carcass quality, 22*
biodegradation, feather-lysate, feathers, protein, 83*
broiler, carcass composition, 142*
broiler chick, crooked neck, tremors, wheat, 32*
bushel weight, corn, protein, 857†
calorimetry, energy utilization, layer, protein, 258
carcass characteristics, commercial strains, turkey tom, 50*
carcass composition, carcass yield, early protein restriction, roaster, 53*
early protein restriction, roaster performance, strain, 53*
egg weight, layer, 184*
layer, lysine, 63*
Ammonia, broiler, litter treatment, sodium bisulfate, 104*
Ammonia control, broiler, computer model, ventilation policy, 167*
housing, sensors, 201*
Ammonia release, broiler, litter, 188*
Amprolium, anticoccidial drugs, turkey, 90*
Amylase, age, lipase, protease, turkey, 1561
chick, pancrease, zinc toxicity, 88*
Anaerobic digestion, DNA hybridization, Marek's disease, pathogen control, waste digesters, 188*
Analysis of variance, computer spreadsheet macro, statistics, teaching, 131*
Androgen, broiler, lighting programs, organ weights, 26*
Anemia, chick, immunosuppression, parvovirus, 183*
Anesthesia, broiler breast muscle, denervation, *Pectoralis major* muscle, rigor development, 386
Angiotensin II, ACTH, adrenocortical cells, aldosterone secretion, turkey, 80*
Animal science, dairy, extension program, meat, poultry, 121*
Anti-sperm antibodies, fertility, 151*
Antibiotic therapy, competitive exclusion, lactobacilli, *Salmonella*, 14*
Antibiotic treatment, broiler, growth, small intestine, yield, 651

Antibiotics, broiler, feed efficiency, growth, 89*
broiler performance, intestinal tract characteristics, 193*
egg injection, hatchability, turkey poult, 198*
feed efficiency, meat by-products, turkey, 181*
Antibodies, age, *Brucella abortus*, immunization interval, sheep red blood cells, 101*
cell-mediated response, immunocompetence, phagocytosis, 28*
Mycoplasma gallisepticum, *Pasteurella multocida*, T-cell dependency, 150*
Antibody, β-carotene, immunoenhancing, Newcastle disease virus, 94*
egg yolk, human IgG, IgY, Newcastle disease virus, 43*
influenza, virulent avian influenza virus, 67*
Antibody level, genetic correlation, heritability, pathogens, 184*
productivity, 184*
Antibody response, ascorbic acid, chick, corticosterone, *Escherichia coli*, 1631
endotoxin, iron, sheep red blood cells, zinc, 161*
Anticoccidial activity, *Eimeria*, ionophore resistance, 7*
Anticoccidial drugs, amprolium, turkey, 90*
broiler chick, *Eimeria tenella*, ELISA, 59*
chukar partridge, coccidia, *Eimeria*, rofenaid, 127*
cross resistance, *Eimeria tenella*, ionophores, 89
halofuginone hydrobromide, lesion scores, monensin, salinomycin, 61*
lighting programs, mortality, roaster, skeletal disease, 32*
Anticoccidial efficacy, battery trials, coccidiosis, diclazuril, 496
broiler, coccidiosis, diclazuril, 489
Antigen, cosmid cloning, CU strain, *Escherichia coli*, *Pasteurella multocida*, 94*
DNA recombinant, DNA sequence, *Eimeria*, immunization, 1643
Apparent metabolizable energy, bioassay, bioavailable nutrients, digestibility, true metabolizable energy, 124
excreta energy, experimental design, Leghorn cockerels, true metabolizable energy, 1021†
Appetite, broiler chick, exchangeable magnesium, magnesium deficiency, 176*
Aqueous washing, chicken, color values, fat, mechanically deboned meat, 749
Arachidonic acid, biotin, chick, menhaden oil, 156*
Arginase activity, amino acid level, canavanine, chick performance, jack bean, 96*
Arginine, abdominal fat, protein level, 35*
chick, electrolytes, intestinal absorption, lysine, 1255
Arsenic, glutathione peroxidase, roxarsone, selenium, 210*
Artificial insemination, bovine serum albumin, semen-extender, sperm motility, turkey fertility, 8*
broiler breeder, fertility duration, semen dose, 558
fertility, hatchability, sperm number, turkey, 724
Artificial vagina, aspiration, conical tube, gander, semen collection, 1714†
Ascites, body weight, broiler, hematology, high altitude, 211*
broiler, electrocardiology, heart, hematology, 107*
Ethacal® feed component, high altitude, mortality, 188*
hematology, sorghum, tannin, 108*
Ascorbate, chicken, granulosa, progesterone, steroidogenesis, 21*
Ascorbic acid, antibody response, chick, corticosterone, *Escherichia coli*, 1631
broiler, carcass yield, 198*
corticosterone, leukocytes, 166*
broiler breeder, egg, heat stress, 210*
broiler chick, valence, vanadium, 91*
chlortetracycline, environmental temperature, tibial dyschondroplasia, 1527
feed efficiency, growth, mortality, quail–Bobwhite, 1418†
Aspergillus fumigatus, pathology, pigeon, 164*
Aspiration, artificial vagina, conical tube, gander, semen collection, 1714†
Aspirin, acetylsalicylic acid, egg shell quality, prostaglandin, 9*
Assay methods, feather meal, metabolizable energy, 443†
Atherosclerosis, cholesterol, Marek's disease herpesvirus, quail–Japanese, viral genes, 144*
Atrial natriuretic factor, blood pressure regulation, kidney function, 141*
Autoimmunity, cell-mediated immunity, endocrine-immune, growth hormone, thyroxine, 90*
Automated feeding system, corn stillage, high moisture diet, layer, methane digester effluent, 1114
Autosomal recessive, blood ring, embryonic lethal, turkey, 130*
Available phosphorus, calcium, leg abnormalities, protein, turkey, 142*
Avian hypercalcemic assay, Leghorn hen, parathyroid hormone, 65*
Avian influenza, epidemiology, turkey, 135*
hemagglutinin, virulence, 150*
Avian leukosis virus, endogenous viral genes, immune response, slow-feathering, viremia, 136*
gene transfer, resistance, retroviral vector, 133*
Avian leukosis virus vectors, germ-line studies, quail–Japanese, transgenic, 129*
***B* complex,** cDNA probes, 113*
GAT, genetic selection, immune response, 113*
genetic susceptibility, immune response, Marek's disease, 17
histocompatibility complex, Rous sarcoma virus, tumor regression, 146*
Rous sarcoma virus, tumor regression, 233
***B* complex recombinants,** coccidiosis, *Eimeria tenella*, resistance, 639
***B* haplotypes,** congenic lines, *Eimeria*, histocompatibility complex, immunity, 380
β-carotene, antibody, immunoenhancing, Newcastle disease virus, 94*
***B*-congenic lines,** lipopolysaccharide, macrophages, MHC haplotype, 116*
β-glucanase, barley, broiler chick, 24*
encapsulation, turkey, 182*
β-glucanase level, barley, turkey tom, 181*
B-lymphocyte proliferation, DNA synthesis, hormones, 40*
B-lymphocytes, cIgG, radioimmunoassay, 118*
***Bacillus licheniformis*,** biodegradation, feather-lysate, feathers, protein, 204*
Bacitracin methylene disalicylate, feed efficiency, halofuginone, turkey, zinc bacitracin, 178*
Bacteria, embryonic survival, hatchability, hatching egg sanitizers, turkey, 1179
Bacteria population, ceca, gnotobiotic chickens, *Salmonella typhimurium*, 311†
Bacterial attachment, broiler, whole carcass rinse, 190*

Bacterial count, fecal load, magnesium sulfate, weight loss, 140*
Bacteriological quality, mink feed, raw poultry products, *Salmonella*, 168*
Bambermycins, body weight, feed efficiency, monensin, turkey, 40*
broiler, feed efficiency, narasin, nicarbazin, 179*
coccidiosis, monensin, turkey, 1724†
Barley, β-glucanase, encapsulation, turkey, 182*
β-glucanase level, turkey tom, 181*
β-glucanase, broiler chick, 24*
body composition, turkey, wheat, 183*
broiler diet, enzyme supplementation, full-fat canola seed, 1374
broiler performance, crude enzyme, pelleting-conditioning, 126*
environmental factors, nutritive content, wheat, 24*
enzyme, feed value, pullet, 170*
full-fat canola seed, layer diet, yolk fatty acids, yolk pigment, 1485
Baseplate, calcium reserve, calcium reserve body-matrix, collector, 43*
Basomedial hypothalamus, electrolytic lesions, food intake control, reproductive traits, 948
Batter adhesion, chicken nuggets, rheology, 68*
Battery trials, anticoccidial efficacy, coccidiosis, diclazuril, 496
Beak trimming, behavior, fearfulness, pullet, 85*
body weight, feed intake, pellets *versus* mash, roaster, 39*
layer performance, mortality, 25*
cannibalism, genetic stocks, productivity, 1720†
pullet, 35*
turkey performance, vitamin and electrolyte injection, 369
Bedding, litter, litter microorganisms, pullet rearing, 105*
Beef sausage, chicken sausage, pork sausage, sensory evaluation, turkey sausage, 60*
Behavior, adaptability, Leghorn pullet, open field, welfare, 157*
beak trimming, fearfulness, pullet, 85*
broiler chick performance, feed intake, growth, multiple stressors, 501
broiler performance, fasting, heat stress, 55
chick performance, environmental enrichment, imprinting, music, 211
chickens and quail, embryo development, neuroendocrine systems, sexual differentiation, 979
density, fear, group size, productivity, 9
growth, intermittent lighting, pheasant, photoperiod, 134*
layer, rearing environment, 102*
Behavioral adaptation, cage shape, density, pullet, 70
Behavioral genetics, genetic assessment, open field, pullet, 335
Beta agonist, adipocyte, broiler, carcass composition, cimaterol, 762
carcass characteristics, growth response, quail–Japanese, 1540
broiler diet, episodic secretion, growth hormone, 1015†
Bioassay, apparent metabolizable energy, bioavailable nutrients, digestibility, true metabolizable energy, 124
Bioassay protocol, calcium lignosulfonate, pellet binder, standard error formulae, true metabolizable energy, 1299†
Bioavailability, broiler chick, feed grade, manganese, tissue minerals, 1368
manganese-methionine, 107
chick, tissue uptake, zinc, 185*
Bioavailable nutrients, apparent metabolizable energy, bioassay, digestibility, true metabolizable energy, 124
Biodegradation, amino acid(s), feather-lysate, feathers, protein, 83*
Bacillus licheniformis, feather-lysate, feathers, protein, 204*
Biogenic amines, brain, thiamin, turkey, 120*
Biological value, phosphate source, turkey poult, 143*
Biotechnology, broiler grower, economic evaluation, growth regulators, simulation, 1055
cell culture, embryo development, gene expression, microinjection, 970
Biotin, arachidonic acid, chick, menhaden oil, 156*
broiler chick, dihomo-γ-linolenate, phosphatidylcholine, phosphatidylethanolamine, 698
DNA probe, repetitive sequences, sex identification, W-chromosome, 850†
Bird density, dietary protein, egg production, layer, light intensity, 85*
Bird:nipple ratio, nipple waterer, 59*
Birds, food intake control, neural pathways, taste, 926
Black barley level, broiler diet, 145*
Blood cell development, embryo development, hematology, incubation, turkey, 166*
Blood chemistry, broiler, ochratoxin A, protein, 1664
Blood glucose, duck, plasma cholesterol, propylthiouracil, rectal temperature, 1381
Blood meal, amino acid availability, feather meal, true metabolizable energy, turkey, 1513
Blood monocytes, chemotaxis, muscular dystrophy, phagocytosis, 226
Blood pressure regulation, atrial natriuretic factor, kidney function, 141*
Blood ring, autosomal recessive, embryonic lethal, turkey, 130*
Bobwhite quail (see quail–Bobwhite)
Body burdens, carcass lipids, polychlorinated biphenyls, restricted feeding, xenobiotics, 885
Body composition, barley, turkey, wheat, 183*
body density, quail–Japanese, selection, 58*
body weight, chick, feed intake, force-feeding, 1727†
broiler, insulin, natural chicken growth hormone, thyroid hormones, 33*
broiler breeder, daily feeding, skip-a-day feeding, 836†
broiler breeder male, dietary energy, semen production, testosterone, 1688
broiler chick, hematology, multiple stressors, pathologic traits, 510
chicken, nuclear magnetic resonance imaging, nuclear magnetic resonance spectroscopy, turkey poult, 98*
Body density, body composition, quail–Japanese, selection, 58*
body volume, body weight, quail–Japanese, selection, 1033
Body temperature, broiler breeder, egg production, feeding time, temperature, 608
chick growth, heat stress, heritability, selection, 49*
Body volume, body density, body weight, quail–Japanese, selection, 1033
Body weight, ascites, broiler, hematology, high altitude, 211*
bambermycins, feed efficiency, monensin, turkey, 40*
beak trimming, feed intake, pellets *versus* mash, roaster, 39*
layer performance, mortality, 25*
body composition, chick, feed intake, force-feeding, 1727†

body density, body volume, quail–Japanese, selection, 1033
broiler, *Eimeria tenella*, narasin, roxarsone, 1011†
evaporative cooling, feed conversion, temperature, 839†
ochratoxin A, organ weights, protein, 1658
broiler breeder hen, egg production, egg weight, 159*
broiler hatching eggs, fluorescent light, hatchability, incubation, 1585†
gamma irradiation, hatchability, low doses, 1150†
broiler performance, diet, ferrous sulfate, mortality, 1063
feed efficiency, iodine-treated water, stocking density, 435†
leg abnormalities, photoperiodic effects, 873
cage density, egg production, egg quality, slow *versus* rapid-feathering, 596
caged layer house, egg weight, feed consumption, temperature stratification, 187*
carcass characteristics, lighting programs, turkey hen, 120*
carcass composition, genetic correlation, heritability, quail–Japanese, 209*
carcass lipid characteristics, feed efficiency, heterosis, quail–Japanese, 37
chicken embryo, sex differences, twins, 805
egg production, histocompatibility complex, sexual maturity, 464
egg size, layer performance, synthetic estrogen, 825†
energy, feed conversion, pheasant, protein, 99*
growth, heritability, quail–Japanese, stress environments, 455
protein level, turkey breeder, turkey performance, 1436
restricted feeding, turkey breeder performance, 96*
Body weight loss and gain, body weight prediction, broiler, feed deprivation, feed efficiency, 191*
Body weight prediction, body weight loss and gain, broiler, feed deprivation, feed efficiency, 191*
Bone ash, carrageenan, chick, corticosterone, lipopolysaccharide, 160*
Bone ash concentration, bone–whole-cortical and medullary, calcium intake, layer, 28*
Bone calcium, broiler chick, *Eimeria acervulina*, weight gain, zeolite A, 1236
Bone development, bone-breaking strength, sodium zeolite A, 71*
Bone formation, calcium, egg shell quality, phosphorus, 56*
Bone integrity, broiler breeder male, dietary phosphorus, reproductive performance, semen quality, 1153†
semen quality, 172*
Bone length, bone tibia development, broiler, tibia ash, 15*
Bone mineral, calcium, egg shell, pullet, 185*
Bone strength, copper, manganese, turkey growth, zinc, 16*
Bone tibia development, bone length, broiler, tibia ash, 15*
Bone-breaking strength, bone development, sodium zeolite A, 71*
chick, hydrated sodium calcium aluminosilicate, phosphorus, tibia ash, 31*
Bone–whole-cortical and medullary, bone ash concentration, calcium intake, layer, 28*
Boning time, broiler breast meat, electrical stimulation, tenderness, 1232
Borate toxicity, embryonic death, riboflavin deficiency, 189*
Bordetella *avium*, cilia, niacin, turkey poult, 162*
Boron, broiler, tibial dyschondroplasia, vitamin D_3, 50*
broiler chick, calcium, *in ovo*, 196*
broiler performance, 202*
Borrelia burgdorferi, crane, Lyme disease, 155*
Botulism, broiler, *Clostridium botulinum*, litter, 82*
Bovine serum albumin, artificial insemination, semen-extender, sperm motility, turkey fertility, 8*
Brain, biogenic amines, thiamin, turkey, 120*
food intake control, liver, neurotransmitters, 938
Breaking strength, egg breakage, shell percentage, shell weight, specific gravity, 1730†
Breast blisters, broiler density, broiler performance, cages, 2*
Breast meat, added fat, carcass characteristics, dietary protein, turkey, 287
age, broiler, lysine, methionine, 67*
broiler, meat tenderness, rigor development, shear value, 110*
carcass composition, protein level, turkey, weight gain, 1547
Breast weight, broiler, carcass weight, fructooligosaccharide, yield, 167*
Breast yield, fat, pelleting, protein level, turkey, 153*
lysine, methionine, protein, turkey, 108*
Breeder hen, copper, egg composition, immune response, zinc-copper interactions, 140*
Broiler, 1,25-dihydroxyvitamin D_3, calcium, fluorescent light, tibial dyschondroplasia, 139*
1,25-dihydroxy-cholecalciferol, 1-hydroxycholecalciferol, tibial dyschondroplasia, vitamin D_3 metabolites, 4*
abdominal fat, amino acid(s), carcass quality, 22*
caffeine, carcass composition, 95*
carcass yield, metabolizable energy, nutrient concentration, 195*
compensatory growth, glycolic acid, restricted feeding, 61
acclimation, environmental temperature, feed consumption, water consumption, 91*
heat stress, mortality, 208*
acid-base balance, heat stress, nicarbazin, 428
adipocyte, beta agonist, carcass composition, cimaterol, 762
adipsin, fat, RNA expression, transcription, 14*
aflatoxin, glutathione, liver, methionine, 11*
hydrated sodium calcium aluminosilicate, ochratoxin A, 69*
aflatoxin toxicity, aluminosilicate, Ethacal® feed component, 203*
age, breast meat, lysine, methionine, 67*
ceca, *Salmonella typhimurium* persistance, 1454
feed withdrawal, strain, yield, 152*
age influence, digestive transit time, rate of food passage, transit markers, 185
Alimet™, dietary acids, heat stress, methionine, 208*
amino acid requirements, carcass composition, carcass yield, 207*
amino acid(s), carcass composition, 142*
ammonia, litter treatment, sodium bisulfate, 104*
ammonia control, computer model, ventilation policy, 167*
ammonia release, litter, 188*
androgen, lighting programs, organ weights, 26*
antibiotic treatment, growth, small intestine, yield, 651
antibiotics, feed efficiency, growth, 89*

anticoccidial efficacy, coccidiosis, diclazuril, 489
ascites, body weight, hematology, high altitude, 211*
electrocardiology, heart, hematology, 107*
Ethacal® feed component, high altitude, mortality, 188*
hematology, sorghum, tannin, 108*
ascorbic acid, carcass yield, 198*
corticosterone, leukocytes, 166*
bacterial attachment, whole carcass rinse, 190*
bambermycins, feed efficiency, narasin, nicarbazin, 179*
blood chemistry, ochratoxin A, protein, 1664
body composition, insulin, natural chicken growth hormone, thyroid hormones, 33*
body weight, *Eimeria tenella*, narasin, roxarsone, 1011†
evaporative cooling, feed conversion, temperature, 839†
ochratoxin A, organ weights, protein, 1658
body weight loss and gain, body weight prediction, feed deprivation, feed efficiency, 191*
bone length, bone tibia development, tibia ash, 15*
boron, tibial dyschondroplasia, vitamin D_3, 50*
botulism, *Clostridium botulinum*, litter, 82*
breast meat, meat tenderness, rigor development, shear value, 110*
breast weight, carcass weight, fructooligosaccharide, yield, 167*
broiler breast meat, fish meal, ω-3 fatty acids, thigh meat, 153
broiler hatching eggs, microwave radiation, reproductive performance, 17*
brooding temperature, meat and bone meal, tibia strength, 196*
bulk density, feed intake, intestinal area, nuda oats, 200*
caged rearing *versus* floor rearing, humerus strength, selection, wing bone measures, 1168
Ca^{2+} transport, dietary fat, sarcoplasmic reticulum, sudden death syndrome, 31*
carcass characteristics, metabolizable energy, nutrient concentration, separate sex feeding, 189*
carcass composition, compensatory growth, restricted feeding, 23*
diet energy, yield, 205*
carcass quality, chiller water, reconditioning, recycling, 656
carcass yield, methionine requirement, 207*
catecholamines, immunity, 174*
chiller water, ozone, *Salmonella*, 165*
coccidiosis, lipoproteins, plasma lipids, 3*
cockerels, starch, true metabolizable energy, 93*
colonization, *Salmonella typhimurium*, shed-rate, 168*
combined immunization, Marek's disease, vaccine efficacy, viral tenosynovitis, 1213
compensatory growth, insulin-like growth factor-I, restricted feeding, 92*
composting, mortality, video demonstration, 109*
compressive strength, protein restriction, tibial growth, 175*
cooping, crop digesta, feed withdrawal, gut clearance, 193*
copper, disulfiram, histidine, tibial dyschondroplasia, 4*
corn particle size, dietary energy, environmental temperature, geometric mean diameter, 87*
cottonseed meal, iron, low energy diet, peanut meal, 799
crude protein, heat stress, methionine, 144*
dietary chloride, dietary phosphorus, layer, 19*
dietary protein source, mortality, sudden death syndrome, taurine, 172*
digestive tract clearance, feed withdrawal, water withdrawal, 627
Eimeria brunetti infection, fecal calcium, 183*
Eimeria maxima, pathogenicity, resistance, salinomycin, 92*
Eimeria tenella, floorpen model, live oocyst antigen, salinomycin, 146*
exercise, muscle growth, 64*
fast protein liquid chromatography, *Pectoralis major* muscle, R-value, rigor, 178*
fat, growth, 108*
fatty acids, food intake control, indomethacin, 121*
feed consumption, feed efficiency, taste, weight gain, 1519
feed conversion, growth rate, light intensity, 218
virginiamycin, 38*
feed efficiency, growth, tibial dyschondroplasia, zeolite, 181*
flow monitoring, Parshall flume, processing plant, 94*
food intake control, layer, management, turkey, 958
frankfurters, mechanically deboned meat, taste panel, turkey, 1653
genetic correlation, heritability, insulin-like growth factor-I, 117*
phenotypic correlation, wing bone strength, 1174
growth, growth hormone, organ weights, subcutaneous infusion, 1133
muscle protein synthesis, thyroxine, 1396
plasma hormones, 20*
growth hormone, growth hormone-releasing factor, 75*
insulin-like growth factor-I, 75*
guanidinoethyl sulfonate, sudden death syndrome, taurine, 187*
hatchery environment, *Salmonella*, 178*
heat stress, maxiban, narasin, nicarbazin, 208*
neonatal stress, 167*
performance and immune function, vitamin and electrolytes, 53*
hepatic and renal oxidation, kinetic parameters, L-2-hydroxy acid oxidase, methionine hydroxy analog, 47*
high weight, low weight, n-6 and n-3 fatty acids, 114*
immune response, mycotoxins, sodium calcium aluminosilicate, 180*
infectious bronchitis vaccination, 42*
intermittent lighting, light source, photoperiod, 4*
litter, processing, *Salmonella*, 119*
malabsorption syndrome, pancreatic amylase, triiodothyronine, trypsin, 1553
manganese requirement, toe ash, 11*
mannose, *Salmonella typhimurium*, 41*
microbiological characteristics, propionic acid, *Salmonella*, 199*
milk products, *Salmonella typhimurium*, 42*
milk sugar, *Salmonella typhimurium*, 41*
mycotoxins, ochratoxin A, T-2 toxin, 867
n-3 fatty acids, triacylglycerols, very low density lipoproteins plus low density lipoproteins fraction, 114*
Pectoralis major muscle, post-mortem temperature, sarcomere length, tenderness, 1588†
rigor mortis, sodium pentobarbital, tenderness, 244

processing plant, waste minimization, water conservation, 95*
Broiler adipose, broiler muscle, fatty acids, preen gland, 81*
Broiler breast fillets, early harvesting, electrical stimulation, muscle tension, tenderness, 13*
Broiler breast meat, abdominal fat, carcass yield, crude protein, lysine, 186*
Allo-Kramer shear, hot boning, sample orientation, 206*
boning time, electrical stimulation, tenderness, 1232
broiler, fish meal, ω-3 fatty acids, thigh meat, 153
cooking temperature, oxidative stability, thiobarbituric acid value, 5*
delayed picking, high temperature conditioning, hot boning, meat tenderness, 150*
electrical stimulation, high temperature conditioning, post-mortem metabolism, tenderness, 129*
muscle shortening, *Pectoralis major* muscle, tenderness, 663
muscle tension, tenderness, wing restraint, 238
storage, thiobarbituric acid value, water chilling, 5*
Broiler breast muscle, anesthesia, denervation, *Pectoralis major* muscle, rigor development, 386
electrical stimulation, pH, texture, 249
sensory descriptive analysis, texture profile attributes, 190*
Broiler breeder, 6-carboxyfluorescein diacetate, fluorescence concentration analyzer, propidium iodide, sperm viability, 33*
artificial insemination, fertility duration, semen dose, 558
ascorbic acid, egg, heat stress, 210*
body composition, daily feeding, skip-a-day feeding, 836†
body temperature, egg production, feeding time, temperature, 608
carcass composition, egg production, egg sequence length, 123*
crossbreds, quantitative traits, selection, 18*
daily feeding, skip-a-day feeding, water restriction, water usage, 617
dietary energy, dietary protein, muscle growth, skeletal growth, 1274
egg production, egg sequence length, restricted feeding, 123*
egg sequence position, egg weight, fertility, 62*
egg specific gravity, light intensity, photoperiod, 79
feeding time, oviposition time, 159*
restricted feeding, sexual maturity, skip-a-day feeding, 1442
embryonic death, fertility, hatchability, spermatozoa concentration, 51*
Ethacal® feed component, hot climates, layer, zeolite A, 83*
feathering genotypes, growth, restricted feeding, 344
organ growth, restricted feeding, 359
reproductive response, restricted feeding, 352
hatchability, incandescent light, prelight, 17*
hatching eggs, restricted feeding, sexual maturity, 52*
Lixiscope, nutritional-management regimens, tibial dyschondroplasia, 211*
tibial dyschondroplasia, 160*
lysine, nitrogen retention, 200*
methionine, nitrogen balance, 121*
physiological changes, restricted feeding, sexual maturity, 52*
Broiler breeder hen, body weight, egg production, egg weight, 159*
Broiler breeder male, *ad libitum* feeding, restricted feeding, semen quantity and quality, testosterone, 569
body composition, dietary energy, semen production, testosterone, 1688
bone integrity, dietary phosphorus, reproductive performance, semen quality, 1153†
semen quality, 172*
fertility, growth, hatchability, protein level, 51*
Broiler breeder performance, added fat, egg shell quality, hatchability, lighting programs, 1185
fertility, metabolizable energy, 173*
caged rearing *versus* floor rearing, 72*
Ethacal® feed component, sodium zeolite A, 77*
fertility, hatchability, 157*
Broiler breeder pullets, sexual maturity, 120*
Broiler carcass yield, broiler performance, pellet binder, pellet quality, 1*
Broiler carcasses, air scrubbing, chilling, microbiological quality, *Salmonella typhimurium*, 43*
detoeing, scabby hip syndrome, scabs, scratches, 1148†
Broiler chick, abdominal fat pad, dietary energy:protein ratio, feed efficiency, nicarbazin, 1535
acetate, feed intake, propionate, short-chain fatty acids, 1612
aflatoxin, interaction, salinomycin, 197*
amino acid ratio, isoleucine requirement, protein level, protein source, 10*
amino acid(s), crooked neck, tremors, wheat, 32*
anticoccidial drugs, *Eimeria tenella*, ELISA, 59*
appetite, exchangeable magnesium, magnesium deficiency, 176*
ascorbic acid, valence, vanadium, 91*
barley, β-glucanase, 24*
bioavailability, feed grade, manganese, tissue minerals, 1368
manganese-methionine, 107
biotin, dihomo-γ-linolenate, phosphatidylcholine, phosphatidylethanolamine, 698
body composition, hematology, multiple stressors, pathologic traits, 510
bone calcium, *Eimeria acervulina*, weight gain, zeolite A, 1236
boron, calcium, *in ovo*, 196*
by-products, fat, full-fat soybeans, growth, 24*
calcium, growth, phosphorus, tibial dyschondroplasia, 1263
chain length, dietary lipids, fatty acids, lutein, 1246
chick mortality, chick weight, egg position, incubation, 98*
coccidiosis, growth, sodium zeolite A, zinc utilization, 156*
colonization, food safety, mannose, *Salmonella typhimurium*, 1357
colostomy, feces, surgical procedure, urine, 169*
corticosterone, heterophil:lymphocyte ratio, multiple stressors, 522
deoxynivalenol, T-2 toxin, toxicity, 622
dietary fat, dietary protein, growth, nicarbazin, 145
glutathione peroxidase, glutathione reductase, riboflavin, selenium, 202*
growth, lysine, sunflower meal, wheat, 123*
immune response, immunoglobulins, retinoic acid, vitamin A, 136
immunosuppression, *Salmonella typhimurium*, T-2 toxin, 34*
inorganic phosphorus availability, 93*

lipids, protein, tryptophan requirement, 200*
metabolism, protein repletion, 125*
residual yolk fat, serum glucose, triglycerides, 37*
Broiler chick diet, added fat, fatty acids, metabolizable energy, saturated fatty acids, 1506
vitamin A, vitamin D_3, vitamin E, vitamin interactions, 1490
Broiler chick performance, behavior, feed intake, growth, multiple stressors, 501
Broiler cockerels, dietary triiodothyronine, fat deposition, muscle protein turnover, tyrosine infusion, 154*
Broiler cross-diet interaction, abdominal fat, dietary energy, starter diets, 205*
Broiler density, breast blisters, broiler performance, cages, 2*
Broiler diet, barley, enzyme supplementation, full-fat canola seed, 1374
beta agonist, episodic secretion, growth hormone, 1015†
black barley level, 145*
extrusion, feathers, poultry mortalities, 145*
Broiler grower, biotechnology, economic evaluation, growth regulators, simulation, 1055
Broiler growout contracts, economic evaluation, 58*
Broiler growth, 3-methylhistidine, plasma levels, 73*
aflatoxin, aluminosilicate, 45*
broiler hatching eggs, embryo development, microwave radiation, 17*
caloric density, corn oil, energy, 194*
calorie:protein ratio, carcass composition, feather meal, 36*
choline, folacin, labile methyl groups, methionine, 198*
Broiler hatching eggs, body weight, fluorescent light, hatchability, incubation, 1585†
gamma irradiation, hatchability, low doses, 1150†
broiler, microwave radiation, reproductive performance, 17*
broiler growth, embryo development, microwave radiation, 17*
dry bulb temperature, humidity, wet bulb temperature, 207*
formaldehyde, hatchability, hatchery disinfection, ozone, 1074
porosity, sanitizers, 211*
Broiler house design, growout stage, regional profitability, 12*
Broiler housing, contract payments, 2*
heat stress, summertime, ventilation, 205*
Broiler litter, kenaf core, 88*
Broiler male performance, abdominal fat deposition, essential amino acids, potassium, protein, 1385
Broiler meat, 2-thiobarbituric acid, microbiological spoilage, shelf-life, 1307†
broiler meat quality, composition, feed withdrawal, 1109
cholesterol, dietary oil, fatty acids, lipid composition, 162*
compositional comparison, cooked with and without skin, 60*
cooked storage, microbiological quality, oxidative stability, raw storage, 1470
mixing time, protein, 154*
Broiler meat quality, broiler meat, composition, feed withdrawal, 1109
Broiler muscle, broiler adipose, fatty acids, preen gland, 81*
corn oil, fatty acid profile, palm oil, 39*
Broiler performance, abdominal fat, metabolizable energy, poultry by-product meal, 1672
abdominal fat deposition, essential amino acids, potassium, protein level, 897
protein level, thyroid hormones, 113
acid preserved broiler carcasses, dead bird disposal, poultry by-product meal, 6*
aflatoxin, lysine, methionine, 98*
antibiotics, intestinal tract characteristics, 193*
barley, crude enzyme, pelleting-conditioning, 126*
behavior, fasting, heat stress, 55
body weight, diet, ferrous sulfate, mortality, 1063
feed efficiency, iodine-treated water, stocking density, 435†
leg abnormalities, photoperiodic effects, 873
boron, 202*
breast blisters, broiler density, cages, 2*
broiler carcass yield, pellet binder, pellet quality, 1*
C:P ratio, fat content, glucagon, insulin, 107*
calcium formate, formic acid, *Salmonella*, 186*
climate, lasalocid, monensin, 191*
coccidiosis, monensin, salinomycin, 86
copper, methionine, sulfur amino acid requirement, 163
CYGRO®, maduramicin, sodium and potassium level, water intake, 204*
dietary energy, growth, 134*
heat stress, protein level, 29*
egg injection, hatching eggs, INOVOJECT®, Marek's disease vaccination, 189*
energy, protein, 107*
fat, flaxseed oil, prostaglandin, 9*
grain form, grain source, tannin, 47*
fat blends, fat stabilization, poultry, yellow grease, 109*
feed:gain ratio, milo, pancreatic α-amylase, wheat, 176*
fertility, hatchability, sodium zeolite A, 62*
glutathione peroxidase, glutathione reductase, riboflavin, selenium, 128*
layer performance, soybeans roasted *versus* raw, soybeans-extruded, 8*
marketing, strain, yield, 165*
Broiler pigmentation, coccidiosis, narasin, nicarbazin, 374
Broiler processing systems, broiler production, *Salmonella* contamination, 187*
Broiler production, broiler processing systems, *Salmonella* contamination, 187*
Broiler slaughter, electrical stimulation, electrocution, fecal contamination, stunning, 1478
electrocution, fecal contamination, stunning, 196*
Brood patch, denervation, egg production, incubation, turkey, 16*
Broodiness, clomiphene-citrate, luteinizing hormone, prolactin, turkey hen, 1592†
Brooding temperature, broiler, meat and bone meal, tibia strength, 196*
Brucella abortus, age, antibodies, immunization interval, sheep red blood cells, 101*
Bulk density, broiler, feed intake, intestinal area, nuda oats, 200*
Bursa of Fabricius, delayed oviposition, involution, 21*
hematocrit, sexual maturity, testosterone, turkey breeder, 25*
photoperiod, 79*
Bushel weight, amino acid(s), corn, protein, 857†

Busulfan, chicken quail hybrid, embryo development, irradiation, primordial germ cells, 999
By-products, broiler chick, fat, full-fat soybeans, growth, 24*
C:P ratio, broiler performance, fat content, glucagon, insulin, 107*
Caffeine, abdominal fat, broiler, carcass composition, 95*
Cage density, body weight, egg production, egg quality, slow *versus* rapid-feathering, 596
Cage shape, behavioral adaptation, density, pullet, 70
Caged layer house, body weight, egg weight, feed consumption, temperature stratification, 187*
house fly monitoring, spot card method, sticky tape method, 833†
Caged layer manure, carbon sources, feed supplement, fermentation, 40*
Caged rearing *versus* floor rearing, broiler, humerus strength, selection, wing bone measures, 1168
broiler breeder performance, 72*
dietary energy, genetic strain, pullet, 111*
Cages, breast blisters, broiler density, broiler performance, 2*
Calcite source and texture, layer performance, phosphorus level, 11*
Calcium, 1,25-dihydroxyvitamin D_3, broiler, fluorescent light, tibial dyschondroplasia, 139*
acid-base, kidney, methionine, urolithiasis, 159*
available phosphorus, leg abnormalities, protein, turkey, 142*
bone formation, egg shell quality, phosphorus, 56*
bone mineral, egg shell, pullet, 185*
boron, broiler chick, *in ovo*, 196*
broiler chick, growth, phosphorus, tibial dyschondroplasia, 1263
chick embryo, mineralization, phosphorus, 19*
dietary aluminum, layer performance, metabolism, phosphorus, 706
diuresis, infectious bronchitis virus, kidney damage, urolithiasis, 1193
hypercalciurea, hypophosphatemia, phosphorus, urine, 199*
hypophosphatemia, phosphorus, urine calcium, vitamin D_3, 119*
moisture binding, *Pectoralis major* muscle, rigor, shear value, 212*
muscle contraction, sarcomere length, 164*
Calcium digestibility, acid-insoluble ash, layer, total collection method, 28*
Calcium formate, broiler performance, formic acid, *Salmoneila*, 186*
Calcium intake, bone ash concentration, bone–whole-cortical and medullary, layer, 28*
egg production, molt, tibia ash, 63*
Calcium lignosulfonate, bioassay protocol, pellet binder, standard error formulae, true metabolizable energy, 1299†
Calcium metabolizability, layer, Leghorn, plasma calcium, Tsaiya duck, 27*
Calcium reserve, baseplate, calcium reserve body-matrix, collector, 43*
calcium reserve body formation, 44*
Calcium reserve assembly, egg shell, embryo, mammilla, 1569
Calcium reserve body formation, calcium reserve, 44*
Calcium reserve body-matrix, baseplate, calcium reserve, collector, 43*
Calcium solubilization, calcium source, limestone, particle size, 1499
Calcium source, calcium solubilization, limestone, particle size, 1499
Ca^{2+} transport, broiler, dietary fat, sarcoplasmic reticulum, sudden death syndrome, 31*
Caloric density, broiler growth, corn oil, energy, 194*
Calorie:protein ratio, broiler growth, carcass composition, feather meal, 36*
Calorimetry, amino acid(s), energy utilization, layer, protein, 258
heat production, layer, 112*
cAMP, adenylyl cyclase, adrenocortical cells, dietary protein restriction, 92*
growth hormone, somatostatin, 46*
triiodothyronine, 46*
plasminogen activator, protein kinase C, theca, 147*
Canavanine, amino acid level, arginase activity, chick performance, jack bean, 96*
Cannibalism, beak trimming, genetic stocks, productivity, 1720†
pullet, 35*
Canola, egg yolk, flax, tissues, ω-3 fatty acids, 106*
mustard seed, pigmentation, xanthophyll, 1718†
Canola meal, carbohydrate content, digestibility, 135*
Carbohydrate content, canola meal, digestibility, 135*
Carbon dioxide, chicken patties, frozen storage, nitrogen, oxidative stability, 2*
Carbon sources, caged layer manure, feed supplement, fermentation, 40*
Carboxyfluorescein diacetate, chick embryo, fluorometry, infectious bursal disease virus, virus neutralization, 10*
Carcass characteristics, added fat, breast meat, dietary protein, turkey, 287
adipocyte, beta agonist, growth response, quail–Japanese, 1540
amino acid(s), commercial strains, turkey tom, 50*
body weight, lighting programs, turkey hen, 120*
broiler, metabolizable energy, nutrient concentration, separate sex feeding, 189*
compensatory growth, early protein restriction, turkey tom, 687
Carcass composition, abdominal fat, broiler, caffeine, 95*
adipocyte, beta agonist, broiler, cimaterol, 762
amino acid requirements, broiler, carcass yield, 207*
amino acid(s), broiler, 142*
carcass yield, early protein restriction, roaster, 53*
body weight, genetic correlation, heritability, quail–Japanese, 209*
breast meat, protein level, turkey, weight gain, 1547
broiler, compensatory growth, restricted feeding, 23*
diet energy, yield, 205*
broiler breeder, egg production, egg sequence length, 123*
broiler growth, calorie:protein ratio, feather meal, 36*
growth hormone, hypophysectomy, insulin-like growth factor-I, turkey, 116*
metabolizable energy, protein level, turkey tom, 131*
Carcass fat, fat extraction, Folch method, 1425
Carcass fat prediction, abdominal fat, nonesterified fatty acids, triacylglycerides, turkey, 1282
Carcass lipid characteristics, body weight, feed efficiency, heterosis, quail–Japanese, 37
Carcass lipids, body burdens, polychlorinated biphenyls, restricted feeding, xenobiotics, 885
Carcass processing, feed and water access, *Salmonella*, slaughter, 194*

Carcass quality, abdominal fat, amino acid(s), broiler, 22*
broiler, chiller water, reconditioning, recycling, 656
Carcass weight, breast weight, broiler, fructooligosaccharide, yield, 167*
Carcass yield, abdominal fat, broiler, metabolizable energy, nutrient concentration, 195*
broiler breast meat, crude protein, lysine, 186*
amino acid requirements, broiler, carcass composition, 207*
amino acid(s), carcass composition, early protein restriction, roaster, 53*
ascorbic acid, broiler, 198*
broiler, methionine requirement, 207*
compensatory growth, turkey, 66*
guinea fowl nutrition, protein level, 57*
heat stress, restricted feeding, roaster, strain, 130*
Carcinogen-induced fibrosarcomas, proliferative response, T-cell immunity, 117*
Carnegeite, aluminum, egg specific gravity, hydroxysodalite, sodium aluminosilicate, 201*
Carrageenan, bone ash, chick, corticosterone, lipopolysaccharide, 160*
Cassia obtusifolia, coffeeweed, layer performance, nutrient fortification, weed seed, 909
Catecholamines, broiler, immunity, 174*
cDNA coding, cloning and sequencing, prolactin, 81*
cDNA probes, *B* complex, 113*
Ceca, age, broiler, *Salmonella typhimurium* persistance, 1454
bacteria population, gnotobiotic chickens, *Salmonella typhimurium,* 311†
colonization, genetic lines, Leghorn, *Salmonella,* 171*
Cell culture, biotechnology, embryo development, gene expression, microinjection, 970
Cell damage, aflatoxin-B_1, macrophages, phagocytosis, 109*
Cell membrane, glutathione, peptide absorption, quail–Japanese, vesicles, 139*
Cell migration, chick embryo, embryo allografts, melanocytes, pigment genotype, 137*
Cell-mediated immunity, autoimmunity, endocrine–immune, growth hormone, thyroxine, 90*
Cell-mediated response, antibodies, immunocompetence, phagocytosis, 28*
Chain length, broiler chick, dietary lipids, fatty acids, lutein, 1246
Chemotaxis, blood monocytes, muscular dystrophy, phagocytosis, 226
Chick, aflatoxin, IgG, IgM, lymphocyte, mitogens, 131*
amino acid requirements, dietary energy, pelleting, restricted feeding, 1118
amylase, pancrease, zinc toxicity, 88*
anemia, immunosuppression, parvovirus, 183*
antibody response, ascorbic acid, corticosterone, *Escherichia coli,* 1631
arachidonic acid, biotin, menhaden oil, 156*
arginine, electrolytes, intestinal absorption, lysine, 1255
bioavailability, tissue uptake, zinc, 185*
body composition, body weight, feed intake, force-feeding, 1727†
bone ash, carrageenan, corticosterone, lipopolysaccharide, 160*
bone-breaking strength, hydrated sodium calcium aluminosilicate, phosphorus, tibia ash, 31*
chimera, embryonic stem cells, germ-line, 112*
chloride, lysine-arginine antagonism, potassium, 158*
cholesterol metabolism, dietary cholesterol, maternal diet, 74*
daily nutrient intake, feed:gain ratio, 82*
density, fearfulness, feed consumption, floor space, 3*
dietary phosphorus, manganese turnover, 157*
dietary tannin, duck, rat, sorghum, 50*
efficiency, environmental temperature, genetics, growth, 143*
embryo development, mammalian embryo, shell-less culture, viability, 1695
endotoxin, monoamine concentrations, 19*
metallothionein, *Salmonella gallinarum,* zinc, 297
particle size, pig, protein solubility, soybean meal, 110*
Chick brain, gamma-amino butyric acid, immunocytochemistry, paroxysmal mutant, 86*
Chick development, erythrocyte, free-inositol, lymphocyte, 71*
Chick embryo, amelanosis, embryo allografts, immune response, melanocytes, 137*
calcium, mineralization, phosphorus, 19*
carboxyfluorescein diacetate, fluorometry, infectious bursal disease virus, virus neutralization, 10*
cell migration, embryo allografts, melanocytes, pigment genotype, 137*
Chick growth, amino acid deficiency, protein level, 61*
body temperature, heat stress, heritability, selection, 49*
egg size, yolk utilization, 99*
Chick hauling, chick heat, moisture production, 149*
Chick heat, chick hauling, moisture production, 149*
Chick intestine, adherence, inhibition, *Salmonella typhimurium,* sugars, 1351
mannose, *Salmonella typhimurium,* 47*
Chick mortality, broiler chick, chick weight, egg position, incubation, 98*
Chick performance, acetic acid, energy utilization, growth, protein utilization, 795
aged hens, zinc, 55*
amino acid level, arginase activity, canavanine, jack bean, 96*
behavior, environmental enrichment, imprinting, music, 211
copper, superoxide dismutase, 115*
growth, stress, 76*
Chick tissues, methionine, methionine hydroxy analog, oxidation, transamination, 48*
Chick weight, broiler chick, chick mortality, egg position, incubation, 98*
egg shell conductance, hatchability, incubation condition, 144*
Chicken, aqueous washing, color values, fat, mechanically deboned meat, 749
ascorbate, granulosa, progesterone, steroidogenesis, 21*
body composition, nuclear magnetic resonance imaging, nuclear magnetic resonance spectroscopy, turkey poult, 98*
chromosome banding, restriction enzymes, 1027†
chromosome one, gene linkage, gene mapping, 13*
decoquinate, metabolism, quail–Japanese, 670
ova manipulation, turkey, 110*
Chicken breast, dynamic rheological testing, gel formation, salt-soluble protein, 154*
Chicken embryo, body weight, sex differences, twins, 805
Chicken nuggets, batter adhesion, rheology, 68*

Chicken patties, carbon dioxide, frozen storage, nitrogen, oxidative stability, 2*
irradiation, quality characteristics, storage, 27*
Chicken quail hybrid, busulfan, embryo development, irradiation, primordial germ cells, 999
Chicken sausage, beef sausage, pork sausage, sensory evaluation, turkey sausage, 60*
phosphate, spent hen, spent hen yolk, 393
Chicken *versus* pork fat, acceptability, frankfurters, stability, texture, 44*
Chickens, conversion efficiency, duck, tryptophan-niacin conversion, 27*
Chickens and quail, behavior, embryo development, neuroendocrine systems, sexual differentiation, 979
embryo development, thyroid, thyroid-stimulating hormone, triiodothyronine, 990
Chiller water, broiler, carcass quality, reconditioning, recycling, 656
ozone, *Salmonella*, 165*
clarification, filter aid, microbial reduction, recycling, 1100
diatomaceous earth pressure leaf filter, processing plant, reconditioning, recycling, 447†
Chilling, air scrubbing, broiler carcasses, microbiological quality, *Salmonella typhimurium*, 43*
Chimera, chick, embryonic stem cells, germ-line, 112*
Chloride, chick, lysine-arginine antagonism, potassium, 158*
Chlortetracycline, ascorbic acid, environmental temperature, tibial dyschondroplasia, 1527
Cholesterol, age, correlation coefficients, egg, layer, 133*
atherosclerosis, Marek's disease herpesvirus, quail–Japanese, viral genes, 144*
broiler meat, dietary oil, fatty acids, lipid composition, 162*
dietary egg yolk oil, lipoproteins, rat plasma, 73*
egg, high-performance liquid chromatography, 171*
layer performance, liver, oils, 170*
egg production, egg weight, eggs, yolk weight, 1703†
triglycerides, 12*
egg yolk, lipids, super critical fluid extraction, 155*
excretion, genetics, quail–Japanese, synthesis rate, 192*
heritability, quail–Japanese, selection, triglycerides, 192*
layer, lipid metabolism, tryptophan, 124*
proximate composition, quail–Japanese, yield, 153*
Cholesterol analysis, egg, 64*
Cholesterol content, egg, 103*
Cholesterol metabolism, chick, dietary cholesterol, maternal diet, 74*
Choline, broiler growth, folacin, labile methyl groups, methionine, 198*
methionine, turkey poult, 30*
Choline acetyltransferase, corticosterone, peripheral nerve regeneration, quail–Japanese, 202*
Chromatography, glycerol reaction, oviduct, semen, 88*
Chromic oxide, acid-insoluble ash, digestibility, marker, 54*
Chromometer, egg shell color, Minolta Chroma Meter, shell measurement, 158*
Chromosomal markers, germinal crescent, microinjection, primordial germ cells, terminal sinus, 60*
Chromosome, G-banding, *in situ* hybridization, 132*
Chromosome banding, chicken, restriction enzymes, 1027†
Chromosome one, chicken, gene linkage, gene mapping, 13*
Chronic exposure, citrinin, diuresis, kidney function, ochratoxin A, 1205
Chukar partridge, anticoccidial drugs, coccidia, *Eimeria*, rofenaid, 127*
CIgG, B-lymphocytes, radioimmunoassay, 118*
Cilia, *Bordetella avium*, niacin, turkey poult, 162*
Cimaterol, adipocyte, beta agonist, broiler, carcass composition, 762
Cimetidine, 25-hydroxyvitamin D_3, egg shell quality, layer, 212*
Circadian rhythm, corticosterone, luteinizing hormone, ovariectomy, turkey, 177
Citrinin, chronic exposure, diuresis, kidney function, ochratoxin A, 1205
Civilization, education, land-grant colleges, poultry industry, progress, 1
Clarification, chiller water, filter aid, microbial reduction, recycling, 1100
Class II DNA probe, histocompatibility complex, restriction fragment length polymorphism, 94
Climate, broiler performance, lasalocid, monensin, 191*
Clomiphene-citrate, broodiness, luteinizing hormone, prolactin, turkey hen, 1592†
Cloning, alpha cDNA, northern analysis, nucleotide sequence, pituitary genes, 55*
Cloning and sequencing, cDNA coding, prolactin, 81*
Clostridium botulinum, botulism, broiler, litter, 82*
Coccidia, anticoccidial drugs, chukar partridge, *Eimeria*, rofenaid, 127*
genetically engineered antigens, immunization, 37*
Coccidiosis, anticoccidial efficacy, battery trials, diclazuril, 496
broiler, diclazuril, 489
B complex recombinants, *Eimeria tenella*, resistance, 639
bambermycins, monensin, turkey, 1724†
broiler, lipoproteins, plasma lipids, 3*
broiler chick, growth, sodium zeolite A, zinc utilization, 156*
broiler performance, monensin, salinomycin, 86
broiler pigmentation, narasin, nicarbazin, 374
Cryptosporidia, Cryptosporidiosis incidence, 182*
disinfection, isolation, sanitation, 119*
Coccidiostats, feed additives, feed efficacy, growth, turkey, 22*
growth rate, turkey, 175*
Cockerels, broiler, starch, true metabolizable energy, 93*
furazolidone, methionine, taurine, turkey poult, 209*
Coffeeweed, *Cassia obtusifolia*, layer performance, nutrient fortification, weed seed, 909
Cold exposure, thyroid hormones, thyroid-stimulating hormone, thyroidectomy, 169
Cold stress, adrenal, adrenocorticotropic hormone, corticosterone, turkey poult, 846†
adrenocorticotropic hormone, corticosterone rhythmicity, turkey poult, 423
Collagen, 5-hydroxylysine, amino acid composition, elastin, skeletal muscle, 811
Collection harnesses, acclimatization, excreta collection, excreta energy, true metabolizable energy bioassay, 1707†
Collector, baseplate, calcium reserve, calcium reserve body-matrix, 43*
College credit in high school, minority students, poultry science curricula, teaching embryology, 76*
College students, egg preferences, survey, 15*
Colonization, broiler, *Salmonella typhimurium*, shed-rate, 168*

broiler chick, food safety, mannose, *Salmonella typhimurium*, 1357
ceca, genetic lines, Leghorn, *Salmonella*, 171*
feed conversion, lactose, probiotic, *Salmonella*, 171*
Color values, aqueous washing, chicken, fat, mechanically deboned meat, 749
oxidation-reduction potential, phosphate, sodium chloride, turkey breast meat, 1088
Colostomy, broiler chick, feces, surgical procedure, urine, 169*
Combined immunization, broiler, Marek's disease, vaccine efficacy, viral tenosynovitis, 1213
Commercial strains, amino acid(s), carcass characteristics, turkey tom, 50*
Comminution temperatures, emulsion stability, fat source, texture, turkey frankfurters, 10*
Compartmental model, egg production, mathematical modeling, sexual maturity, 476
Compensatory growth, abdominal fat, broiler, glycolic acid, restricted feeding, 61
broiler, carcass composition, restricted feeding, 23*
insulin-like growth factor-I, restricted feeding, 92*
carcass characteristics, early protein restriction, turkey tom, 687
carcass yield, turkey, 66*
early protein restriction, leg weakness, turkey tom, 676
fatness, feed efficiency, restricted feeding, 156*
leg abnormalities, restricted growth, turkey, 66*
Competitive exclusion, antibiotic therapy, lactobacilli, *Salmonella*, 14*
Complement activity, activators, hemolytic, inhibitors, turkey, 646
Composition, broiler meat, broiler meat quality, feed withdrawal, 1109
mechanically deboned meat, texture, turkey, washing treatments, 136*
Compositional comparison, broiler meat, cooked with and without skin, 60*
Composting, broiler, mortality, video demonstration, 109*
Compressive strength, broiler, protein restriction, tibial growth, 175*
Computer model, ammonia control, broiler, ventilation policy, 167*
Computer notes file, computer-assisted instruction, student-instructor interaction, teaching, 129*
Computer program, expert decision support systems, expert systems, layer management, rule-based, 1047
Computer simulation, delayed feed intake, growth prediction, mathematical modeling, replacement pullets, 771
Computer spreadsheet macro, analysis of variance, statistics, teaching, 131*
Computer-assisted instruction, computer notes file, student-instructor interaction, teaching, 129*
Conalbumin, absorption, emulsions, lysozyme, ovalbumin, 1*
Conductance, egg shell, thyroid hormones, turkey, 30*
Conformation of protein, high density lipoprotein, hydrophobic interaction chromatography, lipids, 399
Congenic lines, *B* haplotypes, *Eimeria*, histocompatibility complex, immunity, 380
Congenital anomalies, accessory hepatic lobe, duplicate polydactyly, reduplication of ceca, 1019†
Conical tube, artificial vagina, aspiration, gander, semen collection, 1714†
Constitution and By-Laws, Poultry Science Association, 190
Consumer survey, consumption, egg, 127*
Consumption, consumer survey, egg, 127*
Contract payments, broiler housing, 2*
Control-bird variation, pooling excreta, standard error precision, true metabolizable energy, 1361
Conversion efficiency, chickens, duck, tryptophan-niacin conversion, 27*
Cooked storage, broiler meat, microbiological quality, oxidative stability, raw storage, 1470
Cooked with and without skin, broiler meat, compositional comparison, 60*
Cooking temperature, broiler breast meat, oxidative stability, thiobarbituric acid value, 5*
Cool roost, heat stress, roosting frequency, thermoregulation, 101*
Cooling, growth, turkey embryo, white blood cell development, 3*
Cooping, broiler, crop digesta, feed withdrawal, gut clearance, 193*
Copper, bone strength, manganese, turkey growth, zinc, 16*
breeder hen, egg composition, immune response, zinc-copper interactions, 140*
broiler, disulfiram, histidine, tibial dyschondroplasia, 4*
broiler performance, methionine, sulfur amino acid requirement, 163
chick performance, superoxide dismutase, 115*
egg, iron, turkey, zinc, 122*
transferrin, turkey, zinc, 122*
toxicity, turkey, 115*
Corn, amino acid(s), bushel weight, protein, 857†
dietary energy, lighting programs, turkey, wheat, 69*
hammer *versus* roller mill grinding, layer performance, particle size, 1342
Corn oil, broiler growth, caloric density, energy, 194*
broiler muscle, fatty acid profile, palm oil, 39*
lipoproteins, palm oil, plasma cholesterol, 151*
Corn particle size, broiler, dietary energy, environmental temperature, geometric mean diameter, 87*
Corn replacer, feed conversion, growth, rabbit waste, turkey poult, 152*
Corn stillage, automated feeding system, high moisture diet, layer, methane digester effluent, 1114
Corn-soybean meal diets, layer, lysine requirement, 169*
Correlation, abdominal fat, quail–Japanese, sex differences, testes, 89*
Correlation coefficients, age, cholesterol, egg, layer, 133*
Corticosterone, adrenal, adrenocorticotropic hormone, cold stress, turkey poult, 846†
antibody response, ascorbic acid, chick, *Escherichia coli*, 1631
ascorbic acid, broiler, leukocytes, 166*
bone ash, carrageenan, chick, lipopolysaccharide, 160*
broiler chick, heterophil:lymphocyte ratio, multiple stressors, 522
choline acetyltransferase, peripheral nerve regeneration, quail–Japanese, 202*
circadian rhythm, luteinizing hormone, ovariectomy, turkey, 177
feed deprivation, mortality, turkey poult, turkey poult performance, 880
in vitro, lymphocyte proliferation, mitogens, 148*
molt, progesterone, triiodothyronine, thyroxine, temperature, 104*
prostaglandin-E_2, quail–Japanese, stress, 1289
prostaglandins, quail–Japanese, 195*

Corticosterone rhythmicity, adrenocorticotropic hormone, cold stress, turkey poult, 423
Cortisone, monoclonal antibodies, splenectomy, 59*
Corynebacterium parvum, immunity, *Salmonella typhimurium,* 34*
Cosmid cloning, antigen, CU strain, *Escherichia coli, Pasteurella multocida,* 94*
Costs and returns, eggs–white *versus* brown, stacked cage, tiered cage, 124*
Cottonseed meal, broiler, iron, low energy diet, peanut meal, 799
Coturnix (see quail)
Crane, *Borrelia burgdorferi,* Lyme disease, 155*
dimethylsulfoxide, fertility, semen preservation, 63*
histocompatibility complex, pheasant, 72*
Cream, phaeomelanin dilution, plumage color, recessive white, red eye, 13*
Crooked neck, amino acid(s), broiler chick, tremors, wheat, 32*
Crop digesta, broiler, cooping, feed withdrawal, gut clearance, 193*
Crop fermentation, layer, octanoate, vagus nerve, volatile fatty acids, 97*
Cross resistance, anticoccidial drugs, *Eimeria tenella,* ionophores, 89
Crossbreds, broiler breeder, quantitative traits, selection, 18*
Crude enzyme, barley, broiler performance, pelleting-conditioning, 126*
Crude protein, abdominal fat, broiler breast meat, carcass yield, lysine, 186*
broiler, heat stress, methionine, 144*
Cryptosporidia, coccidiosis, Cryptosporidiosis incidence, 182*
leg abnormalities, rotavirus, turkey, 73*
Cryptosporidiosis incidence, coccidiosis, *Cryptosporidia,* 182*
CU strain, antigen, cosmid cloning, *Escherichia coli, Pasteurella multocida,* 94*
Curly toe paralysis, egg production, pullet, riboflavin requirement, sexual maturity, 16*
Curvilinear relationships, egg quality, egg weight, turkey, 77*
Cycloheximide, leupeptin, proteolysis, skeletal muscle cell cultures, 57*
Cyclosporine, hypersensitivity, maturation, resistance, salmonellosis, 1637
CYGRO®, broiler performance, maduramicin, sodium and potassium level, water intake, 204*
horse, maduramicin, toxicity, turkey, 210*
Cysteine, dyschondroplasia, homocysteine, methanethiol, methionine metabolism, 163*
Cytochrome c, heat stability, myoglobin, phosphate, salt, 1218
Cytotoxic T-lymphocytes, H5 hemagglutinin, influenza A virus, 67*
Daily feeding, body composition, broiler breeder, skip-a-day feeding, 836†
broiler breeder, skip-a-day feeding, water restriction, water usage, 617
Daily nutrient intake, chick, feed:gain ratio, 82*
Dairy, animal science, extension program, meat, poultry, 121*
Dark turkey meat, sodium and potassium salt, turkey patties, 78*
Darkling beetle, dispersal behavior, high rise caged layer house, lesser mealworm, manure management, 1326
Dead bird disposal, acid preserved broiler carcasses, broiler performance, poultry by-product meal, 6*
Decision analysis, economic evaluation, layer, population density, 127*
Decoquinate, chicken, metabolism, quail–Japanese, 670
Delayed feed intake, computer simulation, growth prediction, mathematical modeling, replacement pullets, 771
Delayed oviposition, bursa of Fabricius, involution, 21*
Delayed picking, broiler breast meat, high temperature conditioning, hot boning, meat tenderness, 150*
Demethylation, gene expression, quail–Japanese, vitellogenin, yolk, 1678
Denervation, anesthesia, broiler breast muscle, *Pectoralis major* muscle, rigor development, 386
brood patch, egg production, incubation, turkey, 16*
Density, behavior, fear, group size, productivity, 9
behavioral adaptation, cage shape, pullet, 70
chick, fearfulness, feed consumption, floor space, 3*
Deoxynivalenol, broiler chick, T-2 toxin, toxicity, 622
egg residues, layer, mycotoxins, vomitoxin, 744
Detoeing, broiler carcasses, scabby hip syndrome, scabs, scratches, 1148†
Diabetes, dimethylsulfoxide, glucose, insulin, 79*
Dialyzable phosphorus, dietary calcium, dietary phosphorus, layer, ultrafilterable calcium, 719
Diammonium citrate, energy utilization, germ-free chick, nitrogen utilization, 306†
Diatomaceous earth pressure leaf filter, chiller water, processing plant, reconditioning, recycling, 447†
Diclazuril, anticoccidial efficacy, battery trials, coccidiosis, 496
broiler, coccidiosis, 489
Diet, age, intestinal disaccharidases, turkey poult, 265
body weight, broiler performance, ferrous sulfate, mortality, 1063
Dietary acids, Alimet™, broiler, heat stress, methionine, 208*
Dietary aluminum, calcium, layer performance, metabolism, phosphorus, 706
force-molting, layer, restricted feeding, 891
Dietary calcium, dialyzable phosphorus, dietary phosphorus, layer, ultrafilterable calcium, 719
Dietary chloride, broiler, dietary phosphorus, layer, 19*
potassium, sodium, turkey poult, 87*
Dietary cholesterol, chick, cholesterol metabolism, maternal diet, 74*
Dietary density, fat levels, layer performance, pullet diets, 177*
grain source, pullet, 170*
Dietary egg yolk oil, cholesterol, lipoproteins, rat plasma, 73*
Dietary energy, abdominal fat, broiler cross-diet interaction, starter diets, 205*
amino acid requirements, chick, pelleting, restricted feeding, 1118
body composition, broiler breeder male, semen production, testosterone, 1688
broiler, carcass composition, yield, 205*
corn particle size, environmental temperature, geometric mean diameter, 87*
broiler breeder, dietary protein, muscle growth, skeletal growth, 1274
broiler performance, growth, 134*
heat stress, protein level, 29*
caged rearing *versus* floor rearing, genetic strain, pullet, 111*
corn, lighting programs, turkey, wheat, 69*

dietary protein, pullet rearing, rearing environment, 546
lighting programs, turkey, wheat, yield carcass, 70*
quantitative traits, selection, 173*
Dietary energy:protein ratio, abdominal fat pad, broiler chick, feed efficiency, nicarbazin, 1535
Dietary fat, broiler, Ca^{2+} transport, sarcoplasmic reticulum, sudden death syndrome, 31*
broiler chick, dietary protein, growth, nicarbazin, 145
Dietary lipids, broiler chick, chain length, fatty acids, lutein, 1246
Dietary magnesium, Leghorn hen, passage time, phenolphthalein, plasma minerals, 185*
Dietary oil, broiler meat, cholesterol, fatty acids, lipid composition, 162*
Dietary phosphorus, bone integrity, broiler breeder male, reproductive performance, semen quality, 1153†
semen quality, 172*
broiler, dietary chloride, layer, 19*
chick, manganese turnover, 157*
dialyzable phosphorus, dietary calcium, layer, ultrafilterable calcium, 719
sodium aluminosilicate, sodium chloride, 124*
Dietary protein, added fat, age, strain comparisons, turkey, 278
breast meat, carcass characteristics, turkey, 287
bird density, egg production, layer, light intensity, 85*
broiler breeder, dietary energy, muscle growth, skeletal growth, 1274
broiler chick, dietary fat, growth, nicarbazin, 145
dietary energy, pullet rearing, rearing environment, 546
egg production, layer, methionine, postmolt performance, 80*
layer, methionine, sulfur amino acid requirement, 23*
Dietary protein restriction, adenylyl cyclase, adrenocortical cells, cAMP, 92*
Dietary protein source, broiler, mortality, sudden death syndrome, taurine, 172*
Dietary tannin, chick, duck, rat, sorghum, 50*
Dietary thiouracil, egg production, egg shell quality, Leghorn, plasma thyroxine, 97*
Dietary triiodothyronine, broiler cockerels, fat deposition, muscle protein turnover, tyrosine infusion, 154*
Differential leucocyte counts, adrenocorticotropin, hydrocortisone, layer, stress, 1710†
Digestibility, acid-insoluble ash, chromic oxide, marker, 54*
apparent metabolizable energy, bioassay, bioavailable nutrients, true metabolizable energy, 124
canola meal, carbohydrate content, 135*
Digestion, migrating motor complex, motility, turkey, 100*
Digestive tract clearance, broiler, feed withdrawal, water withdrawal, 627
Digestive transit time, age influence, broiler, rate of food passage, transit markers, 185
Dihomo-γ-linolenate, biotin, broiler chick, phosphatidylcholine, phosphatidylethanolamine, 698
Dimethylsulfoxide, crane, fertility, semen preservation, 63*
diabetes, glucose, insulin, 79*
Disaccharidases, growth, malabsorption syndrome, turkey, 6*
Disease control, *Salmonella*, 112*
Disease resistance, GAT, immune response, 113*
Disinfection, coccidiosis, isolation, sanitation, 119*
Dispersal behavior, darkling beetle, high rise caged layer house, lesser mealworm, manure management, 1326
Disulfiram, broiler, copper, histidine, tibial dyschondroplasia, 4*
Diuresis, calcium, infectious bronchitis virus, kidney damage, urolithiasis, 1193
chronic exposure, citrinin, kidney function, ochratoxin A, 1205
Diurnal lay cycles, egg production, feed intake, 128*
DNA, infectious laryngotracheitis virus, restriction endonuclease analysis, 64*
Mycoplasma iowae, restriction enzyme analysis, 163*
DNA degradation, adrenocorticotropic hormone, programmed cell death, thymocytes, 33*
DNA fingerprinting, mating behavior, 76*
DNA hybridization, anaerobic digestion, Marek's disease, pathogen control, waste digesters, 188*
layer, *Salmonella* detection, 102*
DNA probe, biotin, repetitive sequences, sex identification, W-chromosome, 850†
DNA recombinant, antigen, DNA sequence, *Eimeria*, immunization, 1643
DNA sequence, antigen, DNA recombinant, *Eimeria*, immunization, 1643
DNA synthesis, B-lymphocyte proliferation, hormones, 40*
Dopamine, ELISA, epinephrine, norepinephrine, serotonin, 71*
Dosing method, fasting, glucose, turkey poult, yolk sac, 1141
Double papillae, gene symbols, genetics, oil gland papillae, uropygial gland papillae, 137*
Down color, amelanosis, eumelanogenesis, Smyth line, 1319
Drug resistance, kanamycin, *Salmonella*, 142*
plasmids, R-factor, *Salmonella*, 206*
Dry bulb temperature, broiler hatching eggs, humidity, wet bulb temperature, 207*
Duck, blood glucose, plasma cholesterol, propylthiouracil, rectal temperature, 1381
chick, dietary tannin, rat, sorghum, 50*
chickens, conversion efficiency, tryptophan-niacin conversion, 27*
glomerular filtration rate, kidney function, salt acclimation, 408
Ductuli efferentes, low fertility roosters, 66*
Duodenal Ca^{2+}-adenosine triphosphatase, adenosine triphosphate, egg shell formation, plasma calcium, uterine Ca^{2+}-adenosine triphosphatase, 564
Duplicate polydactyly, accessory hepatic lobe, congenital anomalies, reduplication of ceca, 1019†
Dwarf *versus* normal, albumen, egg composition, yolk, 591
Dynamic rheological testing, chicken breast, gel formation, salt-soluble protein, 154*
Dyschondroplasia, cysteine, homocysteine, methanethiol, methionine metabolism, 163*
Early harvesting, broiler breast fillets, electrical stimulation, muscle tension, tenderness, 13*
electrical stimulation, tenderness, turkey fillet, 72*
Early protein restriction, amino acid(s), carcass composition, carcass yield, roaster, 53*
roaster performance, strain, 53*
carcass characteristics, compensatory growth, turkey tom, 687
compensatory growth, leg weakness, turkey tom, 676
Economic analysis, fasting, molt, 180*

Economic evaluation, biotechnology, broiler grower, growth regulators, simulation, 1055
broiler growout contracts, 58*
decision analysis, layer, population density, 127*
Economic feasibility, irradiation, poultry product, 203*
Economic optimization, growout methods, production costs, turkey tom production, 470
Editing manuscripts, *Poultry Science*, publication, 116*
EDTA, egg white lysozyme, *Listeria monocytogenes*, 36*
Education, 4-H embryology, planning guide, video tape, 39*
civilization, land-grant colleges, poultry industry, progress, 1
embryology, satellite programming, video tape, 32*
poultry production course, teaching, 21*
student activities, student organization, 153*
Efficiency, chick, environmental temperature, genetics, growth, 143*
Egg, age, cholesterol, correlation coefficients, layer, 133*
ascorbic acid, broiler breeder, heat stress, 210*
cholesterol, high-performance liquid chromatography, 171*
layer performance, liver, oils, 170*
cholesterol analysis, 64*
cholesterol content, 103*
consumer survey, consumption, 127*
copper, iron, turkey, zinc, 122*
transferrin, turkey, zinc, 122*
layer, nutritional status, vitamin A, 140*
Listeria monocytogenes, pasteurization, 86*
risk assessment, *Salmonella enteritidis*, 100*
Egg albumen quality, variability of functionality, 56*
Egg breakage, breaking strength, shell percentage, shell weight, specific gravity, 1730†
Egg cholesterol, HMG-CoA reductase inhibitor, layer performance, lovastatin, 49*
Egg composition, albumen, dwarf *versus* normal, yolk, 591
breeder hen, copper, immune response, zinc-copper interactions, 140*
egg production, genetic effects, selected lines, yolk, 27
layer, nutritional status, vitamin B_{12}, 103*
ω-3 fatty acids, 166*
Egg injection, antibiotics, hatchability, turkey poult, 198*
broiler performance, hatching eggs, INOVOJECT®, Marek's disease vaccination, 189*
Egg measurements, egg production, feed efficiency, sunflower seeds, 84*
Egg microbiology, albumen media, pathogenic bacteria, yolk media, 136*
Egg position, broiler chick, chick mortality, chick weight, incubation, 98*
Egg preferences, college students, survey, 15*
Egg production (see also layer performance)
5-day fast, egg weight, protein conversion, pullet, 143*
bird density, dietary protein, layer, light intensity, 85*
body temperature, broiler breeder, feeding time, temperature, 608
body weight, broiler breeder hen, egg weight, 159*
cage density, egg quality, slow *versus* rapid-feathering, 596
histocompatibility complex, sexual maturity, 464
broiler breeder, carcass composition, egg sequence length, 123*
egg sequence length, restricted feeding, 123*
egg sequence position, egg weight, fertility, 62*
egg specific gravity, light intensity, photoperiod, 79
feeding time, oviposition time, 159*
restricted feeding, sexual maturity, skip-a-day feeding, 1442
brood patch, denervation, incubation, turkey, 16*
calcium intake, molt, tibia ash, 63*
cholesterol, egg weight, eggs, yolk weight, 1703†
triglycerides, 12*
compartmental model, mathematical modeling, sexual maturity, 476
curly toe paralysis, pullet, riboflavin requirement, sexual maturity, 16*
dietary protein, layer, methionine, postmolt performance, 80*
dietary thiouracil, egg shell quality, Leghorn, plasma thyroxine, 97*
diurnal lay cycles, feed intake, 128*
egg composition, genetic effects, selected lines, yolk, 27
egg measurements, feed efficiency, sunflower seeds, 84*
egg shell quality, layer performance, tryptophan, 323†
Leghorn, plasma thyroxine, thiouracil treatment, 194*
egg size, layer performance, restricted feeding, 914
egg specific gravity, egg weight, feed efficiency, sodium aluminosilicate, 1241
energy values, grains, 45*
fasting, feather loss, strain, weight loss, 177*
fat-soluble vitamins, lecithin, 175*
fearful behavior, feather scores, genetic correlation, heritability, 1040
feather loss, feed consumption, layer, 221
molt, 4*
feed consumption, intermittent lighting, layer, light regimen, 739
inactivated Newcastle-bronchitis vaccination, layer, serology, strain, 122*
layer, metaplasia, milo, mycotoxicoses, 173*
part record, persistency, selection indices, 101*
phosphorus, zeolite, 180*
molt, thyroidectomy, thyroxine, turkey, 1126
photoperiod, prelay light, turkey hen, 1337
photorefractoriness, prolactin, thyroid hormones, turkey, 1409
rabbit waste, semen production, semen quality, sexual maturity, 209*
Egg production traits, endogenous viral genes, Leghorn, Marek's disease resistance, selection, 1161
Egg quality, body weight, cage density, egg production, slow *versus* rapid-feathering, 596
curvilinear relationships, egg weight, turkey, 77*
egg yolk, ELISA, enzyme-linked immunosorbent assay, infectious bronchitis virus, 70*
Egg residues, deoxynivalenol, layer, mycotoxins, vomitoxin, 744
Egg sequence length, broiler breeder, carcass composition, egg production, 123*
egg production, restricted feeding, 123*
Egg sequence position, broiler breeder, egg production, egg weight, fertility, 62*
Egg shell, bone mineral, calcium, pullet, 185*
calcium reserve assembly, embryo, mammilla, 1569
conductance, thyroid hormones, turkey, 30*
Egg shell color, chromometer, Minolta Chroma Meter, shell measurement, 158*
Egg shell conductance, chick weight, hatchability, incubation condition, 144*

Egg shell formation, adenosine triphosphate, duodenal Ca^{2+}-adenosine triphosphatase, plasma calcium, uterine Ca^{2+}-adenosine triphosphatase, 564
Egg shell pigment, ovulatory process, quail–Japanese, shell gland, 1156†
Egg shell quality, 1,25-dihydroxyvitamin D_3, 1-α-hydroxyvitamin D_3, vitamin D_3, 56*
25-hydroxyvitamin D_3, cimetidine, layer, 212*
acetylsalicylic acid, aspirin, prostaglandin, 9*
added fat, broiler breeder performance, hatchability, lighting programs, 1185
age, saline drinking water, 8*
bone formation, calcium, phosphorus, 56*
dietary thiouracil, egg production, Leghorn, plasma thyroxine, 97*
egg production, layer performance, tryptophan, 323†
Leghorn, plasma thyroxine, thiouracil treatment, 194*
Ethacal® feed component, layer strain, 30*
feed additives, layer, 82*
genetic correlation, heritability, intact egg percentage, 46
indomethacin, layer, prostaglandin, 9*
limestone, oyster shell, sodium aluminosilicate, 199*
Egg size, body weight, layer performance, synthetic estrogen, 825†
chick growth, yolk utilization, 99*
egg production, layer performance, restricted feeding, 914
fasting, layer performance, strain, 126*
Egg specific gravity, aluminum, carnegeite, hydroxysodalite, sodium aluminosilicate, 201*
broiler breeder, egg production, light intensity, photoperiod, 79
egg production, egg weight, feed efficiency, sodium aluminosilicate, 1241
limestone–fine granular, oyster shell, sodium aluminosilicate, 201*
Egg storage, hatchability, humidity, quail–Japanese, 65*
Egg storage conditions, albumen pH, albumen shear strength, hard-cooked egg peelability, 1226
Egg tilting, egg turning, hatchability, incubation, malposition, 1603
malposition, 20*
Egg turning, egg tilting, hatchability, incubation, malposition, 1603
malposition, 20*
Egg weight, 5-day fast, egg production, protein conversion, pullet, 143*
ahemeral, hemeral, layer performance, lighting programs, 1624
amino acid(s), layer, 184*
body weight, broiler breeder hen, egg production, 159*
caged layer house, feed consumption, temperature stratification, 187*
broiler breeder, egg production, egg sequence position, fertility, 62*
cholesterol, egg production, eggs, yolk weight, 1703†
curvilinear relationships, egg quality, turkey, 77*
egg production, egg specific gravity, feed efficiency, sodium aluminosilicate, 1241
embryonic growth, genetics, turkey, 315†
Ethacal® feed component, layer performance, 182*
glucose, incubation, turkey poult, 99*
Egg white lysozyme, EDTA, *Listeria monocytogenes,* 36*
Egg yolk, antibody, human IgG, IgY, Newcastle disease virus, 43*
canola, flax, tissues, ω-3 fatty acids, 106*
cholesterol, lipids, super critical fluid extraction, 155*
egg quality, ELISA, enzyme-linked immunosorbent assay, infectious bronchitis virus, 70*
heat stability, pigments, yolk pigmentation, 169*
Eggs, cholesterol, egg production, egg weight, yolk weight, 1703†
Eggs–white *versus* brown, costs and returns, stacked cage, tiered cage, 124*
hard-cooked eggs, peelability, physical and chemical composition, storage, 29*
Eimeria, anticoccidial activity, ionophore resistance, 7*
anticoccidial drugs, chukar partridge, coccidia, rofenaid, 127*
antigen, DNA recombinant, DNA sequence, immunization, 1643
B haplotypes, congenic lines, histocompatibility complex, immunity, 380
embryo infection, ionophores, lasalocid, monensin, 75*
Eimeria acervulina, bone calcium, broiler chick, weight gain, zeolite A, 1236
***Eimeria brunetti* infection,** broiler, fecal calcium, 183*
Eimeria maxima, broiler, pathogenicity, resistance, salinomycin, 92*
Eimeria tenella, anticoccidial drugs, broiler chick, ELISA, 59*
cross resistance, ionophores, 89
B complex recombinants, coccidiosis, resistance, 639
body weight, broiler, narasin, roxarsone, 1011†
broiler, floorpen model, live oocyst antigen, salinomycin, 146*
immunity, sporozoites, turkey coccidian, 7*
narasin, narasin-nicarbazin, resistance, 146*
Elastin, 5-hydroxylysine, amino acid composition, collagen, skeletal muscle, 811
Electrical stimulation, boning time, broiler breast meat, tenderness, 1232
broiler breast fillets, early harvesting, muscle tension, tenderness, 13*
broiler breast meat, high temperature conditioning, post-mortem metabolism, tenderness, 129*
broiler breast muscle, pH, texture, 249
broiler slaughter, electrocution, fecal contamination, stunning, 1478
early harvesting, tenderness, turkey fillet, 72*
Electrocardiology, ascites, broiler, heart, hematology, 107*
Electrocution, broiler slaughter, electrical stimulation, fecal contamination, stunning, 1478
fecal contamination, stunning, 196*
Electrolytes, arginine, chick, intestinal absorption, lysine, 1255
Electrolytic lesions, basomedial hypothalamus, food intake control, reproductive traits, 948
Electrophoretic variation, genetics, peptidase, polymorphism, pyrophosphatase, 1313
ELISA, anticoccidial drugs, broiler chick, *Eimeria tenella,* 59*
dopamine, epinephrine, norepinephrine, serotonin, 71*
egg quality, egg yolk, infectious bronchitis virus, 70*
luteinizing hormone-releasing hormone, monoclonal antibodies, 117*
Mycoplasma gallisepticum, strains of low virulence, 161*
Embryo, calcium reserve assembly, egg shell, mammilla, 1569
Embryo allografts, amelanosis, chick embryo, immune response, melanocytes, 137*

cell migration, chick embryo, melanocytes, pigment genotype, 137*
Embryo development, alloantigen, histocompatibility complex, 87*
behavior, chickens and quail, neuroendocrine systems, sexual differentiation, 979
biotechnology, cell culture, gene expression, microinjection, 970
blood cell development, hematology, incubation, turkey, 166*
broiler growth, broiler hatching eggs, microwave radiation, 17*
busulfan, chicken quail hybrid, irradiation, primordial germ cells, 999
chick, mammalian embryo, shell-less culture, viability, 1695
chickens and quail, thyroid, thyroid-stimulating hormone, triiodothyronine, 990
growth hormone, insulin-like growth factor-II, 130*
intracellular pH, mouse embryo, ultramicrofluorescence microscopy, video fluorescence microscopy, 972
Embryo infection, *Eimeria*, ionophores, lasalocid, monensin, 75*
Embryology, education, satellite programming, video tape, 32*
Embryonic death, borate toxicity, riboflavin deficiency, 189*
broiler breeder, fertility, hatchability, spermatozoa concentration, 51*
Embryonic growth, egg weight, genetics, turkey, 315†
Embryonic lethal, autosomal recessive, blood ring, turkey, 130*
Embryonic stem cells, chick, chimera, germ-line, 112*
Embryonic survival, bacteria, hatchability, hatching egg sanitizers, turkey, 1179
Emulsion stability, comminution temperatures, fat source, texture, turkey frankfurters, 10*
Emulsions, absorption, conalbumin, lysozyme, ovalbumin, 1*
Encapsulation, β-glucanase, barley, turkey, 182*
Endocrine–immune, autoimmunity, cell-mediated immunity, growth hormone, thyroxine, 90*
Endogenous viral genes, avian leukosis virus, immune response, slow-feathering, viremia, 136*
egg production traits, Leghorn, Marek's disease resistance, selection, 1161
Endotoxin, antibody response, iron, sheep red blood cells, zinc, 161*
chick, monoamine concentrations, 19*
Energy, body weight, feed conversion, pheasant, protein, 99*
broiler growth, caloric density, corn oil, 194*
broiler performance, protein, 107*
layer, molt, protein, strain, 176*
Energy utilization, acetic acid, chick performance, growth, protein utilization, 795
amino acid(s), calorimetry, layer, protein, 258
diammonium citrate, germ-free chick, nitrogen utilization, 306†
Energy values, egg production, grains, 45*
Environmental enrichment, behavior, chick performance, imprinting, music, 211
Environmental factors, barley, nutritive content, wheat, 24*
Environmental temperature, acclimation, broiler, feed consumption, water consumption, 91*
ascorbic acid, chlortetracycline, tibial dyschondroplasia, 1527
broiler, corn particle size, dietary energy, geometric mean diameter, 87*
chick, efficiency, genetics, growth, 143*
Enzyme, barley, feed value, pullet, 170*
Enzyme supplementation, barley, broiler diet, full-fat canola seed, 1374
Epidemiology, avian influenza, turkey, 135*
Epidermal growth factor, granulosa, plasminogen activator, progesterone, transforming growth factor, 148*
Epididymal region, absorption, fowl, seminal plasma, spermiophagy, 582
Epinephrine, dopamine, ELISA, norepinephrine, serotonin, 71*
Episodic secretion, beta agonist, broiler diet, growth hormone, 1015†
Epitopes, H5 hemagglutinin, influenza, monoclonal antibodies, virulence, 114*
Erythrocyte, chick development, free-inositol, lymphocyte, 71*
Escherichia coli, antibody response, ascorbic acid, chick, corticosterone, 1631
antigen, cosmid cloning, CU strain, *Pasteurella multocida*, 94*
Essential amino acids, abdominal fat deposition, broiler male performance, potassium, protein, 1385
broiler performance, potassium, protein level, 897
protein level, thyroid hormones, 113
Ethacal® feed component, aflatoxin toxicity, aluminosilicate, broiler, 203*
ascites, broiler, high altitude, mortality, 188*
broiler breeder, hot climates, layer, zeolite A, 83*
broiler breeder performance, sodium zeolite A, 77*
egg shell quality, layer strain, 30*
egg weight, layer performance, 182*
layer performance, 54*
Ethanol extract, oligosaccharides, soybean meal, true metabolizable energy, 85*
Ethidium bromide, semen storage, sperm, turkey, 168*
Ethoxyquin, ethylenediaminetetraacetic acid, rancidity, rice bran, 438†
Ethylenediaminetetraacetic acid, ethoxyquin, rancidity, rice bran, 438†
Eumelanogenesis, amelanosis, down color, Smyth line, 1319
Evaporative cooling, body weight, broiler, feed conversion, temperature, 839†
Exchangeable magnesium, appetite, broiler chick, magnesium deficiency, 176*
Excreta, aluminum, layer, phosphorus, silicon, 125*
amino acid digestibility, protein digestibility, uric acid, 327†
Excreta collection, acclimatization, collection harnesses, excreta energy, true metabolizable energy bioassay, 1707†
Excreta energy, acclimatization, collection harnesses, excreta collection, true metabolizable energy bioassay, 1707†
apparent metabolizable energy, experimental design, Leghorn cockerels, true metabolizable energy, 1021†
Excretion, cholesterol, genetics, quail–Japanese, synthesis rate, 192*
Exercise, broiler, muscle growth, 64*
Exercise treadmill, fowl, leg muscle, oxidative fibers, succinic dehydrogenase, 577
Experimental design, apparent metabolizable energy, excreta energy, Leghorn cockerels, true metabolizable energy, 1021†
Expert decision support systems, computer program, expert systems, layer management, rule-based, 1047

Expert systems, computer program, expert decision support systems, layer management, rule-based, 1047
Extension education program, New England, poultry producers, survey, 38*
Extension program, animal science, dairy, meat, poultry, 121*
Extrusion, broiler diet, feathers, poultry mortalities, 145*
Eye defect, gene symbols, genetics, microphthalmia, penetrance, 138*
Fast protein liquid chromatography, broiler, *Pectoralis major* muscle, R-value, rigor, 178*
Fasting, behavior, broiler performance, heat stress, 55
dosing method, glucose, turkey poult, yolk sac, 1141
economic analysis, molt, 180*
egg production, feather loss, strain, weight loss, 177*
egg size, layer performance, strain, 126*
growth hormone, insulin, turkey, 6*
Fat, adipsin, broiler, RNA expression, transcription, 14*
aqueous washing, chicken, color values, mechanically deboned meat, 749
breast yield, pelleting, protein level, turkey, 153*
broiler, growth, 108*
broiler chick, by-products, full-fat soybeans, growth, 24*
broiler performance, flaxseed oil, prostaglandin, 9*
grain form, grain source, tannin, 47*
Fat blends, broiler performance, fat stabilization, poultry, yellow grease, 109*
Fat content, broiler performance, C:P ratio, glucagon, insulin, 107*
Fat deposition, broiler cockerels, dietary triiodothyronine, muscle protein turnover, tyrosine infusion, 154*
Fat extraction, carcass fat, Folch method, 1425
Fat levels, dietary density, layer performance, pullet diets, 177*
Fat source, comminution temperatures, emulsion stability, texture, turkey frankfurters, 10*
Fat stabilization, broiler performance, fat blends, poultry, yellow grease, 109*
Fat-soluble vitamins, egg production, lecithin, 175*
Fatness, compensatory growth, feed efficiency, restricted feeding, 156*
Fatty acid profile, broiler muscle, corn oil, palm oil, 39*
lipid oxidation, neutral lipids, phospholipids, turkey breast meat, 754
Fatty acids, added fat, broiler chick diet, metabolizable energy, saturated fatty acids, 1506
broiler, food intake control, indomethacin, 121*
broiler adipose, broiler muscle, preen gland, 81*
broiler chick, chain length, dietary lipids, lutein, 1246
broiler meat, cholesterol, dietary oil, lipid composition, 162*
Fear, behavior, density, group size, productivity, 9
Fearful behavior, egg production, feather scores, genetic correlation, heritability, 1040
Fearfulness, beak trimming, behavior, pullet, 85*
chick, density, feed consumption, floor space, 3*
floor space, group size, induced tonic immobility, layer performance, 1332
layer, tonic immobility, 1024†
Feather loss, egg production, fasting, strain, weight loss, 177*
feed consumption, layer, 221
molt, 4*
force-molting, layer, 206*
Feather meal, amino acid availability, blood meal, true metabolizable energy, turkey, 1513
assay methods, metabolizable energy, 443†
Feather scores, egg production, fearful behavior, genetic correlation, heritability, 1040
Feather-lysate, amino acid(s), biodegradation, feathers, protein, 83*
Bacillus licheniformis, biodegradation, feathers, protein, 204*
Feathered shanks, gene symbols, genetics, ptilopody, 138*
Feathering, layer, nervousness, productivity, rearing environment, 102*
Feathering genotypes, broiler breeder, growth, restricted feeding, 344
organ growth, restricted feeding, 359
reproductive response, restricted feeding, 352
Feather meal, broiler growth, calorie:protein ratio, carcass composition, 36*
Feathers, amino acid(s), biodegradation, feather-lysate, protein, 83*
Bacillus licheniformis, biodegradation, feather-lysate, protein, 204*
broiler diet, extrusion, poultry mortalities, 145*
health condition, mineral content, reproductive tract, 145*
Fecal calcium, broiler, *Eimeria brunetti* infection, 183*
Fecal contamination, broiler slaughter, electrical stimulation, electrocution, stunning, 1478
electrocution, stunning, 196*
Fecal load, bacterial count, magnesium sulfate, weight loss, 140*
Fecal moisture, layer, sodium chloride, water consumption, wheat middlings, 830†
Feces, broiler chick, colostomy, surgical procedure, urine, 169*
Feed additives, coccidiostats, feed efficacy, growth, turkey, 22*
growth rate, turkey, 175*
egg shell quality, layer, 82*
Feed and water access, carcass processing, *Salmonella*, slaughter, 194*
Feed consumption, acclimation, broiler, environmental temperature, water consumption, 91*
body weight, caged layer house, egg weight, temperature stratification, 187*
broiler, feed efficiency, taste, weight gain, 1519
chick, density, fearfulness, floor space, 3*
egg production, feather loss, layer, 221
intermittent lighting, layer, light regimen, 739
onset of lay, pullet, 135*
refeeding, serum glucose, serum sodium, 1619
Feed conversion, body weight, broiler, evaporative cooling, temperature, 839†
energy, pheasant, protein, 99*
broiler, growth rate, light intensity, 218
virginiamycin, 38*
colonization, lactose, probiotic, *Salmonella*, 171*
corn replacer, growth, rabbit waste, turkey poult, 152*
growth, light duration, light intensity, turkey, 134*
lignosulfonate, pellet quality, turkey tom performance, 18*
Feed deprivation, body weight loss and gain, body weight prediction, broiler, feed efficiency, 191*
corticosterone, mortality, turkey poult, turkey poult performance, 880
Feed efficacy, coccidiostats, feed additives, growth, turkey, 22*
Feed efficiency, abdominal fat pad, broiler chick, dietary energy:protein ratio, nicarbazin, 1535
age, turkey, white meat yield, 155*

antibiotics, broiler, growth, 89*
meat by-products, turkey, 181*
ascorbic acid, growth, mortality, quail–Bobwhite, 1418†
bacitracin methylene disalicylate, halofuginone, turkey, zinc bacitracin, 178*
bambermycins, body weight, monensin, turkey, 40*
broiler, narasin, nicarbazin, 179*
body weight, broiler performance, iodine-treated water, stocking density, 435†
carcass lipid characteristics, heterosis, quail–Japanese, 37
body weight loss and gain, body weight prediction, broiler, feed deprivation, 191*
broiler, feed consumption, taste, weight gain, 1519
growth, tibial dyschondroplasia, zeolite, 181*
compensatory growth, fatness, restricted feeding, 156*
egg measurements, egg production, sunflower seeds, 84*
egg production, egg specific gravity, egg weight, sodium aluminosilicate, 1241
Feed grade, bioavailability, broiler chick, manganese, tissue minerals, 1368
Feed intake, acetate, broiler chick, propionate, short-chain fatty acids, 1612
beak trimming, body weight, pellets *versus* mash, roaster, 39*
behavior, broiler chick performance, growth, multiple stressors, 501
body composition, body weight, chick, force-feeding, 1727†
broiler, bulk density, intestinal area, nuda oats, 200*
diurnal lay cycles, egg production, 128*
Feed refusal, Fusarium, mycotoxins, scirpenols, 854†
Feed restriction, (see restricted feeding)
Feed supplement, caged layer manure, carbon sources, fermentation, 40*
Feed value, barley, enzyme, pullet, 170*
Feed withdrawal, age, broiler, strain, yield, 152*
broiler, cooping, crop digesta, gut clearance, 193*
digestive tract clearance, water withdrawal, 627
broiler meat, broiler meat quality, composition, 1109
gonadotropin-releasing hormone agonist, layer, molt, 1402
Feed:gain ratio, broiler performance, milo, pancreatic α-amylase, wheat, 176*
chick, daily nutrient intake, 82*
Feeding time, body temperature, broiler breeder, egg production, temperature, 608
broiler breeder, egg production, oviposition time, 159*
Fermentation, caged layer manure, carbon sources, feed supplement, 40*
Ferrous sulfate, body weight, broiler performance, diet, mortality, 1063
Fertility, added fat, broiler breeder performance, metabolizable energy, 173*
anti-sperm antibodies, 151*
artificial insemination, hatchability, sperm number, turkey, 724
broiler breeder, egg production, egg sequence position, egg weight, 62*
embryonic death, hatchability, spermatozoa concentration, 51*
broiler breeder male, growth, hatchability, protein level, 51*
broiler breeder performance, hatchability, 157*
broiler performance, hatchability, sodium zeolite A, 62*
crane, dimethylsulfoxide, semen preservation, 63*
hatchability, hatching eggs, time of egg collection, 26*
Larvadex, progeny performance, turkey, 731
oviduct, 174*
oviposition, sperm host glands, 68*
semen collection frequency, semen volume, sperm number, 128*
Fertility duration, artificial insemination, broiler breeder, semen dose, 558
Filter aid, chiller water, clarification, microbial reduction, recycling, 1100
Fish meal, broiler, broiler breast meat, ω-3 fatty acids, thigh meat, 153
Flax, canola, egg yolk, tissues, ω-3 fatty acids, 106*
full-fat canola seed, metabolizable energy contents, 84*
Flaxseed oil, broiler performance, fat, prostaglandin, 9*
Floor space, chick, density, fearfulness, feed consumption, 3*
fearfulness, group size, induced tonic immobility, layer performance, 1332
layer, tonic immobility, 1024†
Floorpen model, broiler, *Eimeria tenella*, live oocyst antigen, salinomycin, 146*
Flow cytometry, Ia antigen, inflammatory macrophages, transferrin receptor, 44*
Flow monitoring, broiler, Parshall flume, processing plant, 94*
Fluorescence concentration analyzer, 6- carboxyfluoresccin diacetate, broiler breeder, propidium iodide, sperm viability, 33*
Fluorescent light, 1,25-dihydroxyvitamin D_3, broiler, calcium, tibial dyschondroplasia, 139*
body weight, broiler hatching eggs, hatchability, incubation, 1585†
foot-candle, lumen maintenance, 38*
Fluorometry, carboxyfluorescein diacetate, chick embryo, infectious bursal disease virus, virus neutralization, 10*
Folacin, broiler growth, choline, labile methyl groups, methionine, 198*
Folch method, carcass fat, fat extraction, 1425
Food intake, gamma-amino butyric acid, turkey, 42*
Food intake control, basomedial hypothalamus, electrolytic lesions, reproductive traits, 948
birds, neural pathways, taste, 926
brain, liver, neurotransmitters, 938
broiler, fatty acids, indomethacin, 121*
layer, management, turkey, 958
neural control, 925
Food safety, broiler chick, colonization, mannose, *Salmonella typhimurium*, 1357
Foot-candle, fluorescent light, lumen maintenance, 38*
Force-feeding, body composition, body weight, chick, feed intake, 1727†
Force-molting, dietary aluminum, layer, restricted feeding, 891
feather loss, layer, 206*
Formaldehyde, broiler hatching eggs, hatchability, hatchery disinfection, ozone, 1074
fumigation, hatchery disinfection, ozone, 1068
hatchery disinfection, hatchery sanitation, quaternary ammoniums, 192*
ozone, pathogens, 1345
Formic acid, broiler performance, calcium formate, *Salmonella*, 186*
Fowl, absorption, epididymal region, seminal plasma, spermiophagy, 582

exercise treadmill, leg muscle, oxidative fibers, succinic dehydrogenase, 577
Fowl cholera, immunity, *Pasteurella multocida,* protein level, 111*
Frankfurters, acceptability, chicken *versus* pork fat, stability, texture, 44*
broiler, mechanically deboned meat, taste panel, turkey, 1653
Free fatty acids, glucagon, insulin, thyroid hormones, turkey, 93*
Free-inositol, chick development, erythrocyte, lymphocyte, 71*
Frozen storage, carbon dioxide, chicken patties, nitrogen, oxidative stability, 2*
functional properties, liquid whole egg, protein solubility, 1461
Fructooligosaccharide, breast weight, broiler, carcass weight, yield, 167*
Full-fat canola seed, barley, broiler diet, enzyme supplementation, 1374
layer diet, yolk fatty acids, yolk pigment, 1485
flax, metabolizable energy contents, 84*
Full-fat soybeans, broiler chick, by-products, fat, growth, 24*
Fumigation, formaldehyde, hatchery disinfection, ozone, 1068
Functional properties, frozen storage, liquid whole egg, protein solubility, 1461
Furazolidone, cockerels, methionine, taurine, turkey poult, 209*
Fusarium, feed refusal, mycotoxins, scirpenols, 854†
Fusarochromanone, survey technique, 160*
Future Farmers of America, 4-H, game hens, poultry youth project, 152*
G-banding, chromosome, *in situ* hybridization, 132*
Game hens, 4-H, Future Farmers of America, poultry youth project, 152*
Gamma irradiation, body weight, broiler hatching eggs, hatchability, low doses, 1150†
Gamma-amino butyric acid, chick brain, immunocytochemistry, paroxysmal mutant, 86*
food intake, turkey, 42*
Gander, artificial vagina, aspiration, conical tube, semen collection, 1714†
Gastric denervation, myenteric plexus, pacemaker, turkey, 26*
GAT, *B* complex, genetic selection, immune response, 113*
disease resistance, immune response, 113*
Geese, integrated management systems, paddlefish, 111*
Gel filtration, glycerolated semen, molecular weight, 179*
Gel formation, chicken breast, dynamic rheological testing, salt-soluble protein, 154*
Gene expression, biotechnology, cell culture, embryo development, microinjection, 970
demethylation, quail–Japanese, vitellogenin, yolk, 1678
MHC dosage, trisomic chickens, 14*
Gene linkage, chicken, chromosome one, gene mapping, 13*
Gene mapping, chicken, chromosome one, gene linkage, 13*
Gene symbols, double papillae, genetics, oil gland papillae, uropygial gland papillae, 137*
eye defect, genetics, microphthalmia, penetrance, 138*
feathered shanks, genetics, ptilopody, 138*
Gene transfer, avian leukosis virus, resistance, retroviral vector, 133*
helper cells, retrovirus vector, 204*
Genetic assessment, behavioral genetics, open field, pullet, 335
Genetic correlation, antibody level, heritability, pathogens, 184*
productivity, 184*
body weight, carcass composition, heritability, quail–Japanese, 209*
broiler, heritability, insulin-like growth factor-I, 117*
phenotypic correlation, wing bone strength, 1174
egg production, fearful behavior, feather scores, heritability, 1040
egg shell quality, heritability, intact egg percentage, 46
Genetic effects, egg composition, egg production, selected lines, yolk, 27
Genetic lines, ceca, colonization, Leghorn, *Salmonella,* 171*
Genetic selection, *B* complex, GAT, immune response, 113*
Genetic stocks, beak trimming, cannibalism, productivity, 1720†
Genetic strain, caged rearing *versus* floor rearing, dietary energy, pullet, 111*
Genetic susceptibility, *B* complex, immune response, Marek's disease, 17
Genetically engineered antigens, coccidia, immunization, 37*
Genetics, chick, efficiency, environmental temperature, growth, 143*
cholesterol, excretion, quail–Japanese, synthesis rate, 192*
double papillae, gene symbols, oil gland papillae, uropygial gland papillae, 137*
egg weight, embryonic growth, turkey, 315†
electrophoretic variation, peptidase, polymorphism, pyrophosphatase, 1313
eye defect, gene symbols, microphthalmia, penetrance, 138*
feathered shanks, gene symbols, ptilopody, 138*
growth, nutritional requirements, quail–Japanese, reproductive traits, 141*
quail–Japanese, reproductive traits, 141*
Geometric mean diameter, broiler, corn particle size, dietary energy, environmental temperature, 87*
Germ-free chick, diammonium citrate, energy utilization, nitrogen utilization, 306†
Germ-line, chick, chimera, embryonic stem cells, 112*
Germ-line studies, avian leukosis virus vectors, quail–Japanese, transgenic, 129*
Germinal crescent, chromosomal markers, microinjection, primordial germ cells, terminal sinus, 60*
immunomagnetic beads, monoclonal antibodies, primordial germ cells, 149*
Glomerular filtration rate, duck, kidney function, salt acclimation, 408
Glomerular numbers, kidney growth, pullet, 158*
Glucagon, broiler performance, C:P ratio, fat content, insulin, 107*
free fatty acids, insulin, thyroid hormones, turkey, 93*
glucose, insulin, lame, turkey, 1294
Glucocorticoid, glycogen metabolism, phosphorylase, synthetase, 126*
Glucose, diabetes, dimethylsulfoxide, insulin, 79*
dosing method, fasting, turkey poult, yolk sac, 1141
egg weight, incubation, turkey poult, 99*
glucagon, insulin, lame, turkey, 1294

Glutathione, aflatoxin, broiler, liver, methionine, 11*
cell membrane, peptide absorption, quail–Japanese, vesicles, 139*
Glutathione peroxidase, arsenic, roxarsone, selenium, 210*
broiler chick, glutathione reductase, riboflavin, selenium, 202*
broiler performance, glutathione reductase, riboflavin, selenium, 128*
Glutathione reductase, broiler chick, glutathione peroxidase, riboflavin, selenium, 202*
broiler performance, glutathione peroxidase, riboflavin, selenium, 128*
Glutathione s-transferases, incubation period, liver, posthatching, 69*
Glycerol reaction, chromatography, oviduct, semen, 88*
Glycerolated semen, gel filtration, molecular weight, 179*
Glycoconjugate components, *Mycoplasma gallisepticum* strains, 147*
Glycogen metabolism, gluccorticoid, phosphorylase, synthetase, 126*
Glycolic acid, abdominal fat, broiler, compensatory growth, restricted feeding, 61
Glycosaminoglycan, hyaluronic acid, rooster comb, wattle, 1303†
Gnotobiotic chickens, bacteria population, ceca, *Salmonella typhimurium,* 311†
Gonadotropin-releasing hormone, hypothalamus, quail–Japanese, turkey, 96*
Gonadotropin-releasing hormone agonist, feed withdrawal, layer, molt, 1402
Gossypol, soapstock, turkey poult, 57*
Grain form, broiler performance, fat, grain source, tannin, 47*
Grain source, broiler performance, fat, grain form, tannin, 47*
diet density, pullet, 170*
Grains, egg production, energy values, 45*
Granulosa, ascorbate, chicken, progesterone, steroidogenesis, 21*
epidermal growth factor, plasminogen activator, progesterone, transforming growth factor, 148*
luteinizing hormone, ovulatory cycle, progesterone, 77*
progesterone, steroidogenesis, 84*
steroidogenesis, theca layer, 46*
Group size, behavior, density, fear, productivity, 9
fearfulness, floor space, induced tonic immobility, layer performance, 1332
layer, tonic immobility, 1024†
Growout methods, economic optimization, production costs, turkey tom production, 470
Growout stage, broiler house design, regional profitability, 12*
Growth, acetic acid, chick performance, energy utilization, protein utilization, 795
antibiotic treatment, broiler, small intestine, yield, 651
antibiotics, broiler, feed efficiency, 89*
ascorbic acid, feed efficiency, mortality, quail–Bobwhite, 1418†
behavior, broiler chick performance, feed intake, multiple stressors, 501
intermittent lighting, pheasant, photoperiod, 134*
body weight, heritability, quail–Japanese, stress environments, 455
broiler, fat, 108*
feed efficiency, tibial dyschondroplasia, zeolite, 181*
growth hormone, organ weights, subcutaneous infusion, 1133
muscle protein synthesis, thyroxine, 1396
plasma hormones, 20*
broiler breeder, feathering genotypes, restricted feeding, 344
broiler breeder male, fertility, hatchability, protein level, 51*
broiler chick, by-products, fat, full-fat soybeans, 24*
calcium, phosphorus, tibial dyschondroplasia, 1263
coccidiosis, sodium zeolite A, zinc utilization, 156*
dietary fat, dietary protein, nicarbazin, 145
lysine, sunflower meal, wheat, 123*
broiler performance, dietary energy, 134*
chick, efficiency, environmental temperature, genetics, 143*
chick performance, stress, 76*
coccidiostats, feed additives, feed efficacy, turkey, 22*
cooling, turkey embryo, white blood cell development, 3*
corn replacer, feed conversion, rabbit waste, turkey poult, 152*
disaccharidases, malabsorption syndrome, turkey, 6*
feed conversion, light duration, light intensity, turkey, 134*
genetics, nutritional requirements, quail–Japanese, reproductive traits, 141*
quail–Japanese, reproductive traits, 141*
growth hormone, turkey, 61*
layer performance, passive immunity, urease, 115*
malabsorption syndrome, nutrient retention, turkey, 5*
organ growth, thyroid hormones, turkey, 177*
Growth hormone, adenylyl cyclase, cAMP, somatostatin, 46*
triiodothyronine, 46*
autoimmunity, cell-mediated immunity, endocrine–immune, thyroxine, 90*
beta agonist, broiler diet, episodic secretion, 1015†
broiler, growth, organ weights, subcutaneous infusion, 1133
growth hormone-releasing factor, 75*
insulin-like growth factor-I, 75*
carcass composition, hypophysectomy, insulin-like growth factor-I, turkey, 116*
embryo development, insulin-like growth factor-II, 130*
fasting, insulin, turkey, 6*
growth, turkey, 61*
T-cell, thymocyte, thyroxine, 74*
Growth hormone-releasing factor, broiler, growth hormone, 75*
Growth performance, light duration, light intensity, turkey, 1428
Growth prediction, computer simulation, delayed feed intake, mathematical modeling, replacement pullets, 771
Growth rate, broiler, feed conversion, light intensity, 218
coccidiostats, feed additives, turkey, 175*
leg paralysis, riboflavin requirement, turkey poult, 715
Growth regulators, biotechnology, broiler grower, economic evaluation, simulation, 1055
Growth reproduction, light source, turkey, 52*
Growth response, adipocyte, beta agonist, carcass characteristics, quail–Japanese, 1540
Growth selection, leiomyomas, leiomyosarcomas, neoplastic growth, quail–Japanese, 1447
Guanidinoethyl sulfonate, broiler, sudden death syndrome, taurine, 187*
Guinea fowl nutrition, carcass yield, protein level, 57*

Gut clearance, broiler, cooping, crop digesta, feed withdrawal, 193*
H5 hemagglutinin, cytotoxic T-lymphocytes, influenza A virus, 67*
epitopes, influenza, monoclonal antibodies, virulence, 114*
Halofuginone, bacitracin methylene disalicylate, feed efficiency, turkey, zinc bacitracin, 178*
Halofuginone hydrobromide, anticoccidial drugs, lesion scores, monensin, salinomycin, 61*
Hammer *versus* roller mill grinding, corn, layer performance, particle size, 1342
Hard-cooked egg peelability, albumen pH, albumen shear strength, egg storage conditions, 1226
Hard-cooked eggs, eggs–white *versus* brown, peelability, physical and chemical composition, storage, 29*
microbiological sampling methods, 55*
Hatchability, added fat, broiler breeder performance, egg shell quality, lighting programs, 1185
antibiotics, egg injection, turkey poult, 198*
artificial insemination, fertility, sperm number, turkey, 724
bacteria, embryonic survival, hatching egg sanitizers, turkey, 1179
body weight, broiler hatching eggs, fluorescent light, incubation, 1585†
gamma irradiation, low doses, 1150†
broiler breeder, embryonic death, fertility, spermatozoa concentration, 51*
incandescent light, prelight, 17*
broiler breeder male, fertility, growth, protein level, 51*
broiler breeder performance, fertility, 157*
broiler hatching eggs, formaldehyde, hatchery disinfection, ozone, 1074
broiler performance, fertility, sodium zeolite A, 62*
chick weight, egg shell conductance, incubation condition, 144*
egg storage, humidity, quail–Japanese, 65*
egg tilting, egg turning, incubation, malposition, 1603
malposition, 20*
fertility, hatching eggs, time of egg collection, 26*
Larvadex, progeny performance, turkey, 731
sodium zeolite A, turkey poult performance, 70*
Hatchery disinfection, broiler hatching eggs, formaldehyde, hatchability, ozone, 1074
formaldehyde, fumigation, ozone, 1068
hatchery sanitation, quaternary ammoniums, 192*
ozone, pathogens, 1345
Hatchery environment, broiler, *Salmonella*, 178*
Hatchery management, incubation, teaching, 104*
Hatchery sanitation, formaldehyde, hatchery disinfection, quaternary ammoniums, 192*
Hatching egg sanitizers, bacteria, embryonic survival, hatchability, turkey, 1179
Hatching eggs, broiler breeder, restricted feeding, sexual maturity, 52*
broiler performance, egg injection, INOVOJECT®, Marek's disease vaccination, 189*
fertility, hatchability, time of egg collection, 26*
Health condition, feathers, mineral content, reproductive tract, 145*
Heart, ascites, broiler, electrocardiology, hematology, 107*
Heat production, calorimetry, layer, 112*
Heat stability, cytochrome c, myoglobin, phosphate, salt, 1218
egg yolk, pigments, yolk pigmentation, 169*
Heat stress, acclimation, broiler, mortality, 208*
acid-base balance, broiler, nicarbazin, 428
Alimet™, broiler, dietary acids, methionine, 208*
ascorbic acid, broiler breeder, egg, 210*
behavior, broiler performance, fasting, 55
body temperature, chick growth, heritability, selection, 49*
broiler, crude protein, methionine, 144*
maxiban, narasin, nicarbazin, 208*
neonatal stress, 167*
performance and immune function, vitamin and electrolytes, 53*
broiler housing, summertime, ventilation, 205*
broiler performance, dietary energy, protein level, 29*
carcass yield, restricted feeding, roaster, strain, 130*
cool roost, roosting frequency, thermoregulation, 101*
layer, ovulatory cycle, progesterone, 106*
shell quality, time of shell deposition, 138*
Helper cells, gene transfer, retrovirus vector, 204*
Hemagglutinin, avian influenza, virulence, 150*
Hematocrit, bursa of Fabricius, sexual maturity, testosterone, turkey breeder, 25*
Hematology, ascites, body weight, broiler, high altitude, 211*
broiler, electrocardiology, heart, 107*
sorghum, tannin, 108*
blood cell development, embryo development, incubation, turkey, 166*
body composition, broiler chick, multiple stressors, pathologic traits, 510
Hemeral, ahemeral, egg weight, layer performance, lighting programs, 1624
Hemolytic, activators, complement activity, inhibitors, turkey, 646
Hepatic and renal oxidation, broiler, kinetic parameters, L-2-hydroxy acid oxidase, methionine hydroxy analog, 47*
Heritability, antibody level, genetic correlation, pathogens, 184*
productivity, 184*
body temperature, chick growth, heat stress, selection, 49*
body weight, carcass composition, genetic correlation, quail–Japanese, 209*
growth, quail–Japanese, stress environments, 455
broiler, genetic correlation, insulin-like growth factor-I, 117*
phenotypic correlation, wing bone strength, 1174
cholesterol, quail–Japanese, selection, triglycerides, 192*
egg production, fearful behavior, feather scores, genetic correlation, 1040
egg shell quality, genetic correlation, intact egg percentage, 46
semen volume, turkey, 460
Heterophil:lymphocyte ratio, broiler chick, corticosterone, multiple stressors, 522
Heterosis, body weight, carcass lipid characteristics, feed efficiency, quail–Japanese, 37
High altitude, ascites, body weight, broiler, hematology, 211*
broiler, Ethacal® feed component, mortality, 188*
High density lipoprotein, conformation of protein, hydrophobic interaction chromatography, lipids, 399
High moisture diet, automated feeding system, corn silage, layer, methane digester effluent, 1114
High rise caged layer house, darkling beetle, dispersal behavior, lesser mealworm, manure management, 1326

High temperature conditioning, broiler breast meat, delayed picking, hot boning, meat tenderness, 150*
electrical stimulation, post-mortem metabolism, tenderness, 129*
High weight, broiler, low weight, n-6 and n-3 fatty acids, 114*
High-performance liquid chromatography, cholesterol, egg, 171*
Histidine, broiler, copper, disulfiram, tibial dyschondroplasia, 4*
Histocompatibility complex, alloantigen, embryo development, 87*
B complex, Rous sarcoma virus, tumor regression, 146*
B haplotypes, congenic lines, *Eimeria*, immunity, 380
body weight, egg production, sexual maturity, 464
class II DNA probe, restriction fragment length polymorphism, 94
crane, pheasant, 72*
Histology, infectious bronchitis virus, 105*
HMG-CoA reductase inhibitor, egg cholesterol, layer performance, lovastatin, 49*
Homocysteine, cysteine, dyschondroplasia, methanethiol, methionine metabolism, 163*
Hormones, B-lymphocyte proliferation, DNA synthesis, 40*
Horse, CYGRO®, maduramicin, toxicity, turkey, 210*
Hot boning, Allo-Kramer shear, broiler breast meat, sample orientation, 206*
broiler breast meat, delayed picking, high temperature conditioning, meat tenderness, 150*
Hot climates, broiler breeder, Ethacal® feed component, layer, zeolite A, 83*
Hourly eating pattern, layer, time of oviposition, 29*
House fly monitoring, caged layer house, spot card method, sticky tape method, 833†
Housing, ammonia control, sensors, 201*
Human IgG, antibody, egg yolk, IgY, Newcastle disease virus, 43*
Humerus strength, broiler, caged rearing *versus* floor rearing, selection, wing bone measures, 1168
Humidity, broiler hatching eggs, dry bulb temperature, wet bulb temperature, 207*
egg storage, hatchability, quail–Japanese, 65*
Hyaluronic acid, glycosaminoglycan, rooster comb, wattle, 1303†
Hydrated sodium calcium aluminosilicate, aflatoxin, broiler, ochratoxin A, 69*
T-2 toxin, 81*
bone-breaking strength, chick, phosphorus, tibia ash, 31*
Hydrocortisone, adrenocorticotropin, differential leucocyte counts, layer, stress, 1710†
Hydrophobic interaction chromatography, conformation of protein, high density lipoprotein, lipids, 399
Hydroxy-sodalite, aluminum, carnegeite, egg specific gravity, sodium aluminosilicate, 201*
Hypercalciurea, calcium, hypophosphatemia, phosphorus, urine, 199*
Hypersensitivity, cyclosporine, maturation, resistance, salmonellosis, 1637
immunity, immunocompetence, phytohemagglutinin, 34*
Hypophosphatemia, calcium, hypercalciurea, phosphorus, urine, 199*
phosphorus, urine calcium, vitamin D_3, 119*
Hypophysectomy, carcass composition, growth hormone, insulin-like growth factor-I, turkey, 116*
Hypothalamus, gonadotropin-releasing hormone, quail–Japanese, turkey, 96*
Ia antigen, flow cytometry, inflammatory macrophages, transferrin receptor, 44*
IgG, IgM, aflatoxin, chick, lymphocyte, mitogens, 131*
IgY, antibody, egg yolk, human IgG, Newcastle disease virus, 43*
Immune organ development, MHC dosage, trisomic chickens, 65*
Immune response, amelanosis, chick embryo, embryo allografts, melanocytes, 137*
avian leukosis virus, endogenous viral genes, slow-feathering, viremia, 136*
B complex, GAT, genetic selection, 113*
genetic susceptibility, Marek's disease, 17
breeder hen, copper, egg composition, zinc-copper interactions, 140*
broiler, mycotoxins, sodium calcium aluminosilicate, 180*
broiler chick, immunoglobulins, retinoic acid, vitamin A, 136
disease resistance, GAT, 113*
photoperiod, thyroid, 79*
turkey performance, vitamin supplementation, 161*
Immunity, *B* haplotypes, congenic lines, *Eimeria*, histocompatibility complex, 380
broiler, catecholamines, 174*
corynebacterium parvum, *Salmonella typhimurium*, 34*
Eimeria tenella, sporozoites, turkey coccidian, 7*
fowl cholera, *Pasteurella multocida*, protein level, 111*
hypersensitivity, immunocompetence, phytohemagglutinin, 34*
L-cysteine, L-cystine, L-homocysteine, tibial dyschondroplasia, 7*
Immunization, antigen, DNA recombinant, DNA sequence, *Eimeria*, 1643
coccidia, genetically engineered antigens, 37*
mynahs, pox virus, quail–Bobwhite, 631
Immunization interval, age, antibodies, *Brucella abortus*, sheep red blood cells, 101*
Immunocompetence, antibodies, cell-mediated response, phagocytosis, 28*
hypersensitivity, immunity, phytohemagglutinin, 34*
Immunocyte precursors, adoptive immunity, PFC formation, 132*
Immunocytochemistry, chick brain, gamma-amino butyric acid, paroxysmal mutant, 86*
Immunodiffusion test, northern fowl mite, population size, precipitating antibodies, 842†
Immunoenhancing, antibody, β-carotene, Newcastle disease virus, 94*
Immunoglobulins, broiler chick, immune response, retinoic acid, vitamin A, 136
Immunomagnetic beads, germinal crescent, monoclonal antibodies, primodrial germ cells, 149*
Immunosuppression, anemia, chick, parvovirus, 183*
broiler chick, *Salmonella typhimurium*, T-2 toxin, 34*
Imprinting, behavior, chick performance, environmental enrichment, music, 211
***in ovo*,** boron, broiler chick, calcium, 196*
***in situ* hybridization,** chromosome, G-banding, 132*
nucleoli, rRNA gene copy number, 41*
***in vitro*,** corticosterone, lymphocyte proliferation, mitogens, 148*
Inactivated Newcastle-bronchitis vaccination, egg production, layer, serology, strain, 122*

Incandescent light, broiler breeder, hatchability, prelight, 17*
Incubating hens, prolactin, turkey, vasoactive intestinal peptide, 49*
Incubation, blood cell development, embryo development, hematology, turkey, 166*
body weight, broiler hatching eggs, fluorescent light, hatchability, 1585†
broiler chick, chick mortality, chick weight, egg position, 98*
brood patch, denervation, egg production, turkey, 16*
egg tilting, egg turning, hatchability, malposition, 1603
egg weight, glucose, turkey poult, 99*
hatchery management, teaching, 104*
Incubation condition, chick weight, egg shell conductance, hatchability, 144*
Incubation period, glutathione s-transferases, liver, post-hatching, 69*
Indomethacin, broiler, fatty acids, food intake control, 121*
egg shell quality, layer, prostaglandin, 9*
Induced tonic immobility, fearfulness, floor space, group size, layer performance, 1332
Infectious bronchitis vaccination, broiler, 42*
Infectious bronchitis virus, calcium, diuresis, kidney damage, urolithiasis, 1193
egg quality, egg yolk, ELISA, enzyme-linked immunosorbent assay, 70*
histology, 105*
Infectious bursal disease virus, carboxyfluorescein diacetate, chick embryo, fluorometry, virus neutralization, 10*
Infectious laryngotracheitis virus, DNA, restriction endonuclease analysis, 64*
Inflammatory macrophages, flow cytometry, Ia antigen, transferrin receptor, 44*
Influenza, antibody, virulent avian influenza virus, 67*
epitopes, H5 hemagglutinin, monoclonal antibodies, virulence, 114*
Influenza A virus, cytotoxic T lymphocytes, H5 hemagglutinin, 67*
Inhibition, adherence, chick intestine, *Salmonella typhimurium,* sugars, 1351
Inhibitors, activators, complement activity, hemolytic, turkey, 646
Inorganic phosphorus availability, broiler chick, 93*
INOVOJECT®, broiler performance, egg injection, hatching eggs, Marek's disease vaccination, 189*
Instruction, international students, teaching, 68*
Instructions to contributors, *Poultry Science,* 208
Insulin, body composition, broiler, natural chicken growth hormone, thyroid hormones, 33*
broiler performance, C:P ratio, fat content, glucagon, 107*
diabetes, dimethylsulfoxide, glucose, 79*
fasting, growth hormone, turkey, 6*
free fatty acids, glucagon, thyroid hormones, turkey, 93*
glucagon, glucose, lame, turkey, 1294
Insulin-like growth factor-I, broiler, compensatory growth, restricted feeding, 92*
genetic correlation, heritability, 117*
growth hormone, 75*
carcass composition, growth hormone, hypophysectomy, turkey, 116*
Insulin-like growth factor-II, embryo development, growth hormone, 130*
radioimmunoassay, 20*
Intact egg percentage, egg shell quality, genetic correlation, heritability, 46
Integrated management systems, geese, paddlefish, 111*
Interaction, aflatoxin, broiler chick, salinomycin, 197*
Interference, retrovirus, transgenic chickens, 35*
Intermittent lighting, behavior, growth, pheasant, photoperiod, 134*
broiler, light source, photoperiod, 4*
egg production, feed consumption, layer, light regimen, 739
layer performance, open-type houses, 90*
leg abnormalities, low intensity step-down light, turkey hatch time, 528
International students, instruction, teaching, 68*
Intestinal absorption, arginine, chick, electrolytes, lysine, 1255
Intestinal area, broiler, bulk density, feed intake, nuda oats, 200*
Intestinal disaccharidases, age, diet, turkey poult, 265
Intestinal tract characteristics, antibiotics, broiler performance, 193*
Intracellular pH, embryo development, mouse embryo, ultramicrofluorescence microscopy, video fluorescence microscopy, 972
Involution, bursa of Fabricius, delayed oviposition, 21*
Iodine-treated water, body weight, broiler performance, feed efficiency, stocking density, 435†
Ionophore resistance, anticoccidial activity, *Eimeria,* 7*
Ionophores, anticoccidial drugs, cross resistance, *Eimeria tenella,* 89
Eimeria, embryo infection, lasalocid, monensin, 75*
Iron, antibody response, endotoxin, sheep red blood cells, zinc, 161*
broiler, cottonseed meal, low energy diet, peanut meal, 799
copper, egg, turkey, zinc, 122*
Irradiation, busulfan, chicken quail hybrid, embryo development, primordial germ cells, 999
chicken patties, quality characteristics, storage, 27*
economic feasibility, poultry product, 203*
Isolation, coccidiosis, disinfection, sanitation, 119*
Isoleucine requirement, amino acid ratio, broiler chick, protein level, protein source, 10*
Isthmus, protein, shell-less *versus* hard-shell eggs, uterine electrolytes, 417
Jack bean, amino acid level, arginase activity, canavanine, chick performance, 96*
Japanese quail, (see quail–Japanese)
Kanamycin, drug resistance, *Salmonella,* 142*
Kenaf core, broiler litter, 88*
Kidney, acid-base, calcium, methionine, urolithiasis, 159*
adenovirus inclusions, renal tubular epithelium, turkey, 148*
Kidney damage, calcium, diuresis, infectious bronchitis virus, urolithiasis, 1193
Kidney function, atrial natriuretic factor, blood pressure regulation, 141*
chronic exposure, citrinin, diuresis, ochratoxin A, 1205
duck, glomerular filtration rate, salt acclimation, 408
Kidney growth, glomerular numbers, pullet, 158*
Kinetic parameters, broiler, hepatic and renal oxidation, L-2-hydroxy acid oxidase, methionine hydroxy analog, 47*
Kinetics, metabolism, thyrotropin releasing hormone, turkey poult, 203*
L-2-hydroxy acid oxidase, broiler, hepatic and renal oxidation, kinetic parameters, methionine hydroxy analog, 47*

L-cystine, immunity, L-cysteine, L-homocysteine, tibial dyschondroplasia, 7*
L-lysine·HCl, layer diet, lysine, methionine plus cystine, 186*
Labile methyl groups, broiler growth, choline, folacin, methionine, 198*
Lactobacilli, antibiotic therapy, competitive exclusion, *Salmonella*, 14*
Lactose, colonization, feed conversion, probiotic, *Salmonella*, 171*
Lame, glucagon, glucose, insulin, turkey, 1294
Land-grant colleges, civilization, education, poultry industry, progress, 1
Larvadex, fertility, hatchability, progeny performance, turkey, 731
Lasalocid, broiler performance, climate, monensin, 191*
Eimeria, embryo infection, ionophores, monensin, 75*
Layer, 25-hydroxyvitamin D_3, cimetidine, egg shell quality, 212*
acid-insoluble ash, calcium digestibility, total collection method, 28*
adrenocorticotropin, differential leucocyte counts, hydrocortisone, stress, 1710†
age, cholesterol, correlation coefficients, egg, 133*
aluminum, excreta, phosphorus, silicon, 125*
amino acid(s), calorimetry, energy utilization, protein, 258
egg weight, 184*
lysine, 63*
automated feeding system, corn stillage, high moisture diet, methane digester effluent, 1114
behavior, rearing environment, 102*
bird density, dietary protein, egg production, light intensity, 85*
bone ash concentration, bone–whole-cortical and medullary, calcium intake, 28*
broiler, dietary chloride, dietary phosphorus, 19*
food intake control, management, turkey, 958
broiler breeder, Ethacal® feed component, hot climates, zeolite A, 83*
calcium metabolizability, Leghorn, plasma calcium, Tsaiya duck, 27*
calorimetry, heat production, 112*
cholesterol, lipid metabolism, tryptophan, 124*
corn-soy diets, lysine requirement, 169*
crop fermentation, octanoate, vagus nerve, volatile fatty acids, 97*
decision analysis, economic evaluation, population density, 127*
deoxynivalenol, egg residues, mycotoxins, vomitoxin, 744
dialyzable phosphorus, dietary calcium, dietary phosphorus, ultrafilterable calcium, 719
dietary aluminum, force-molting, restricted feeding, 891
dietary protein, egg production, methionine, postmolt performance, 80*
methionine, sulfur amino acid requirement, 23*
DNA hybridization, *Salmonella* detection, 102*
egg, nutritional status, vitamin A, 140*
egg content, nutritional status, vitamin B_{12}, 103*
egg production, feather loss, feed consumption, 221
feed consumption, intermittent lighting, light regimen, 739
inactivated Newcastle-bronchitis vaccination, serology, strain, 122*
metaplasia, milo, mycotoxicoses, 173*
part record, persistency, selection indices, 101*
phosphorus, zeolite, 180*
egg shell quality, feed additives, 82*
indomethacin, prostaglandin, 9*
energy, molt, protein, strain, 176*
fearfulness, floor space, group size, tonic immobility, 1024†
feather loss, force-molting, 206*
feathering, nervousness, productivity, rearing environment, 102*
fecal moisture, sodium chloride, water consumption, wheat middlings, 830†
feed withdrawal, gonadotropin-releasing hormone agonist, molt, 1402
heat stress, ovulatory cycle, progesterone, 106*
hourly eating pattern, time of oviposition, 29*
methionine utilization, postmolt egg production, 45*
Mycoplasma gallisepticum isolation, 18*
nonlayer, progesterone receptor, shell gland, 162*
tissue accumulation, tissue depletion, zinc, 539
Layer diet, barley, full-fat canola seed, yolk fatty acids, yolk pigment, 1485
L-lysine·HCl, lysine, methionine + cystine, 186*
Layer management, computer program, expert decision support systems, expert systems, rule-based, 1047
Layer performance, (see egg production also)
ahemeral, egg weight, hemeral, lighting programs, 1624
beak trimming, body weight, mortality, 25*
body weight, egg size, synthetic estrogen, 825†
broiler performance, soybeans roasted *versus* raw, soybeans-extruded, 8*
calcite source and texture, phosphorus level, 11*
calcium, dietary aluminum, metabolism, phosphorus, 706
Cassia obtusifolia, coffeeweed, nutrient fortification, weed seed, 909
cholesterol, egg, liver, oils, 170*
corn, hammer *versus* roller mill grinding, particle size, 1342
dietary density, fat levels, pullet diets, 177*
egg cholesterol, HMG-CoA reductase inhibitor, lovastatin, 49*
egg production, egg shell quality, tryptophan, 323†
egg size, restricted feeding, 914
egg size, fasting, strain, 126*
egg weight, Ethacal® feed component, 182*
Ethacal® feed component, 54*
fearfulness, floor space, group size, induced tonic immobility, 1332
growth, passive immunity, urease, 115*
intermittent lighting, open-type houses, 90*
liver fat, protein level, tryptophan, 23*
perlite, volcanic rock, 149*
poultry methane digester effluent, water source, 22*
Layer performance index, lysine requirement, methionine plus cystine, 195*
Layer strain, egg shell quality, Ethacal® feed component, 30*
Lecithin, egg production, fat-soluble vitamins, 175*
Leg abnormalities, available phosphorus, calcium, protein, turkey, 142*
body weight, broiler performance, photoperiodic effects, 873
compensatory growth, restricted growth, turkey, 66*
cryptosporidia, rotavirus, turkey, 73*
intermittent lighting, low intensity step-down light, turkey hatch time, 528

Leg muscle, exercise treadmill, fowl, oxidative fibers, succinic dehydrogenase, 577
Leg paralysis, growth rate, riboflavin requirement, turkey poult, 715
Leg weakness, compensatory growth, early protein restriction, turkey tom, 676
Leghorn, calcium metabolizability, layer, plasma calcium, Tsaiya duck, 27*
ceca, colonization, genetic lines, *Salmonella*, 171*
dietary thiouracil, egg production, egg shell quality, plasma thyroxine, 97*
egg production, egg shell quality, plasma thyroxine, thiouracil treatment, 194*
egg production traits, endogenous viral genes, Marek's disease resistance, selection, 1161
Leghorn cockerels, apparent metabolizable energy, excreta energy, experimental design, true metabolizable energy, 1021†
Leghorn hen, avian hypercalcemic assay, parathyroid hormone, 65*
dietary magnesium, passage time, phenolphthalein, plasma minerals, 185*
Leghorn pullet, adaptability, behavior, open field, welfare, 157*
Leiomyomas, growth selection, leiomyosarcomas, neoplastic growth, quail–Japanese, 1447
Leiomyosarcomas, growth selection, leiomyomas, neoplastic growth, quail–Japanese, 1447
Lesion scores, anticoccidial drugs, halofuginone hydrobromide, monensin, salinomycin, 61*
Lesser mealworm, darkling beetle, dispersal behavior, high rise caged layer house, manure management, 1326
Leukocyte migration, 5-hydroxytryptamine, serotonin, wattle response, 91*
Leukocytes, ascorbic acid, broiler, corticosterone, 166*
Leupeptin, cycloheximide, proteolysis, skeletal muscle cell cultures, 57*
Light duration, feed conversion, growth, light intensity, turkey, 134*
growth performance, light intensity, turkey, 1428
Light intensity, bird density, dietary protein, egg production, layer, 85*
broiler, feed conversion, growth rate, 218
broiler breeder, egg production, egg specific gravity, photoperiod, 79
feed conversion, growth, light duration, turkey, 134*
growth performance, light duration, turkey, 1428
melatonin, photostimulation, quail–Japanese, 95*
Light regimen, egg production, feed consumption, intermittent lighting, layer, 739
Light source, broiler, intermittent lighting, photoperiod, 4*
growth reproduction, turkey, 52*
Lighting programs, added fat, broiler breeder performance, egg shell quality, hatchability, 1185
ahemeral, egg weight, hemeral, layer performance, 1624
androgen, broiler, organ weights, 26*
anticoccidial drugs, mortality, roaster, skeletal disease, 32*
body weight, carcass characteristics, turkey hen, 120*
corn, dietary energy, turkey, wheat, 69*
dietary energy, turkey, wheat, yield carcass, 70*
mortality, temperature, turkey performance, 106*
Lignosulfonate, feed conversion, pellet quality, turkey tom performance, 18*
Limestone, calcium solubilization, calcium source, particle size, 1499
egg shell quality, oyster shell, sodium aluminosilicate, 199*
Limestone–fine granular, egg specific gravity, oyster shell, sodium aluminosilicate, 201*
Linoleic acid, yolk lipid composition, yolk size, 89*
Lipase, age, amylase, protease, turkey, 1561
Lipid composition, broiler meat, cholesterol, dietary oil, fatty acids, 162*
Lipid metabolism, cholesterol, layer, tryptophan, 124*
Lipid oxidation, fatty acid profile, neutral lipids, phospholipids, turkey breast meat, 754
Lipids, broiler chick, protein, tryptophan requirement, 200*
cholesterol, egg yolk, super critical fluid extraction, 155*
conformation of protein, high density lipoprotein, hydrophobic interaction chromatography, 399
Lipopolysaccharide, *B*-congenic lines, macrophages, MHC haplotype, 116*
bone ash, carrageenan, chick, corticosterone, 160*
Lipoproteins, broiler, coccidiosis, plasma lipids, 3*
cholesterol, dietary egg yolk oil, rat plasma, 73*
corn oil, palm oil, plasma cholesterol, 151*
Liquid whole egg, frozen storage, functional properties, protein solubility, 1461
Listeria monocytogenes, EDTA, egg white lysozyme, 36*
egg, pasteurization, 86*
Litter, ammonia release, broiler, 188*
bedding, litter microorganisms, pullet rearing, 105*
botulism, broiler, *Clostridium botulinum*, 82*
broiler, processing, *Salmonella*, 119*
moisture, new pinewood shavings, *Salmonella typhimurium*, temperature, 15*
Litter microorganisms, bedding, litter, pullet rearing, 105*
Litter treatment, ammonia, broiler, sodium bisulfate, 104*
Live oocyst antigen, broiler, *Eimeria tenella*, floorpen model, salinomycin, 146*
Liver, aflatoxin, broiler, glutathione, methionine, 11*
brain, food intake control, neurotransmitters, 938
cholesterol, egg, layer performance, oils, 170*
glutathione s-transferases, incubation period, post-hatching, 69*
Liver fat, layer performance, protein level, tryptophan, 23*
Lixiscope, broiler breeder, nutritional-management regimens, tibial dyschondroplasia, 211*
tibial dyschondroplasia, 160*
Lovastatin, egg cholesterol, HMG-CoA reductase inhibitor, layer performance, 49*
Low doses, body weight, broiler hatching eggs, gamma irradiation, hatchability, 1150†
Low energy diet, broiler, cottonseed meal, iron, peanut meal, 799
Low fertility roosters, ductuli efferentes, 66*
Low intensity step-down light, intermittent lighting, leg abnormalities, turkey hatch time, 528
Low weight, broiler, high weight, n-6 and n-3 fatty acids, 114*
Lumen maintenance, fluorescent light, foot-candle, 38*
Lutein, broiler chick, chain length, dietary lipids, fatty acids, 1246
Luteinizing hormone, broodiness, clomiphene-citrate, prolactin, turkey hen, 1592†
circadian rhythm, corticosterone, ovariectomy, turkey, 177
granulosa, ovulatory cycle, progesterone, 77*

Luteinizing hormone releasing hormone, ELISA, monoclonal antibodies, 117*
Lyme disease, *Borrelia burgdorferi*, crane, 155*
Lymphocyte, aflatoxin, chick, IgG, IgM, mitogens, 131*
alloantigen, T-cell, 51*
chick development, erythrocyte, free-inositol, 71*
natural killer cells, prolactin, 133*
Lymphocyte proliferation, corticosterone, *in vitro*, mitogens, 148*
Lysine, abdominal fat, broiler breast meat, carcass yield, crude protein, 186*
aflatoxin, broiler performance, methionine, 98*
age, breast meat, broiler, methionine, 67*
amino acid(s), layer, 63*
arginine, chick, electrolytes, intestinal absorption, 1255
breast yield, methionine, protein, turkey, 108*
broiler breeder, nitrogen retention, 200*
broiler chick, growth, sunflower meal, wheat, 123*
L-lysine·HCl, layer diet, methionine plus cystine, 186*
Lysine requirement, corn-soy diets, layer, 169*
layer performance index, methionine plus cystine, 195*
temperature environment, turkey, 781
Lysine-arginine antagonism, chick, chloride, potassium, 158*
Lysozyme, absorption, conalbumin, emulsions, ovalbumin, 1*
Macrophages, aflatoxin-B_1, cell damage, phagocytosis, 109*
B-congenic lines, lipopolysaccharide, MHC haplotype, 116*
monoclonal antibodies, natural killer cells, 31*
protein profiles, sephadex stimulation, 97*
tumoricidal potential, 118*
Maduramicin, broiler performance, CYGRO®, sodium and potassium level, water intake, 204*
CYGRO®, horse, toxicity, turkey, 210*
Magnesium deficiency, appetite, broiler chick, exchangeable magnesium, 176*
Magnesium sulfate, bacterial count, fecal load, weight loss, 140*
Malabsorption syndrome, broiler, pancreatic amylase, triiodothyronine, trypsin, 1553
disaccharidases, growth, turkey, 6*
growth, nutrient retention, turkey, 5*
Malposition, egg tilting, egg turning, hatchability, 20*
incubation, 1603
Mammalian embryo, chick, embryo development, shell-less culture, viability, 1695
Mammilla, calcium reserve assembly, egg shell, embryo, 1569
Management, broiler, food intake control, layer, turkey, 958
productivity, quality, statistical methods, 12*
Manganese, bioavailability, broiler chick, feed grade, tissue minerals, 1368
bone strength, copper, turkey growth, zinc, 16*
Manganese-methionine, bioavailability, broiler chick, 107
Manganese requirement, broiler, toe ash, 11*
Manganese turnover, chick, dietary phosphorus, 157*
Mannose, broiler, *Salmonella typhimurium*, 41*
broiler chick, colonization, food safety, *Salmonella typhimurium*, 1357
chick intestine, *Salmonella typhimurium*, 47*
Manure management, darkling beetle, dispersal behavior, high rise caged layer house, lesser mealworm, 1326
Marek's disease, anaerobic digestion, DNA hybridization, pathogen control, waste digesters, 188*
B complex, genetic susceptibility, immune response, 17
broiler, combined immunization, vaccine efficacy, viral tenosynovitis, 1213
Marek's disease herpesvirus, atherosclerosis, cholesterol, quail–Japanese, viral genes, 144*
Marek's disease resistance, egg production traits, endogenous viral genes, Leghorn, selection, 1161
Marek's disease vaccination, broiler performance, egg injection, hatching eggs, INOVOJECT®, 189*
Marker, acid-insoluble ash, chromic oxide, digestibility, 54*
Marketing, broiler performance, strain, yield, 165*
Maternal diet, chick, cholesterol metabolism, dietary cholesterol, 74*
Mathematical modeling, compartmental model, egg production, sexual maturity, 476
computer simulation, delayed feed intake, growth prediction, replacement pullets, 771
Mating behavior, DNA fingerprinting, 76*
Maturation, cyclosporine, hypersensitivity, resistance, salmonellosis, 1637
Maxiban, broiler, heat stress, narasin, nicarbazin, 208*
Meat, animal science, dairy, extension program, poultry, 121*
Meat and bone meal, broiler, brooding temperature, tibia strength, 196*
rendered products, true metabolizable energy, 36*
Meat by-products, antibiotics, feed efficiency, turkey, 181*
Meat color, nitrite, nitrosoheme pigment, turkey breast meat, 100
Meat products, potassium chloride, salt substitute, 197*
Meat tenderness, breast meat, broiler, rigor development, shear value, 110*
broiler breast meat, delayed picking, high temperature conditioning, hot boning, 150*
Mechanically deboned meat, aqueous washing, chicken, color values, fat, 749
broiler, frankfurters, taste panel, turkey, 1653
composition, texture, turkey, washing treatments, 136*
Mechanically deboned poultry meat, microbial characteristics, shear value, TBA value, 190*
Melanocytes, amelanosis, chick embryo, embryo allografts, immune response, 137*
cell migration, chick embryo, embryo allografts, pigment genotype, 137*
Melatonin, light intensity, photostimulation, quail–Japanese, 95*
Menhaden oil, arachidonic acid, biotin, chick, 156*
Metabolism, broiler chick, protein repletion, 125*
calcium, dietary aluminum, layer performance, phosphorus, 706
chicken, decoquinate, quail–Japanese, 670
kinetics, thyrotropin releasing hormone, turkey poult, 203*
Metabolizable energy, abdominal fat, broiler, carcass yield, nutrient concentration, 195*
broiler performance, poultry by-product meal, 1672
added fat, broiler breeder performance, fertility, 173*
broiler chick diet, fatty acids, saturated fatty acids, 1506
assay methods, feather meal, 443†
broiler, carcass characteristics, nutrient concentration, separate sex feeding, 189*
carcass composition, protein level, turkey tom, 131*

protein, pullet, 197*
Metabolizable energy contents, flax, full-fat canola seed, 84*
Metallothionein, chick, *Salmonella gallinarum*, zinc, 297
Metaplasia, egg production, layer, milo, mycotoxicoses, 173*
Methane digester effluent, automated feeding system, corn stillage, high moisture diet, layer, 1114
Methanethiol, cysteine, dyschondroplasia, homocysteine, methionine metabolism, 163*
Methionine, acid-base, calcium, kidney, urolithiasis, 159*
aflatoxin, broiler, glutathione, liver, 11*
broiler performance, lysine, 98*
age, breast meat, broiler, lysine, 67*
Alimet™, broiler, dietary acids, heat stress, 208*
breast yield, lysine, protein, turkey, 108*
broiler, crude protein, heat stress, 144*
broiler breeder, nitrogen balance, 121*
broiler growth, choline, folacin, labile methyl groups, 198*
broiler performance, copper, sulfur amino acid requirement, 163
chick tissues, methionine hydroxy analog, oxidation, transamination, 48*
choline, turkey poult, 30*
cockerels, furazolidone, taurine, turkey poult, 209*
dietary protein, egg production, layer, postmolt performance, 80*
layer, sulfur amino acid requirement, 23*
Methionine hydroxy analog, broiler, hepatic and renal oxidation, kinetic parameters, L-2-hydroxy acid oxidase, 47*
chick tissues, methionine, oxidation, transamination, 48*
Methionine metabolism, 2-hydroxy-4-methylthiobutanoic acid, Alimet™, 179*
cysteine, dyschondroplasia, homocysteine, methanethiol, 163*
Methionine plus cystine, L-lysine·HCl, layer diet, lysine, 186*
layer performance index, lysine requirement, 195*
Methionine requirement, broiler, carcass yield, 207*
Methionine utilization, layer, postmolt egg production, 45*
MHC dosage, gene expression, trisomic chickens, 14*
immune organ development, trisomic chickens, 65*
MHC haplotype, *B*-congenic lines, lipopolysaccharide, macrophages, 116*
Microbial characteristics, mechanically deboned poultry meat, shear value, TBA value, 190*
Microbial counts, *Salmonella*, shell eggs, 62*
Microbial reduction, chiller water, clarification, filter aid, recycling, 1100
Microbiological characteristics, broiler, propionic acid, *Salmonella*, 199*
Microbiological quality, air scrubbing, broiler carcasses, chilling, *Salmonella typhimurium*, 43*
broiler meat, cooked storage, oxidative stability, raw storage, 1470
Microbiological sampling methods, hard-cooked eggs, 55*
Microbiological spoilage, 2-thiobarbituric acid, broiler meat, shelf-life, 1307†
Microinjection, biotechnology, cell culture, embryo development, gene expression, 970
chromosomal markers, germinal crescent, primordial germ cells, terminal sinus, 60*
Microphthalmia, eye defect, gene symbols, genetics, penetrance, 138*
Microwave radiation, broiler, broiler hatching eggs, reproductive performance, 17*
broiler growth, broiler hatching eggs, embryo development, 17*
Migrating motor complex, digestion, motility, turkey, 100*
Milk products, broiler, *Salmonella typhimurium*, 42*
Milk sugar, broiler, *Salmonella typhimurium*, 41*
Milo, broiler performance, feed:gain ratio, pancreatic α-amylase, wheat, 176*
egg production, layer, metaplasia, mycotoxicoses, 173*
Mineral content, feathers, health condition, reproductive tract, 145*
Mineralization, calcium, chick embryo, phosphorus, 19*
Mink feed, bacteriological quality, raw poultry products, *Salmonella*, 168*
Minolta Chroma Meter, chromometer, egg shell color, shell measurement, 158*
Minority students, college credit in high school, poultry science curricula, teaching embryology, 76*
Mitogens, aflatoxin, chick, IgG, IgM, lymphocyte, 131*
corticosterone, *in vitro*, lymphocyte proliferation, 148*
Mixing time, broiler meat, protein, 154*
Moisture, litter, new pinewood shavings, *Salmonella typhimurium*, temperature, 15*
Moisture binding, calcium, *Pectoralis major* muscle, rigor, shear value, 212*
Moisture production, chick hauling, chick heat, 149*
Mold inhibitor, aflatoxin, particle size, protein level, 103*
Molecular weight, gel filtration, glycerolated semen, 179*
Molt, calcium intake, egg production, tibia ash, 63*
corticosterone, progesterone, triiodothyronine, thyroxine, temperature, 104*
economic analysis, fasting, 180*
egg production, feather loss, 4*
thyroidectomy, thyroxine, turkey, 1126
energy, layer, protein, strain, 176*
feed withdrawal, gonadotropin-releasing hormone agonist, layer, 1402
Monensin, anticoccidial drugs, halofuginone hydrobromide, lesion scores, salinomycin, 61*
bambermycins, body weight, feed efficiency, turkey, 40*
coccidiosis, turkey, 1724†
broiler performance, climate, lasalocid, 191*
coccidiosis, salinomycin, 86
Eimeria, embryo infection, ionophores, lasalocid, 75*
Monoamine concentrations, chick, endotoxin, 19*
Monoclonal antibodies, cortisone, splenectomy, 59*
ELISA, luteinizing hormone releasing hormone, 117*
epitopes, H5 hemagglutinin, influenza, virulence, 114*
germinal crescent, immunomagnetic beads, primodrial germ cells, 149*
macrophages, natural killer cells, 31*
Mortality, acclimation, broiler, heat stress, 208*
anticoccidial drugs, lighting programs, roaster, skeletal disease, 32*
ascites, broiler, Ethacal® feed component, high altitude, 188*
ascorbic acid, feed efficiency, growth, quail–Bobwhite, 1418†
beak trimming, body weight, layer performance, 25*
body weight, broiler performance, diet, ferrous sulfate, 1063
broiler, composting, video demonstration, 109*
dietary protein source, sudden death syndrome, taurine, 172*
corticosterone, feed deprivation, turkey poult, turkey poult performance, 880

lighting programs, temperature, turkey performance, 106*
Motility, digestion, migrating motor complex, turkey, 100*
Mouse embryo, embryo development, intracellular pH, ultramicrofluorescence microscopy, video fluorescence microscopy, 972
Multiple stressors, behavior, broiler chick performance, feed intake, growth, 501
body composition, broiler chick, hematology, pathologic traits, 510
broiler chick, corticosterone, heterophil:lymphocyte ratio, 522
Muscle contraction, calcium, sarcomere length, 164*
Muscle growth, broiler, exercise, 64*
broiler breeder, dietary energy, dietary protein, skeletal growth, 1274
Muscle protein synthesis, broiler, growth, thyroxine, 1396
Muscle protein turnover, broiler cockerels, dietary triiodothyronine, fat deposition, tyrosine infusion, 154*
Muscle shortening, broiler breast meat, *Pectoralis major* muscle, tenderness, 663
Muscle tension, broiler breast fillets, early harvesting, electrical stimulation, tenderness, 13*
broiler breast meat, tenderness, wing restraint, 238
Muscular dystrophy, blood monocytes, chemotaxis, phagocytosis, 226
Music, behavior, chick performance, environmental enrichment, imprinting, 211
Mustard seed, canola, pigmentation, xanthophyll, 1718†
Mycoplasma gallisepticum, antibodies, *Pasteurella multocida,* T-cell dependency, 150*
ELISA, strains of low virulence, 161*
***Mycoplasma gallisepticum* strains,** glycoconjugate components, 147*
***Mycoplasma gallisepticum* isolation,** layer, 18*
Mycoplasma iowae, DNA, restriction enzyme analysis, 163*
Mycotoxicoses, egg production, layer, metaplasia, milo, 173*
Mycotoxins, broiler, immune response, sodium calcium aluminosilicate, 180*
ochratoxin A, T-2 toxin, 867
deoxynivalenol, egg residues, layer, vomitoxin, 744
feed refusal, Fusarium, scirpenols, 854†
Myenteric plexus, gastric denervation, pacemaker, turkey, 26*
Mynahs, immunization, pox virus, quail–Bobwhite, 631
Myoglobin, cytochrome c, heat stability, phosphate, salt, 1218
n-3 fatty acids, broiler, triacylglycerols, very low density lipoproteins plus low density lipoproteins fraction, 114*
n-6 and n-3 fatty acids, broiler, high weight, low weight, 114*
Narasin, bambermycins, broiler, feed efficiency, nicarbazin, 179*
body weight, broiler, *Eimeria tenella,* roxarsone, 1011†
broiler, heat stress, maxiban, nicarbazin, 208*
broiler pigmentation, coccidiosis, nicarbazin, 374
Eimeria tenella, narasin-nicarbazin, resistance, 146*
Narasin-nicarbazin, *Eimeria tenella,* narasin, resistance, 146*
Natural chicken growth hormone, body composition, broiler, insulin, thyroid hormones, 33*
Natural killer cells, lymphocyte, prolactin, 133*
macrophages, monoclonal antibodies, 31*
Neonatal stress, broiler, heat stress, 167*
Neoplastic growth, growth selection, leiomyomas, leiomyosarcomas, quail–Japanese, 1447
Nervousness, feathering, layer, productivity, rearing environment, 102*
Neural control, food intake control, 925
Neural pathways, birds, food intake control, taste, 926
Neural transmitters, norepinephrine, transmitter turnover, 125*
Neuroendocrine systems, behavior, chickens and quail, embryo development, sexual differentiation, 979
Neurotransmitters, brain, food intake control, liver, 938
Neutral lipids, fatty acid profile, lipid oxidation, phospholipids, turkey breast meat, 754
New England, extension education program, poultry producers, survey, 38*
New pinewood shavings, litter, moisture, *Salmonella typhimurium,* temperature, 15*
Newcastle disease virus, antibody, β-carotene, immunoenhancing, 94*
egg yolk, human IgG, IgY, 43*
Niacin, *Bordetella avium,* cilia, turkey poult, 162*
Niacinamide, stocking density, turkey poult, 193*
Nicarbazin, abdominal fat pad, broiler chick, dietary energy:protein ratio, feed efficiency, 1535
acid-base balance, broiler, heat stress, 428
bambermycins, broiler, feed efficiency, narasin, 179*
broiler, heat stress, maxiban, narasin, 208*
broiler chick, dietary fat, dietary protein, growth, 145
broiler pigmentation, coccidiosis, narasin, 374
Nipple waterer, bird:nipple ratio, 59*
Nitrite, meat color, nitrosoheme pigment, turkey breast meat, 100
Nitrogen, carbon dioxide, chicken patties, frozen storage, oxidative stability, 2*
Nitrogen balance, broiler breeder, methionine, 121*
Nitrogen retention, broiler breeder, lysine, 200*
Nitrogen utilization, diammonium citrate, energy utilization, germ-free chick, 306†
Nitrosoheme pigment, meat color, nitrite, turkey breast meat, 100
Nonesterified fatty acids, abdominal fat, carcass fat prediction, triacylglycerides, turkey, 1282
Nonlayer, layer, progesterone receptor, shell gland, 162*
Norepinephrine, dopamine, ELISA, epinephrine, serotonin, 71*
Norepinephrine, dopamine, ELISA, epinephrine, serotonin, 71*
neural transmitters, transmitter turnover, 125*
Northern analysis, alpha cDNA, cloning, nucleotide sequence, pituitary genes, 55*
Northern fowl mite, immunodiffusion test, population size, precipitating antibodies, 842†
Nuclear magnetic resonance imaging, body composition, chicken, nuclear magnetic resonance spectroscopy, turkey poult, 98*
Nuclear magnetic resonance spectroscopy, body composition, chicken, nuclear magnetic resonance imaging, turkey poult, 98*
Nucleoli, ***in situ*** hybridization, rRNA gene copy number, 41*
Nucleotide sequence, alpha cDNA, cloning, northern analysis, pituitary genes, 55*
Nuda oats, broiler, bulk density, feed intake, intestinal area, 200*
Nutrient concentration, abdominal fat, broiler, carcass yield, metabolizable energy, 195*
broiler, carcass characteristics, metabolizable energy, separate sex feeding, 189*

Nutrient fortification, *Cassia obtusifolia,* coffeeweed, layer performance, weed seed, 909
Nutrient retention, growth, malabsorption syndrome, turkey, 5*
Nutritional requirements, genetics, growth, quail–Japanese, reproductive traits, 141*
Nutritional status, egg, layer, vitamin A, 140*
egg content, layer, vitamin B_{12}, 103*
Nutritional-management regimens, broiler breeder, Lixiscope, tibial dyschondroplasia, 211*
Nutritive content, barley, environmental factors, wheat, 24*
Objective texture, Allo-Kramer shear, *Pectoralis major* muscle, single blade, 191*
Ochratoxin A, aflatoxin, broiler, hydrated sodium calcium aluminosilicate, 69*
blood chemistry, broiler, protein, 1664
body weight, broiler, organ weights, protein, 1658
broiler, mycotoxins, T-2 toxin, 867
chronic exposure, citrinin, diuresis, kidney function, 1205
Octanoate, crop fermentation, layer, vagus nerve, volatile fatty acids, 97*
Oil gland papillae, double papillae, gene symbols, genetics, uropygial gland papillae, 137*
Oils, cholesterol, egg, layer performance, liver, 170*
Oligosaccharides, ethanol extract, soybean meal, true metabolizable energy, 85*
Omega-3 fatty acids, broiler, broiler breast meat, fish meal, thigh meat, 153
egg composition, 166*
Onset of lay, feed consumption, pullet, 135*
Ontogeny, pulse frequency, testosterone, turkey, 100*
Open field, adaptability, behavior, Leghorn pullet, welfare, 157*
behavioral genetics, genetic assessment, pullet, 335
Open-type houses, intermittent lighting, layer performance, 90*
Organ growth, broiler breeder, feathering genotypes, restricted feeding, 359
growth, thyroid hormones, turkey, 177*
Organ weights, androgen, broiler, lighting programs, 26*
body weight, broiler, ochratoxin A, protein, 1658
broiler, growth, growth hormone, subcutaneous infusion, 1133
Ova manipulation, chicken, turkey, 110*
Ovalbumin, absorption, conalbumin, emulsions, lysozyme, 1*
Ovariectomy, circadian rhythm, corticosterone, luteinizing hormone, turkey, 177
Oviduct, chromatography, glycerol reaction, semen, 88*
fertility, 174*
Oviposition, fertility, sperm host glands, 68*
Oviposition time, broiler breeder, egg production, feeding time, 159*
Ovulatory cycle, granulosa, luteinizing hormone, progesterone, 77*
heat stress, layer, progesterone, 106*
Ovulatory process, egg shell pigment, quail–Japanese, shell gland, 1156
Oxidation, chick tissues, methionine, methionine hydroxy analog, transamination, 48*
Oxidation-reduction potential, color values, phosphate, sodium chloride, turkey breast meat, 1088
Oxidative fibers, exercise treadmill, fowl, leg muscle, succinic dehydrogenase, 577
Oxidative stability, broiler breast meat, cooking temperature, thiobarbituric acid value, 5*
broiler meat, cooked storage, microbiological quality, raw storage, 1470
carbon dioxide, chicken patties, frozen storage, nitrogen, 2*
Oyster shell, egg shell quality, limestone, sodium aluminosilicate, 199*
egg specific gravity, limestone–fine granular, sodium aluminosilicate, 201*
shell quality, sodium aluminosilicate, 78*
Ozone, broiler, chiller water, *Salmonella,* 165*
broiler hatching eggs, formaldehyde, hatchability, hatchery disinfection, 1074
formaldehyde, fumigation, hatchery disinfection, 1068
hatchery disinfection, pathogens, 1345
poultry process water, reconditioning, recycling, wastewater, 1078
Pacemaker, gastric denervation, myenteric plexus, turkey, 26*
Paddlefish, geese, integrated management systems, 111*
Palm oil, broiler muscle, corn oil, fatty acid profile, 39*
corn oil, lipoproteins, plasma cholesterol, 151*
Pancrease, amylase, chick, zinc toxicity, 88*
Pancreatic α-amylase, broiler performance, feed:gain ratio, milo, wheat, 176*
Pancreatic amylase, broiler, malabsorption syndrome, triiodothyronine, trypsin, 1553
Parathyroid hormone, avian hypercalcemic assay, Leghorn hen, 65*
Paroxysmal mutant, chick brain, gamma-amino butyric acid, immunocytochemistry, 86*
Parshall flume, broiler, flow monitoring, processing plant, 94*
Part record, egg production, layer, persistency, selection indices, 101*
Particle size, aflatoxin, mold inhibitor, protein level, 103*
calcium solubilization, calcium source, limestone, 1499
chick, pig, protein solubility, soybean meal, 110*
corn, hammer *versus* roller mill grinding, layer performance, 1342
Parvovirus, anemia, chick, immunosuppression, 183*
Passage time, dietary magnesium, Leghorn hen, phenolphthalein, plasma minerals, 185*
Passive immunity, growth, layer performance, urease, 115*
Pasteurella multocida, antibodies, *Mycoplasma gallisepticum,* T-cell dependency, 150*
antigen, cosmid cloning, CU strain, *Escherichia coli,* 94*
fowl cholera, immunity, protein level, 111*
Pasteurization, egg, *Listeria monocytogenes,* 86*
Pathogen control, anaerobic digestion, DNA hybridization, Marek's disease, waste digesters, 188*
Pathogenic bacteria, albumen media, egg microbiology, yolk media, 136*
Pathogenicity, broiler, *Eimeria maxima,* resistance, salinomycin, 92*
Pathogens, antibody level, genetic correlation, heritability, 184*
formaldehyde, hatchery disinfection, ozone, 1345
Pathologic traits, body composition, broiler chick, hematology, multiple stressors, 510
Pathology, *Aspergillus fumigatus,* pigeon, 164*
skeletal muscle, turkey, 139*
Peanut meal, broiler, cottonseed meal, iron, low energy diet, 799
***Pectoralis major* muscle,** Allo-Kramer shear, objective texture, single blade, 191*

anesthesia, broiler breast muscle, denervation, rigor development, 386
broiler, fast protein liquid chromatography, R-value, rigor, 178*
post-mortem temperature, sarcomere length, tenderness, 1588†
rigor mortis, sodium pentobarbital, tenderness, 244
broiler breast meat, muscle shortening, tenderness, 663
calcium, moisture binding, rigor, shear value, 212*
Peelability, eggs–white *versus* brown, hard-cooked eggs, physical and chemical composition, storage, 29*
Pellet binder, bioassay protocol, calcium lignosulfonate, standard error formulae, true metabolizable energy, 1299†
broiler carcass yield, broiler performance, pellet quality, 1*
Pellet quality, broiler carcass yield, broiler performance, pellet binder, 1*
feed conversion, lignosulfonate, turkey tom performance, 18*
Pelleting, amino acid requirements, chick, dietary energy, restricted feeding, 1118
breast yield, fat, protein level, turkey, 153*
Pelleting-conditioning, barley, broiler performance, crude enzyme, 126*
Pellets *versus* mash, beak trimming, body weight, feed intake, roaster, 39*
Penetrance, eye defect, gene symbols, genetics, microphthalmia, 138*
Peptidase, electrophoretic variation, genetics, polymorphism, pyrophosphatase, 1313
Peptide absorption, cell membrane, glutathione, quail–Japanese, vesicles, 139*
Performance and immune function, broiler, heat stress, vitamin and electrolytes, 53*
Peripheral nerve regeneration, choline acetyltransferase, corticosterone, quail–Japanese, 202*
Perlite, layer performance, volcanic rock, 149*
Persistency, egg production, layer, part record, selection indices, 101*
PFC formation, adoptive immunity, immunocyte precursors, 132*
pH, broiler breast muscle, electrical stimulation, texture, 249
Phaeomelanin dilution, cream, plumage color, recessive white, red eye, 13*
Phagocytosis, aflatoxin-B_1, cell damage, macrophages, 109*
antibodies, cell-mediated response, immunocompetence, 28*
blood monocytes, chemotaxis, muscular dystrophy, 226
Pheasant, behavior, growth, intermittent lighting, photoperiod, 134*
body weight, energy, feed conversion, protein, 99*
crane, histocompatibility complex, 72*
Phenolphthalein, dietary magnesium, Leghorn hen, passage time, plasma minerals, 185*
Phenotypic correlation, broiler, genetic correlation, heritability, wing bone strength, 1174
Phosphate, chicken sausage, spent hen, spent hen yolk, 393
color values, oxidation-reduction potential, sodium chloride, turkey breast meat, 1088
cytochrome c, heat stability, myoglobin, salt, 1218
Phosphate source, biological value, turkey poult, 143*
Phosphatidylcholine, biotin, broiler chick, dihomo-γ-linolenate, phosphatidylethanolamine, 698
Phosphatidylethanolamine, biotin, broiler chick, dihomo-γ-linolenate, phosphatidylcholine, 698
Phospholipids, fatty acid profile, lipid oxidation, neutral lipids, turkey breast meat, 754
Phosphorus, aluminum, excreta, layer, silicon, 125*
bone formation, calcium, egg shell quality, 56*
bone-breaking strength, chick, hydrated sodium calcium aluminosilicate, tibia ash, 31*
broiler chick, calcium, growth, tibial dyschondroplasia, 1263
calcium, chick embryo, mineralization, 19*
dietary aluminum, layer performance, metabolism, 706
hypercalciurea, hypophosphatemia, urine, 199*
hypophosphatemia, urine calcium, vitamin D_3, 119*
egg production, layer, zeolite, 180*
Phosphorus level, calcite source and texture, layer performance, 11*
turkey breeder performance, 319†
Phosphorylase, glucocorticoid, glycogen metabolism, synthetase, 126*
Photoperiod, behavior, growth, intermittent lighting, pheasant, 134*
broiler, intermittent lighting, light source, 4*
broiler breeder, egg production, egg specific gravity, light intensity, 79
bursa of Fabricius, 79*
egg production, prelay light, turkey hen, 1337
immune response, thyroid, 79*
testicular growth, thyroid, 78*
Photoperiodic effects, body weight, broiler performance, leg abnormalities, 873
Photorefractoriness, egg production, prolactin, thyroid hormones, turkey, 1409
Photostimulation, light intensity, melatonin, quail–Japanese, 95*
Physical and chemical composition, eggs–white *versus* brown, hard-cooked eggs, peelability, storage, 29*
Physiological changes, broiler breeder, restricted feeding, sexual maturity, 52*
Phytohemagglutinin, hypersensitivity, immunity, immunocompetence, 34*
Pig, chick, particle size, protein solubility, soybean meal, 110*
Pigeon, *Aspergillus fumigatus,* pathology, 164*
Pigeon fitting, 4-H, showmanship, 151*
Pigment genotype, cell migration, chick embryo, embryo allografts, melanocytes, 137*
Pigmentation, canola, mustard seed, xanthophyll, 1718†
Pigments, egg yolk, heat stability, yolk pigmentation, 169*
Pituitary genes, alpha cDNA, cloning, northern analysis, nucleotide sequence, 55*
Planning guide, 4-H embryology, education, video tape, 39*
Plasma calcium, adenosine triphosphate, duodenal Ca^{2+}-adenosine triphosphatase, egg shell formation, uterine Ca^{2+}-adenosine triphosphatase, 564
calcium metabolizability, layer, Leghorn, Tsaiya duck, 27*
Plasma cholesterol, blood glucose, duck, propylthiouracil, rectal temperature, 1381
corn oil, lipoproteins, palm oil, 151*
Plasma hormones, broiler, growth, 20*
Plasma levels, 3-methylhistidine, broiler growth, 73*
Plasma lipids, broiler, coccidiosis, lipoproteins, 3*

Plasma minerals, dietary magnesium, Leghorn hen, passage time, phenolphthalein, 185*
Plasma thyroxine, dietary thiouracil, egg production, egg shell quality, Leghorn, 97*
egg production, egg shell quality, Leghorn, thiouracil treatment, 194*
Plasmids, drug resistance, r-factor, *Salmonella*, 206*
Plasminogen activator, cAMP, protein kinase C, theca, 147*
epidermal growth factor, granulosa, progesterone, transforming growth factor, 148*
Plumage color, cream, phaeomelanin dilution, recessive white, red eye, 13*
Pollution prevention, processing plant, turkey, waste loads, water use, 132*
Polychlorinated biphenyls, body burdens, carcass lipids, restricted feeding, xenobiotics, 885
Polymorphism, electrophoretic variation, genetics, peptidase, pyrophosphatase, 1313
Pooling excreta, control-bird variation, standard error precision, true metabolizable energy, 1361
Population density, decision analysis, economic evaluation, layer, 127*
Population size, immunodiffusion test, northern fowl mite, precipitating antibodies, 842†
Pork sausage, beef sausage, chicken sausage, sensory evaluation, turkey sausage, 60*
Porosity, broiler hatching eggs, sanitizers, 211*
Posthatching, glutathione s-transferases, incubation period, liver, 69*
Postmolt egg production, layer, methionine utilization, 45*
Postmolt performance, dietary protein, egg production, layer, methionine, 80*
Post-mortem metabolism, broiler breast meat, electrical stimulation, high temperature conditioning, tenderness, 129*
Post-mortem temperature, broiler, *Pectoralis major* muscle, sarcomere length, tenderness, 1588†
Potassium, abdominal fat deposition, broiler male performance, essential amino acids, protein, 1385
broiler performance, essential amino acids, protein level, 897
chick, chloride, lysine-arginine antagonism, 158*
dietary chloride, sodium, turkey poult, 87*
Potassium chloride, meat products, salt substitute, 197*
Poultry, animal science, dairy, extension program, meat, 121*
broiler performance, fat blends, fat stabilization, yellow grease, 109*
Poultry by-product meal, abdominal fat, broiler performance, metabolizable energy, 1672
acid preserved broiler carcasses, broiler performance, dead bird disposal, 6*
Poultry industry, civilization, education, land-grant colleges, progress, 1
Poultry management, teaching, 105*
Poultry methane digester effluent, layer performance, water source, 22*
Poultry mortalities, broiler diet, extrusion, feathers, 145*
Poultry process water, ozone, reconditioning, recycling, wastewater, 1078
Poultry processing, processing plant design, 172*
Poultry producers, extension education program, New England, survey, 38*
Poultry product, economic feasibility, irradiation, 203*
Poultry production course, education, teaching, 21*
Poultry Science, editing manuscripts, publication, 116* instructions to contributors, 208
Poultry Science Association, Constitution and By-Laws, 190
Poultry science curricula, college credit in high school, minority students, teaching embryology, 76*
Poultry youth project, 4-H, Future Farmers of America, game hens, 152*
Pox virus, immunization, mynahs, quail–Bobwhite, 631
Precipitating antibodies, immunodiffusion test, northern fowl mite, population size, 842†
Prediction equation, shell percentage, shell quality, specific gravity, 482
Preen gland, broiler adipose, broiler muscle, fatty acids, 81*
Prelay light, egg production, photoperiod, turkey hen, 1337
Prelight, broiler breeder, hatchability, incandescent light, 17*
Primordial germ cells, germinal crescent, immunomagnetic beads, monoclonal antibodies, 149*
busulfan, chicken quail hybrid, embryo development, irradiation, 999
chromosomal markers, germinal crescent, microinjection, terminal sinus, 60*
Probiotic, colonization, feed conversion, lactose, *Salmonella*, 171*
Processing, broiler, litter, *Salmonella*, 119*
Processing plant, broiler, flow monitoring, Parshall flume, 94*
waste minimization, water conservation, 95*
chiller water, diatomaceous earth pressure leaf filter, reconditioning, recycling, 447†
pollution prevention, turkey, waste loads, water use, 132*
Processing plant design, poultry processing, 172*
Production costs, economic optimization, growout methods, turkey tom production, 470
Productivity, antibody level, genetic correlation, heritability, 184*
beak trimming, cannibalism, genetic stocks, 1720†
behavior, density, fear, group size, 9
feathering, layer, nervousness, rearing environment, 102*
management, quality, statistical methods, 12*
Progeny performance, fertility, hatchability, Larvadex, turkey, 731
Progesterone, ascorbate, chicken, granulosa, steroidogenesis, 21*
corticosterone, molt, triiodothyronine, thyroxine, temperature, 104*
epidermal growth factor, granulosa, plasminogen activator, transforming growth factor, 148*
granulosa, luteinizing hormone, ovulatory cycle, 77* steroidogenesis, 84*
heat stress, layer, ovulatory cycle, 106*
Progesterone receptor, layer, nonlayer, shell gland, 162*
Programmed cell death, ACTH, DNA degradation, thymocytes, 33*
Progress, civilization, education, land-grant colleges, poultry industry, 1
Prolactin, broodiness, clomiphene-citrate, luteinizing hormone, turkey hen, 1592†
cDNA coding, cloning and sequencing, 81*
egg production, photorefractoriness, thyroid hormones, turkey, 1409
incubating hens, turkey, vasoactive intestinal peptide, 49*

lymphocyte, natural killer cells, 133*
steroidogenesis, turkey, 86*
turkey, vasoactive intestinal peptide, 48*
Proliferative response, carcinogen-induced fibrosarcomas, T-cell immunity, 117*
Propidium iodide, 6-carboxyfluorescein diacetate, broiler breeder, fluorescence concentration analyzer, sperm viability, 33*
Propionate, acetate, broiler chick, feed intake, short-chain fatty acids, 1612
Propionic acid, broiler, microbiological characteristics, *Salmonella*, 199*
Propylthiouracil, blood glucose, duck, plasma cholesterol, rectal temperature, 1381
Prostaglandin, acetylsalicylic acid, aspirin, egg shell quality, 9*
broiler performance, fat, flaxseed oil, 9*
egg shell quality, indomethacin, layer, 9*
Prostaglandin-E_2, corticosterone, quail–Japanese, stress, 1289
Prostaglandins, corticosterone, quail–Japanese, 195*
Protease, age, amylase, lipase, turkey, 1561
semen, turkey, 147*
Protein, abdominal fat deposition, broiler male performance, essential amino acids, potassium, 1385
amino acid(s), biodegradation, feather-lysate, feathers, 83*
bushel weight, corn, 857†
calorimetry, energy utilization, layer, 258
available phosphorus, calcium, leg abnormalities, turkey, 142*
Bacillus licheniformis, biodegradation, feather-lysate, feathers, 204*
blood chemistry, broiler, ochratoxin A, 1664
body weight, broiler, ochratoxin A, organ weights, 1658
energy, feed conversion, pheasant, 99*
breast yield, lysine, methionine, turkey, 108*
broiler chick, lipids, tryptophan requirement, 200*
broiler meat, mixing time, 154*
broiler performance, energy, 107*
energy, layer, molt, strain, 176*
isthmus, shell-less *versus* hard-shell eggs, uterine electrolytes, 417
metabolizable energy, pullet, 197*
Protein conversion, 5-day fast, egg production, egg weight, pullet, 143*
Protein digestibility, amino acid digestibility, excreta, uric acid, 327†
Protein kinase C, cAMP, plasminogen activator, theca, 147*
Protein level, abdominal fat, arginine, 35*
abdominal fat deposition, broiler performance, essential amino acids, potassium, 897
thyroid hormones, 113
aflatoxin, mold inhibitor, particle size, 103*
amino acid deficiency, chick growth, 61*
amino acid ratio, broiler chick, isoleucine requirement, protein source, 10*
body weight, turkey breeder, turkey performance, 1436
breast meat, carcass composition, turkey, weight gain, 1547
breast yield, fat, pelleting, turkey, 153*
broiler breeder male, fertility, growth, hatchability, 51*
broiler performance, dietary energy, heat stress, 29*
carcass composition, metabolizable energy, turkey tom, 131*
carcass yield, guinea fowl nutrition, 57*
fowl cholera, immunity, *Pasteurella multocida*, 111*
layer performance, liver fat, tryptophan, 23*
Protein profiles, macrophages, sephadex stimulation, 97*
Protein repletion, broiler chick, metabolism, 125*
Protein restriction, broiler, compressive strength, tibial growth, 175*
Protein solubility, chick, particle size, pig, soybean meal, 110*
frozen storage, functional properties, liquid whole egg, 1461
soybean meal, 83*
Protein source, amino acid ratio, broiler chick, isoleucine requirement, protein level, 10*
Protein utilization, acetic acid, chick performance, energy utilization, growth, 795
Proteolysis, cycloheximide, leupeptin, skeletal muscle cell cultures, 57*
Proximate composition, cholesterol, quail–Japanese, yield, 153*
Ptilopody, feathered shanks, gene symbols, genetics, 138*
Publication, editing manuscripts, *Poultry Science*, 116*
Pullet, 5-day fast, egg production, egg weight, protein conversion, 143*
barley, enzyme, feed value, 170*
beak trimming, behavior, fearfulness, 85*
cannibalism, 35*
behavioral adaptation, cage shape, density, 70
behavioral genetics, genetic assessment, open field, 335
bone mineral, calcium, egg shell, 185*
caged rearing *versus* floor rearing, dietary energy, genetic strain, 111*
curly toe paralysis, egg production, riboflavin requirement, sexual maturity, 16*
diet density, grain source, 170*
feed consumption, onset of lay, 135*
glomerular numbers, kidney growth, 158*
metabolizable energy, protein, 197*
Pullet diets, dietary density, fat levels, layer performance, 177*
Pullet rearing, bedding, litter, litter microorganisms, 105*
dietary energy, dietary protein, rearing environment, 546
Pulse frequency, ontogeny, testosterone, turkey, 100*
Pyrophosphatase, electrophoretic variation, genetics, peptidase, polymorphism, 1313
Quail–Bobwhite, ascorbic acid, feed efficiency, growth, mortality, 1418†
immunization, mynahs, pox virus, 631
Sesbania macrocarpa, weed seed, 37*
Quail–Japanese, abdominal fat, correlation, sex differences, testes, 89*
adipocyte, beta agonist, carcass characteristics, growth response, 1540
atherosclerosis, cholesterol, Marek's disease herpesvirus, viral genes, 144*
avian leukosis virus vectors, germ-line studies, transgenic, 129*
body composition, body density, selection, 58*
body density, body volume, body weight, selection, 1033
body weight, carcass composition, genetic correlation, heritability, 209*
carcass lipid characteristics, feed efficiency, heterosis, 37
growth, heritability, stress environments, 455
cell membrane, glutathione, peptide absorption, vesicles, 139*

chicken, decoquinate, metabolism, 670
cholesterol, excretion, genetics, synthesis rate, 192*
heritability, selection, triglycerides, 192*
proximate composition, yield, 153*
choline acetyltransferase, corticosterone, peripheral nerve regeneration, 202*
corticosterone, prostaglandin-E_2, stress, 1289
prostaglandins, 195*
demethylation, gene expression, vitellogenin, yolk, 1678
egg shell pigment, ovulatory process, shell gland, 1156†
egg storage, hatchability, humidity, 65*
genetics, growth, nutritional requirements, reproductive traits, 141*
reproductive traits, 141*
gonadotropin-releasing hormone, hypothalamus, turkey, 96*
growth selection, leiomyomas, leiomyosarcomas, neoplastic growth, 1447
light intensity, melatonin, photostimulation, 95*
Quality, management, productivity, statistical methods, 12*
Quality characteristics, chicken patties, irradiation, storage, 27*
Quantitative traits, broiler breeder, crossbreds, selection, 18*
dietary energy, selection, 173*
Quaternary ammoniums, formaldehyde, hatchery disinfection, hatchery sanitation, 192*
R-factor, drug resistance, plasmids, *Salmonella*, 206*
R-value, broiler, fast protein liquid chromatography, *Pectoralis major* muscle, rigor, 178*
Rabbit waste, corn replacer, feed conversion, growth, turkey poult, 152*
egg production, semen production, semen quality, sexual maturity, 209*
Radioimmunoassay, B-lymphocytes, cIgG, 118*
insulin-like growth factor-II, 20*
Rancidity, ethoxyquin, ethylenediaminetetraacetic acid, rice bran, 438†
Rat, chick, dietary tannin, duck, sorghum, 50*
Rat plasma, cholesterol, dietary egg yolk oil, lipoproteins, 73*
Rate of food passage, age influence, broiler, digestive transit time, transit markers, 185
Raw poultry products, bacteriological quality, mink feed, *Salmonella*, 168*
Raw storage, broiler meat, cooked storage, microbiological quality, oxidative stability, 1470
Rearing environment, behavior, layer, 102*
dietary energy, dietary protein, pullet rearing, 546
feathering, layer, nervousness, productivity, 102*
Recessive white, cream, phaeomelanin dilution, plumage color, red eye, 13*
Reconditioning, broiler, carcass quality, chiller water, recycling, 656
chiller water, diatomaceous earth pressure leaf filter, processing plant, recycling, 447†
ozone, poultry process water, recycling, wastewater, 1078
Rectal temperature, blood glucose, duck, plasma cholesterol, propylthiouracil, 1381
Recycling, broiler, carcass quality, chiller water, reconditioning, 656
chiller water, clarification, filter aid, microbial reduction, 1100
diatomaceous earth pressure leaf filter, processing plant, reconditioning, 447†
ozone, poultry process water, reconditioning, wastewater, 1078
Red eye, cream, phaeomelanin dilution, plumage color, recessive white, 13*
Reduplication of ceca, accessory hepatic lobe, congenital anomalies, duplicate polydactyly, 1019†
Refeeding, feed consumption, serum glucose, serum sodium, 1619
Regional profitability, broiler house design, growout stage, 12*
Renal tubular epithelium, adenovirus inclusions, kidney, turkey, 148*
Rendered products, meat and bone meal, true metabolizable energy, 36*
Repetitive sequences, biotin, DNA probe, sex identification, W-chromosome, 850†
Replacement pullets, computer simulation, delayed feed intake, growth prediction, mathematical modeling, 771
Reproductive performance, bone integrity, broiler breeder male, dietary phosphorus, semen quality, 1153†
broiler, broiler hatching eggs, microwave radiation, 17*
Reproductive response, broiler breeder, feathering genotypes, restricted feeding, 352
Reproductive tract, feathers, health condition, mineral content, 145*
Reproductive traits, basomedial hypothalamus, electrolytic lesions, food intake control, 948
genetics, growth, nutritional requirements, quail–Japanese, 141*
quail–Japanese, 141*
Residual yolk fat, broiler chick, serum glucose, triglycerides, 37*
Resistance, avian leukosis virus, gene transfer, retroviral vector, 133*
B complex recombinants, coccidiosis, *Eimeria tenella*, 639
broiler, *Eimeria maxima*, pathogenicity, salinomycin, 92*
cyclosporine, hypersensitivity, maturation, salmonellosis, 1637
Eimeria tenella, narasin, narasin-nicarbazin, 146*
Restricted feeding, abdominal fat, broiler, compensatory growth, glycolic acid, 61
ad libitum feeding, broiler breeder male, semen quantity and quality, testosterone, 569
amino acid requirements, chick, dietary energy, pelleting, 1118
body burdens, carcass lipids, polychlorinated biphenyls, xenobiotics, 885
body weight, turkey breeder performance, 96*
broiler, carcass composition, compensatory growth, 23*
compensatory growth, insulin-like growth factor-I, 92*
broiler breeder, egg production, egg sequence length, 123*
sexual maturity, skip-a-day feeding, 1442
feathering genotypes, growth, 344
organ growth, 359
reproductive response, 352
hatching eggs, sexual maturity, 52*
physiological changes, sexual maturity, 52*
carcass yield, heat stress, roaster, strain, 130*
compensatory growth, fatness, feed efficiency, 156*
dietary aluminum, force-molting, layer, 891

egg production, egg size, layer performance, 914
Restricted growth, compensatory growth, leg abnormalities, turkey, 66*
Restriction endonuclease analysis, DNA, infectious laryngotracheitis virus, 64*
Restriction enzyme analysis, DNA, *Mycoplasma iowae*, 163*
Restriction enzymes, chicken, chromosome banding, 1027†
Restriction fragment length polymorphism, class II DNA probe, histocompatibility complex, 94
Retinoic acid, broiler chick, immune response, immunoglobulins, vitamin A, 136
Retroviral vector, avian leukosis virus, gene transfer, resistance, 133*
Retrovirus, interference, transgenic chickens, 35*
Retrovirus vector, gene transfer, helper cells, 204*
Rheology, batter adhesion, chicken nuggets, 68*
Riboflavin, broiler chick, glutathione peroxidase, glutathione reductase, selenium, 202*
broiler performance, glutathione peroxidase, glutathione reductase, selenium, 128*
Riboflavin deficiency, borate toxicity, embryonic death, 189*
Riboflavin requirement, curly toe paralysis, egg production, pullet, sexual maturity, 16*
growth rate, leg paralysis, turkey poult, 715
Rice bran, ethoxyquin, ethylenediaminetetraacetic acid, rancidity, 438†
Rigor, broiler, fast protein liquid chromatography, *Pectoralis major* muscle, R-value, 178*
calcium, moisture binding, *Pectoralis major* muscle, shear value, 212*
Rigor development, anesthesia, broiler breast muscle, denervation, *Pectoralis major* muscle, 386
breast meat, broiler, meat tenderness, shear value, 110*
Rigor mortis, broiler, *Pectoralis major* muscle, sodium pentobarbital, tenderness, 244
Risk assessment, egg, *Salmonella enteritidis*, 100*
RNA expression, adipsin, broiler, fat, transcription, 14*
Roaster, amino acid(s), carcass composition, carcass yield, early protein restriction, 53*
anticoccidial drugs, lighting programs, mortality, skeletal disease, 32*
beak trimming, body weight, feed intake, pellets *versus* mash, 39*
carcass yield, heat stress, restricted feeding, strain, 130*
Roaster performance, amino acid(s), early protein restriction, strain, 53*
Rofenaid, anticoccidial drugs, chukar partridge, coccidia, *Eimeria*, 127*
Rooster comb, glycosaminoglycan, hyaluronic acid, wattle, 1303†
Roosting frequency, cool roost, heat stress, thermoregulation, 101*
Rotavirus, cryptosporidia, leg abnormalities, turkey, 73*
Rous sarcoma virus, *B* complex, histocompatibility complex, tumor regression, 146*
tumor regression, 233
Roxarsone, arsenic, glutathione peroxidase, selenium, 210*
body weight, broiler, *Eimeria tenella*, narasin, 1011†
rRNA gene copy number, *in situ* hybridization, nucleoli, 41*
Rule-based, computer program, expert decision support systems, expert systems, layer management, 1047
Saline drinking water, age, egg shell quality, 8*
Salinomycin, aflatoxin, broiler chick, interaction, 197*
anticoccidial drugs, halofuginone hydrobromide, lesion scores, monensin, 61*
broiler, *Eimeria maxima*, pathogenicity, resistance, 92*
Eimeria tenella, floorpen model, live oocyst antigen, 146*
broiler performance, coccidiosis, monensin, 86
Salmonella, antibiotic therapy, competitive exclusion, lactobacilli, 14*
bacteriological quality, mink feed, raw poultry products, 168*
broiler, chiller water, ozone, 165*
hatchery environment, 178*
litter, processing, 119*
microbiological characteristics, propionic acid, 199*
broiler performance, calcium formate, formic acid, 186*
carcass processing, feed and water access, slaughter, 194*
ceca, colonization, genetic lines, Leghorn, 171*
colonization, feed conversion, lactose, probiotic, 171*
disease control, 112*
drug resistance, kanamycin, 142*
plasmids, R-factor, 206*
microbial counts, shell eggs, 62*
***Salmonella* contamination,** broiler processing systems, broiler production, 187*
***Salmonella* detection,** DNA hybridization, layer, 102*
Salmonella enteritidis, egg, risk assessment, 100*
serological detection, 58*
Salmonella gallinarum, chick, metallothionein, zinc, 297
Salmonella typhimurium, adherence, chick intestine, inhibition, sugars, 1351
air scrubbing, broiler carcasses, chilling, microbiological quality, 43*
bacteria population, ceca, gnotobiotic chickens, 311†
broiler, colonization, shed-rate, 168*
mannose, 41*
milk products, 42*
milk sugar, 41*
broiler chick, colonization, food safety, mannose, 1357
immunosuppression, T-2 toxin, 34*
chick intestine, mannose, 47*
corynebacterium parvum, immunity, 34*
litter, moisture, new pinewood shavings, temperature, 15*
***Salmonella typhimurium* persistance,** age, broiler, ceca, 1454
Salmonellosis, aflatoxin, T-2 toxin, 163*
cyclosporine, hypersensitivity, maturation, resistance, 1637
Salt, cytochrome c, heat stability, myoglobin, phosphate, 1218
Salt acclimation, duck, glomerular filtration rate, kidney function, 408
Salt substitute, meat products, potassium chloride, 197*
Salt-soluble protein, chicken breast, dynamic rheological testing, gel formation, 154*
Sample orientation, Allo-Kramer shear, broiler breast meat, hot boning, 206*
Sanitation, coccidiosis, disinfection, isolation, 119*
Sanitizers, broiler hatching eggs, porosity, 211*
Sarcomere length, broiler, *Pectoralis major* muscle, postmortem temperature, tenderness, 1588†
calcium, muscle contraction, 164*

Sarcoplasmic reticulum, broiler, Ca^{2+} transport, dietary fat, sudden death syndrome, 31*
Satellite programming, education, embryology, video tape, 32*
Saturated fatty acids, added fat, broiler chick diet, fatty acids, metabolizable energy, 1506
Scabby hip syndrome, broiler carcasses, detoeing, scabs, scratches, 1148†
Scabs, broiler carcasses, detoeing, scabby hip syndrome, scratches, 1148†
Scirpenols, feed refusal, Fusarium, mycotoxins, 854†
Scratches, broiler carcasses, detoeing, scabby hip syndrome, scabs, 1148†
Selected lines, egg composition, egg production, genetic effects, yolk, 27
Selection, body composition, body density, quail–Japanese, 58*
body density, body volume, body weight, quail–Japanese, 1033
body temperature, chick growth, heat stress, heritability, 49*
broiler, caged rearing *versus* floor rearing, humerus strength, wing bone measures, 1168
broiler breeder, crossbreds, quantitative traits, 18*
cholesterol, heritability, quail–Japanese, triglycerides, 192*
dietary energy, quantitative traits, 173*
egg production traits, endogenous viral genes, Leghorn, Marek's disease resistance, 1161
Selection indices, egg production, layer, part record, persistency, 101*
Selenium, arsenic, glutathione peroxidase, roxarsone, 210*
broiler chick, glutathione peroxidase, glutathione reductase, riboflavin, 202*
broiler performance, glutathione peroxidase, glutathione reductase, riboflavin, 128*
Semen, chromatography, glycerol reaction, oviduct, 88* protease, turkey, 147*
Semen collection, artificial vagina, aspiration, conical tube, gander, 1714†
Semen collection frequency, fertility, semen volume, sperm number, 128*
Semen dose, artificial insemination, broiler breeder, fertility duration, 558
Semen preservation, crane, dimethylsulfoxide, fertility, 63*
Semen production, body composition, broiler breeder male, dietary energy, testosterone, 1688
egg production, rabbit waste, semen quality, sexual maturity, 209*
Semen quality, bone integrity, broiler breeder male, dietary phosphorus, 172*
reproductive performance, 1153†
egg production, rabbit waste, semen production, sexual maturity, 209*
Semen quantity and quality, *ad libitum* feeding, broiler breeder male, restricted feeding, testosterone, 569
Semen storage, ethidium bromide, sperm, turkey, 168*
Semen volume, fertility, semen collection frequency, sperm number, 128*
heritability, turkey, 460
Semen-extender, artificial insemination, bovine serum albumin, sperm motility, turkey fertility, 8*
Seminal plasma, absorption, epididymal region, fowl, spermiophagy, 582
Sensors, ammonia control, housing, 201*
Sensory descriptive analysis, broiler breast muscle, texture profile attributes, 190*
Sensory evaluation, beef sausage, chicken sausage, pork sausage, turkey sausage, 60*
Separate sex feeding, broiler, carcass characteristics, metabolizable energy, nutrient concentration, 189*
Sephadex stimulation, macrophages, protein profiles, 97*
Serological detection, *Salmonella enteritidis,* 58*
Serology, egg production, inactivated Newcastle- bronchitis vaccination, layer, strain, 122*
Serotonin, 5-hydroxytryptamine, leukocyte migration, wattle response, 91*
dopamine, ELISA, epinephrine, norepinephrine, 71*
Serum glucose, broiler chick, residual yolk fat, triglycerides, 37*
feed consumption, refeeding, serum sodium, 1619
Serum sodium, feed consumption, refeeding, serum glucose, 1619
Sesbania macrocarpa, quail–Bobwhite, weed seed, 37*
Sex differences, abdominal fat, correlation, quail–Japanese, testes, 89*
body weight, chicken embryo, twins, 805
Sex identification, biotin, DNA probe, repetitive sequences, W-chromosome, 850†
Sexual differentiation, behavior, chickens and quail, embryo development, neuroendocrine systems, 979
Sexual maturity, body weight, egg production, histocompatibility complex, 464
broiler breeder, egg production, restricted feeding, skip-a-day feeding, 1442
hatching eggs, restricted feeding, 52*
physiological changes, restricted feeding, 52*
broiler breeder pullets, 120*
bursa of Fabricius, hematocrit, testosterone, turkey breeder, 25*
compartmental model, egg production, mathematical modeling, 476
curly toe paralysis, egg production, pullet, riboflavin requirement, 16*
egg production, rabbit waste, semen production, semen quality, 209*
Shear value, breast meat, broiler, meat tenderness, rigor development, 110*
calcium, moisture binding, *Pectoralis major* muscle, rigor, 212*
mechanically deboned poultry meat, microbial characteristics, TBA value, 190*
Shed-rate, broiler, colonization, *Salmonella typhimurium,* 168*
Sheep red blood cells, age, antibodies, *Brucella abortus,* immunization interval, 101*
antibody response, endotoxin, iron, zinc, 161*
Shelf-life, 2-thiobarbituric acid, broiler meat, microbiological spoilage, 1307†
Shell eggs, microbial counts, *Salmonella,* 62*
Shell gland, egg shell pigment, ovulatory process, quail–Japanese, 1156†
layer, nonlayer, progesterone receptor, 162*
Shell measurement, chromometer, egg shell color, Minolta Chroma Meter, 158*
Shell percentage, breaking strength, egg breakage, shell weight, specific gravity, 1730†; bs;
prediction equation, shell quality, specific gravity, 482
Shell quality, heat stress, time of shell deposition, 138*
oyster shell, sodium aluminosilicate, 78*
prediction equation, shell percentage, specific gravity, 482

Shell weight, breaking strength, egg breakage, shell percentage, specific gravity, 1730†
Shell-less culture, chick, embryo development, mammalian embryo, viability, 1695
Shell-less *versus* hard-shell eggs, isthmus, protein, uterine electrolytes, 417
Short-chain fatty acids, acetate, broiler chick, feed intake, propionate, 1612
Showmanship, 4-H, pigeon fitting, 151*
Silicon, aluminum, excreta, layer, phosphorus, 125*
Simulation, biotechnology, broiler grower, economic evaluation, growth regulators, 1055
Single blade, Allo-Kramer shear, objective texture, *Pectoralis major* muscle, 191*
Skeletal disease, anticoccidial drugs, lighting programs, mortality, roaster, 32*
Skeletal growth, broiler breeder, dietary energy, dietary protein, muscle growth, 1274
Skeletal muscle, 5-hydroxylysine, amino acid composition, collagen, elastin, 811
pathology, turkey, 139*
Skeletal muscle cell cultures, cycloheximide, leupeptin, proteolysis, 57*
Skip-a-day feeding, body composition, broiler breeder, daily feeding, 836†
broiler breeder, daily feeding, water restriction, water usage, 617
egg production, restricted feeding, sexual maturity, 1442
Slaughter, carcass processing, feed and water access, *Salmonella*, 194*
Slow *versus* rapid-feathering, body weight, cage density, egg production, egg quality, 596
Slow-feathering, avian leukosis virus, endogenous viral genes, immune response, viremia, 136*
Small intestine, antibiotic treatment, broiler, growth, yield, 651
Smyth line, amelanosis, down color, eumelanogenesis, 1319
Soapstock, gossypol, turkey poult, 57*
Sodium, dietary chloride, potassium, turkey poult, 87*
Sodium aluminosilicate, aluminum, carnegeite, egg specific gravity, hydroxy-sodalite, 201*
dietary phosphorus, sodium chloride, 124*
egg production, egg specific gravity, egg weight, feed efficiency, 1241
egg shell quality, limestone, oyster shell, 199*
egg specific gravity, limestone–fine granular, oyster shell, 201*
oyster shell, shell quality, 78*
Sodium and potassium level, broiler performance, CYGRO®, maduramicin, water intake, 204*
Sodium and potassium salt, dark turkey meat, turkey patties, 78*
Sodium bisulfate, ammonia, broiler, litter treatment, 104*
Sodium calcium aluminosilicate, broiler, immune response, mycotoxins, 180*
Sodium chloride, color values, oxidation-reduction potential, phosphate, turkey breast meat, 1088
dietary phosphorus, sodium aluminosilicate, 124*
fecal moisture, layer, water consumption, wheat middlings, 830†
Sodium pentobarbital, broiler, *Pectoralis major* muscle, rigor mortis, tenderness, 244
Sodium restriction, ACTH, adrenocortical cells, aldosterone secretion, turkey, 80*
Sodium zeolite A, bone development, bone-breaking strength, 71*
broiler breeder performance, Ethacal® feed component, 77*
broiler chick, coccidiosis, growth, zinc utilization, 156*
broiler performance, fertility, hatchability, 62*
hatchability, turkey poult performance, 70*
Somatostatin, adenylyl cyclase, cAMP, growth hormone, 46*
Sorghum, ascites, broiler, hematology, tannin, 108*
chick, dietary tannin, duck, rat, 50*
Soybean meal, chick, particle size, pig, protein solubility, 110*
ethanol extract, oligosaccharides, true metabolizable energy, 85*
protein solubility, 83*
Soybeans roasted *versus* raw, broiler performance, layer performance, soybeans-extruded, 8*
Soybeans-extruded, broiler performance, layer performance, soybeans roasted *versus* raw, 8*
Specific gravity, breaking strength, egg breakage, shell percentage, shell weight, 1730†
prediction equation, shell percentage, shell quality, 482
Spent hen, chicken sausage, phosphate, spent hen yolk, 393
Spent hen yolk, chicken sausage, phosphate, spent hen, 393
Sperm, ethidium bromide, semen storage, turkey, 168*
Sperm host glands, fertility, oviposition, 68*
Sperm motility, artificial insemination, bovine serum albumin, semen-extender, turkey fertility, 8*
Sperm number, artificial insemination, fertility, hatchability, turkey, 724
fertility, semen collection frequency, semen volume, 128*
Sperm storage, sperm survival, utero-vaginal glands, 174*
Sperm survival, sperm storage, utero-vaginal glands, 174*
Sperm viability, 6-carboxyfluorescein diacetate, broiler breeder, fluorescence concentration analyzer, propidium iodide, 33*
Spermatozoa concentration, broiler breeder, embryonic death, fertility, hatchability, 51*
Spermiophagy, absorption, epididymal region, fowl, seminal plasma, 582
Splenectomy, cortisone, monoclonal antibodies, 59*
Sporozoites, *Eimeria tenella*, immunity, turkey coccidian, 7*
Spot card method, caged layer house, house fly monitoring, sticky tape method, 833†
Stability, acceptability, chicken *versus* pork fat, frankfurters, texture, 44*
Stacked cage, costs and returns, eggs–white *versus* brown, tiered cage, 124*
Standard error formulae, bioassay protocol, calcium lignosulfonate, pellet binder, true metabolizable energy, 1299†
Standard error precision, control-bird variation, pooling excreta, true metabolizable energy, 1361
Starch, broiler, cockerels, true metabolizable energy, 93*
Starter diets, abdominal fat, broiler cross-diet interaction, dietary energy, 205*
Statistical methods, management, productivity, quality, 12*
Statistics, analysis of variance, computer spreadsheet macro, teaching, 131*
Steroidogenesis, ascorbate, chicken, granulosa, progesterone, 21*

granulosa, progesterone, 84*
theca layer, 46*
prolactin, turkey, 86*
Sticky tape method, caged layer house, house fly monitoring, spot card method, 833†
Stocking density, body weight, broiler performance, feed efficiency, iodine-treated water, 435†
niacinamide, turkey poult, 193*
Storage, broiler breast meat, thiobarbituric acid value, water chilling, 5*
chicken patties, irradiation, quality characteristics, 27*
eggs–white *versus* brown, hard-cooked eggs, peelability, physical and chemical composition, 29*
Strain, age, broiler, feed withdrawal, yield, 152*
amino acid(s), early protein restriction, roaster performance, 53*
broiler performance, marketing, yield, 165*
carcass yield, heat stress, restricted feeding, roaster, 130*
egg production, fasting, feather loss, weight loss, 177*
inactivated Newcastle-bronchitis vaccination, layer, serology, 122*
egg size, fasting, layer performance, 126*
energy, layer, molt, protein, 176*
Strain comparisons, added fat, age, dietary protein, turkey, 278
Strains of low virulence, ELISA, *Mycoplasma gallisepticum*, 161*
Stress, adrenocorticotropin, differential leucocyte counts, hydrocortisone, layer, 1710†
chick performance, growth, 76*
corticosterone, prostaglandin-E_2, quail–Japanese, 1289
Stress environments, body weight, growth, heritability, quail–Japanese, 455
Student activities, education, student organization, 153*
Student organization, education, student activities, 153*
Student-instructor interaction, computer notes file, computer-assisted instruction, teaching, 129*
Stunning, broiler slaughter, electrical stimulation, electrocution, fecal contamination, 1478
electrocution, fecal contamination, 196*
Subcutaneous infusion, broiler, growth, growth hormone, organ weights, 1133
Succinic dehydrogenase, exercise treadmill, fowl, leg muscle, oxidative fibers, 577
Sudden death syndrome, broiler, Ca^{2+} transport, dietary fat, sarcoplasmic reticulum, 31*
dietary protein source, mortality, taurine, 172*
guanidinoethyl sulfonate, taurine, 187*
Sugars, adherence, chick intestine, inhibition, *Salmonella typhimurium*, 1351
Sulfur amino acid requirement, broiler performance, copper, methionine, 163
dietary protein, layer, methionine, 23*
Summertime, broiler housing, heat stress, ventilation, 205*
Sunflower meal, broiler chick, growth, lysine, wheat, 123*
Sunflower seeds, egg measurements, egg production, feed efficiency, 84*
Super critical fluid extraction, cholesterol, egg yolk, lipids, 155*
Superoxide dismutase, chick performance, copper, 115*
Suppressor cells, T-cell surface markers, 118*
Surgical procedure, broiler chick, colostomy, feces, urine, 169*
Survey, college students, egg preferences, 15*
extension education program, New England, poultry producers, 38*
Survey technique, fusarochromanone, 160*
Synthesis rate, cholesterol, excretion, genetics, quail–Japanese, 192*
Synthetase, glucocorticoid, glycogen metabolism, phosphorylase, 126*
Synthetic estrogen, body weight, egg size, layer performance, 825†
T-2 toxin, aflatoxin, hydrated sodium calcium aluminosilicate, 81*
salmonellosis, 163*
broiler, mycotoxins, ochratoxin A, 867
broiler chick, deoxynivalenol, toxicity, 622
immunosuppression, *Salmonella typhimurium*, 34*
T-cell, alloantigen, lymphocyte, 51*
growth hormone, thymocyte, thyroxine, 74*
thymocyte, thyroidectomy, triiodothyronine, 74*
T-cell dependency, antibodies, *Mycoplasma gallisepticum*, *Pasteurella multocida*, 150*
T-cell immunity, carcinogen-induced fibrosarcomas, proliferative response, 117*
T-cell surface markers, suppressor cells, 118*
triiodothyronine, thyroxine, corticosterone, molt, progesterone, temperature, 104*
Tannin, ascites, broiler, hematology, sorghum, 108*
broiler performance, fat, grain form, grain source, 47*
Taste, birds, food intake control, neural pathways, 926
broiler, feed consumption, feed efficiency, weight gain, 1519
Taste panel, broiler, frankfurters, mechanically deboned meat, turkey, 1653
Taurine, broiler, dietary protein source, mortality, sudden death syndrome, 172*
guanidinoethyl sulfonate, sudden death syndrome, 187*
cockerels, furazolidone, methionine, turkey poult, 209*
TBA value, mechanically deboned poultry meat, microbial characteristics, shear value, 190*
Teaching, analysis of variance, computer spreadsheet macro, statistics, 131*
computer notes file, computer-assisted instruction, student-instructor interaction, 129*
education, poultry production course, 21*
hatchery management, incubation, 104*
instruction, international students, 68*
poultry management, 105*
Teaching embryology, college credit in high school, minority students, poultry science curricula, 76*
Temperature, body temperature, broiler breeder, egg production, feeding time, 608
body weight, broiler, evaporative cooling, feed conversion, 839†
corticosterone, molt, progesterone, triiodothyronine, thyroxine, 104*
lighting programs, mortality, turkey performance, 106*
litter, moisture, new pinewood shavings, *Salmonella typhimurium*, 15*
Temperature environment, lysine requirement, turkey, 781
Temperature stratification, body weight, caged layer house, egg weight, feed consumption, 187*
Tenderness, boning time, broiler breast meat, electrical stimulation, 1232
broiler, *Pectoralis major* muscle, post-mortem temperature, sarcomere length, 1588†
rigor mortis, sodium pentobarbital, 244
broiler breast fillets, early harvesting, electrical stimulation, muscle tension, 13*
broiler breast meat, electrical stimulation, high temperature conditioning, post-mortem metabolism, 129*

muscle shortening, *Pectoralis major* muscle, 663
muscle tension, wing restraint, 238
early harvesting, electrical stimulation, turkey fillet, 72*
Terminal sinus, chromosomal markers, germinal crescent, microinjection, primordial germ cells, 60*
Testes, abdominal fat, correlation, quail–Japanese, sex differences, 89*
Testicular growth, photoperiod, thyroid, 78*
Testosterone, *ad libitum* feeding, broiler breeder male, restricted feeding, semen quantity and quality, 569
body composition, broiler breeder male, dietary energy, semen production, 1688
bursa of Fabricius, hematocrit, sexual maturity, turkey breeder, 25*
ontogeny, pulse frequency, turkey, 100*
Texture, acceptability, chicken *versus* pork fat, frankfurters, stability, 44*
broiler breast muscle, electrical stimulation, pH, 249
comminution temperatures, emulsion stability, fat source, turkey frankfurters, 10*
composition, mechanically deboned meat, turkey, washing treatments, 136*
Texture profile attributes, broiler breast muscle, sensory descriptive analysis, 190*
Theca, cAMP, plasminogen activator, protein kinase C, 147*
Theca layer, granulosa, steroidogenesis, 46*
Thermoregulation, cool roost, heat stress, roosting frequency, 101*
Thiamin, biogenic amines, brain, turkey, 120*
Thigh meat, broiler, broiler breast meat, fish meal, ω-3 fatty acids, 153
Thiobarbituric acid value, broiler breast meat, cooking temperature, oxidative stability, 5*
storage, water chilling, 5*
Thiouracil treatment, egg production, egg shell quality, Leghorn, plasma thyroxine, 194*
Threonine, amino acid requirements, turkey poult, 54*
Thymocyte, growth hormone, T-cell, thyroxine, 74*
T-cell, thyroidectomy, triiodothyronine, 74*
Thymocytes, adrenocorticotropic hormone, DNA degradation, programmed cell death, 33*
Thyroid, chickens and quail, embryo development, thyroid-stimulating hormone, triiodothyronine, 990
immune response, photoperiod, 79*
photoperiod, testicular growth, 78*
Thyroid hormones, abdominal fat deposition, broiler performance, essential amino acids, protein level, 113
body composition, broiler, insulin, natural chicken growth hormone, 33*
cold exposure, thyroid-stimulating hormone, thyroidectomy, 169
conductance, egg shell, turkey, 30*
egg production, photorefractoriness, prolactin, turkey, 1409
free fatty acids, glucagon, insulin, turkey, 93*
growth, organ growth, turkey, 177*
Thyroid-stimulating hormone, chickens and quail, embryo development, thyroid, triiodothyronine, 990
cold exposure, thyroid hormones, thyroidectomy, 169
Thyroidectomy, adrenocortical function, triiodothyronine, 25*
cold exposure, thyroid hormones, thyroid-stimulating hormone, 169
egg production, molt, thyroxine, turkey, 1126
T-cell, thymocyte, triiodothyronine, 74*
Thyrotropin releasing hormone, kinetics, metabolism, turkey poult, 203*
Thyroxine, autoimmunity, cell-mediated immunity, endocrine–immune, growth hormone, 90*
broiler, growth, muscle protein synthesis, 1396
egg production, molt, thyroidectomy, turkey, 1126
growth hormone, T-cell, thymocyte, 74*
Tibia ash, bone length, bone tibia development, broiler, 15*
bone-breaking strength, chick, hydrated sodium calcium aluminosilicate, phosphorus, 31*
calcium intake, egg production, molt, 63*
Tibia strength, broiler, brooding temperature, meat and bone meal, 196*
Tibial dyschondroplasia, 1,25-dihydroxyvitamin D_3, broiler, calcium, fluorescent light, 139*
1,25-dihydroxy-cholecalciferol, 1-hydroxycholecalciferol, broiler, vitamin D_3 metabolites, 4*
ascorbic acid, chlortetracycline, environmental temperature, 1527
boron, broiler, vitamin D_3, 50*
broiler, copper, disulfiram, histidine, 4*
feed efficiency, growth, zeolite, 181*
broiler breeder, Lixiscope, 160*
nutritional-management regimens, 211*
broiler chick, calcium, growth, phosphorus, 1263
immunity, L-cysteine, L-cystine, L-homocysteine, 7*
Tibial growth, broiler, compressive strength, protein restriction, 175*
Tiered cage, costs and returns, eggs–white *versus* brown, stacked cage, 124*
Time of egg collection, fertility, hatchability, hatching eggs, 26*
Time of oviposition, hourly eating pattern, layer, 29*
Time of shell deposition, heat stress, shell quality, 138*
Tissue accumulation, layer, tissue depletion, zinc, 539
Tissue depletion, layer, tissue accumulation, zinc, 539
Tissue minerals, bioavailability, broiler chick, feed grade, manganese, 1368
Tissue uptake, bioavailability, chick, zinc, 185*
Tissues, canola, egg yolk, flax, ω-3 fatty acids, 106*
Toe ash, broiler, manganese requirement, 11*
Tonic immobility, fearfulness, floor space, group size, layer, 1024†
Total collection method, acid-insoluble ash, calcium digestibility, layer, 28*
Toxicity, broiler chick, deoxynivalenol, T-2 toxin, 622
copper, turkey, 115*
CYGRO®, horse, maduramicin, turkey, 210*
Transamination, chick tissues, methionine, methionine hydroxy analog, oxidation, 48*
Transcription, adipsin, broiler, fat, RNA expression, 14*
Transferrin, copper, egg, turkey, zinc, 122*
Transferrin receptor, flow cytometry, Ia antigen, inflammatory macrophages, 44*
Transforming growth factor, epidermal growth factor, granulosa, plasminogen activator, progesterone, 148*
Transgenic, avian leukosis virus vectors, germ-line studies, quail–Japanese, 129*
Transgenic chickens, interference, retrovirus, 35*
Transit markers, age influence, broiler, digestive transit time, rate of food passage, 185
Transmitter turnover, neural transmitters, norepinephrine, 125*
Tremors, amino acid(s), broiler chick, crooked neck, wheat, 32*
Triacylglycerides, abdominal fat, carcass fat prediction, nonesterified fatty acids, turkey, 1282

Triacylglycerols, broiler, n-3 fatty acids, very low density lipoproteins plus low density lipoproteins fraction, 114*
Triglycerides, broiler chick, residual yolk fat, serum glucose, 37*
cholesterol, egg production, 12*
heritability, quail–Japanese, selection, 192*
Triiodothyronine, adenylyl cyclase, cAMP, growth hormone, 46*
adrenocortical function, thyroidectomy, 25*
broiler, malabsorption syndrome, pancreatic amylase, trypsin, 1553
chickens and quail, embryo development, thyroid, thyroid-stimulating hormone, 990
T-cell, thymocyte, thyroidectomy, 74*
Trisomic chickens, gene expression, MHC dosage, 14*
immune organ development, MHC dosage, 65*
True metabolizable energy, amino acid availability, blood meal, feather meal, turkey, 1513
apparent metabolizable energy, bioassay, bioavailable nutrients, digestibility, 124
excreta energy, experimental design, Leghorn cockerels, 1021†
bioassay protocol, calcium lignosulfonate, pellet binder, standard error formulae, 1299†
broiler, cockerels, starch, 93*
control-bird variation, pooling excreta, standard error precision, 1361
ethanol extract, oligosaccharides, soybean meal, 85*
meat and bone meal, rendered products, 36*
True metabolizable energy bioassay, acclimatization, collection harnesses, excreta collection, excreta energy, 1707†
Trypsin, broiler, malabsorption syndrome, pancreatic amylase, triiodothyronine, 1553
Tryptophan, cholesterol, layer, lipid metabolism, 124*
egg production, egg shell quality, layer performance, 323†
layer performance, liver fat, protein level, 23*
Tryptophan requirement, broiler chick, lipids, protein, 200*
Tryptophan-niacin conversion, chickens, conversion efficiency, duck, 27*
Tsaiya duck, calcium metabolizability, layer, Leghorn, plasma calcium, 27*
Tumor regression, *B* complex, histocompatibility complex, Rous sarcoma virus, 146*
Rous sarcoma virus, 233
Tumoricidal potential, macrophages, 118*
Turkey, abdominal fat, carcass fat prediction, nonesterified fatty acids, triacylglycerides, 1282
adrenocorticoptropic hormone, adrenocortical cells, aldosterone secretion, angiotensin II, 80*
sodium restriction, 80*
activators, complement activity, hemolytic, inhibitors, 646
added fat, age, dietary protein, strain comparisons, 278
breast meat, carcass characteristics, dietary protein, 287
adenovirus inclusions, kidney, renal tubular epithelium, 148*
age, amylase, lipase, protease, 1561
feed efficiency, white meat yield, 155*
amino acid availability, blood meal, feather meal, true metabolizable energy, 1513
amprolium, anticoccidial drugs, 90*
antibiotics, feed efficiency, meat by-products, 181*
artificial insemination, fertility, hatchability, sperm number, 724
autosomal recessive, blood ring, embryonic lethal, 130*
available phosphorus, calcium, leg abnormalities, protein, 142*
avian influenza, epidemiology, 135*
β-glucanase, barley, encapsulation, 182*
bacitracin methylene disalicylate, feed efficiency, halofuginone, zinc bacitracin, 178*
bacteria, embryonic survival, hatchability, hatching egg sanitizers, 1179
bambermycins, body weight, feed efficiency, monensin, 40*
coccidiosis, monensin, 1724†
barley, body composition, wheat, 183*
biogenic amines, brain, thiamin, 120*
blood cell development, embryo development, hematology, incubation, 166*
breast meat, carcass composition, protein level, weight gain, 1547
breast yield, fat, pelleting, protein level, 153*
lysine, methionine, protein, 108*
broiler, food intake control, layer, management, 958
frankfurters, mechanically deboned meat, taste panel, 1653
brood patch, denervation, egg production, incubation, 16*
carcass composition, growth hormone, hypophysectomy, insulin-like growth factor-I, 116*
carcass yield, compensatory growth, 66*
chicken, ova manipulation, 110*
circadian rhythm, corticosterone, luteinizing hormone, ovariectomy, 177
coccidiostats, feed additives, feed efficacy, growth, 22*
growth rate, 175*
compensatory growth, leg abnormalities, restricted growth, 66*
composition, mechanically deboned meat, texture, washing treatments, 136*
conductance, egg shell, thyroid hormones, 30*
copper, egg, iron, zinc, 122*
transferrin, zinc, 122*
toxicity, 115*
corn, dietary energy, lighting programs, wheat, 69*
cryptosporidia, leg abnormalities, rotavirus, 73*
curvilinear relationships, egg quality, egg weight, 77*
CYGRO®, horse, maduramicin, toxicity, 210*
dietary energy, lighting programs, wheat, yield carcass, 70*
digestion, migrating motor complex, motility, 100*
disaccharidases, growth, malabsorption syndrome, 6*
egg production, molt, thyroidectomy, thyroxine, 1126
photorefractoriness, prolactin, thyroid hormones, 1409
egg weight, embryonic growth, genetics, 315†
ethidium bromide, semen storage, sperm, 168*
fasting, growth hormone, insulin, 6*
feed conversion, growth, light duration, light intensity, 134*
fertility, hatchability, Larvadex, progeny performance, 731
food intake, gamma-amino butyric acid, 42*
free fatty acids, glucagon, insulin, thyroid hormones, 93*
gastric denervation, myenteric plexus, pacemaker, 26*
glucagon, glucose, insulin, lame, 1294

gonadotropin-releasing hormone, hypothalamus, quail–Japanese, 96*
growth, growth hormone, 61*
malabsorption syndrome, nutrient retention, 5*
organ growth, thyroid hormones, 177*
growth performance, light duration, light intensity, 1428
growth reproduction, light source, 52*
heritability, semen volume, 460
incubating hens, prolactin, vasoactive intestinal peptide, 49*
lysine requirement, temperature environment, 781
ontogeny, pulse frequency, testosterone, 100*
pathology, skeletal muscle, 139*
pollution prevention, processing plant, waste loads, water use, 132*
prolactin, steroidogenesis, 86*
vasoactive intestinal peptide, 48*
protease, semen, 147*

Turkey breast meat, color values, oxidation-reduction potential, phosphate, sodium chloride, 1088
fatty acid profile, lipid oxidation, neutral lipids, phospholipids, 754
meat color, nitrite, nitrosoheme pigment, 100

Turkey breeder, body weight, protein level, turkey performance, 1436
bursa of Fabricius, hematocrit, sexual maturity, testosterone, 25*

Turkey breeder performance, body weight, restricted feeding, 96*
phosphorus level, 319†

Turkey coccidian, *Eimeria tenella,* immunity, sporozoites, 7*

Turkey embryo, cooling, growth, white blood cell development, 3*

Turkey fertility, artificial insemination, bovine serum albumin, semen-extender, sperm motility, 8*

Turkey fillet, early harvesting, electrical stimulation, tenderness, 72*

Turkey frankfurters, comminution temperatures, emulsion stability, fat source, texture, 10*

Turkey growth, bone strength, copper, manganese, zinc, 16*

Turkey hatch time, intermittent lighting, leg abnormalities, low intensity step-down light, 528

Turkey hen, body weight, carcass characteristics, lighting programs, 120*
broodiness, clomiphene-citrate, luteinizing hormone, prolactin, 1592†
egg production, photoperiod, prelay light, 1337

Turkey patties, dark turkey meat, sodium and potassium salt, 78*

Turkey performance, beak trimming, vitamin and electrolyte injection, 369
body weight, protein level, turkey breeder, 1436
immune response, vitamin supplementation, 161*
lighting programs, mortality, temperature, 106*

Turkey poult, adrenal, adrenocorticotropic hormone, cold stress, corticosterone, 846†
adrenocorticotropic hormone, cold stress, corticosterone rhythmicity, 423
age, diet, intestinal disaccharidases, 265
amino acid requirements, threonine, 54*
antibiotics, egg injection, hatchability, 198*
biological value, phosphate source, 143*
body composition, chicken, nuclear magnetic resonance imaging, nuclear magnetic resonance spectroscopy, 98*
Bordetella avium, cilia, niacin, 162*
choline, methionine, 30*
cockerels, furazolidone, methionine, taurine, 209*
corn replacer, feed conversion, growth, rabbit waste, 152*
corticosterone, feed deprivation, mortality, turkey poult performance, 880
dietary chloride, potassium, sodium, 87*
dosing method, fasting, glucose, yolk sac, 1141
egg weight, glucose, incubation, 99*
gossypol, soapstock, 57*
growth rate, leg paralysis, riboflavin requirement, 715
kinetics, metabolism, thyrotropin releasing hormone, 203*
niacinamide, stocking density, 193*

Turkey poult performance, corticosterone, feed deprivation, mortality, turkey poult, 880
hatchability, sodium zeolite A, 70*

Turkey sausage, beef sausage, chicken sausage, pork sausage, sensory evaluation, 60*

Turkey tom, amino acid(s), carcass characteristics, commercial strains, 50*
β-glucanase level, barley, 181*
carcass characteristics, compensatory growth, early protein restriction, 687
carcass composition, metabolizable energy, protein level, 131*
compensatory growth, early protein restriction, leg weakness, 676

Turkey tom performance, feed conversion, lignosulfonate, pellet quality, 18*

Turkey tom production, economic optimization, growout methods, production costs, 470

Twins, body weight, chicken embryo, sex differences, 805

Tyrosine infusion, broiler cockerels, dietary triiodothyronine, fat deposition, muscle protein turnover, 154*

Ultrafilterable calcium, dialyzable phosphorus, dietary calcium, dietary phosphorus, layer, 719

Ultramicrofluorescence microscopy, embryo development, intracellular pH, mouse embryo, video fluorescence microscopy, 972

Urease, growth, layer performance, passive immunity, 115*

Uric acid, amino acid digestibility, excreta, protein digestibility, 327†

Urine, broiler chick, colostomy, feces, surgical procedure, 169*
calcium, hypercalciurea, hypophosphatemia, phosphorus, 199*

Urine calcium, calcium, hypophosphatemia, phosphorus, vitamin D_3, 119*

Urolithiasis, acid-base, calcium, kidney, methionine, 159*
calcium, diuresis, infectious bronchitis virus, kidney damage, 1193

Uropygial gland papillae, double papillae, gene symbols, genetics, oil gland papillae, 137*

Uterine Ca^{2+}-adenosine triphosphatase, adenosine triphosphate, duodenal Ca^{2+}-adenosine triphosphatase, egg shell formation, plasma calcium, 564

Uterine electrolytes, isthmus, protein, shell-less *versus* hard-shell eggs, 417

Utero-vaginal glands, sperm storage, sperm survival, 174*

Vaccine efficacy, broiler, combined immunization, Marek's disease, viral tenosynovitis, 1213

Vagus nerve, crop fermentation, layer, octanoate, volatile fatty acids, 97*

Valence, ascorbic acid, broiler chick, vanadium, 91*

Vanadium, ascorbic acid, broiler chick, valence, 91*
Variability of functionality, egg albumen quality, 56*
Vasoactive intestinal peptide, incubating hens, prolactin, turkey, 49*
prolactin, turkey, 48*
Ventilation, broiler housing, heat stress, summertime, 205*
Ventilation policy, ammonia control, broiler, computer model, 167*
Very low density lipoproteins plus low density lipoproteins fraction, broiler, n-3 fatty acids, triacylglycerols, 114*
Vesicles, cell membrane, glutathione, peptide absorption, quail–Japanese, 139*
Viability, chick, embryo development, mammalian embryo, shell-less culture, 1695
Video demonstration, broiler, composting, mortality, 109*
Video fluorescence microscopy, embryo development, intracellular pH, mouse embryo, ultramicrofluorescence microscopy, 972
Video tape, 4-H embryology, education, planning guide, 39*
education, embryology, satellite programming, 32*
Viral genes, atherosclerosis, cholesterol, Marek's disease herpesvirus, quail–Japanese, 144*
Viral tenosynovitis, broiler, combined immunization, Marek's disease, vaccine efficacy, 1213
Viremia, avian leukosis virus, endogenous viral genes, immune response, slow-feathering, 136*
Virginiamycin, broiler, feed conversion, 38*
Virulence, avian influenza, hemagglutinin, 150*
epitopes, H5 hemagglutinin, influenza, monoclonal antibodies, 114*
Virulent avian influenza virus, antibody, influenza, 67*
Virus neutralization, carboxyfluorescein diacetate, chick embryo, fluorometry, infectious bursal disease virus, 10*
Vitamin and electrolyte injection, beak trimming, turkey performance, 369
Vitamin A, broiler chick, immune response, immunoglobulins, retinoic acid, 136
broiler chick diet, vitamin D_3, vitamin E, vitamin interactions, 1490
egg, layer, nutritional status, 140*
Vitamin B_{12}, egg content, layer, nutritional status, 103*
Vitamin D_3, 1,25-dihydroxyvitamin D_3, 1-α-hydroxyvitamin D_3, egg shell quality, 56*
boron, broiler, tibial dyschondroplasia, 50*
broiler chick diet, vitamin A, vitamin E, vitamin interactions, 1490
calcium, hypophosphatemia, phosphorus, urine calcium, 119*
Vitamin D_3 metabolites, 1,25-dihydroxy-cholecalciferol, 1-hydroxycholecalciferol, broiler, tibial dyschondroplasia, 4*
Vitamin E, broiler chick diet, vitamin A, vitamin D_3, vitamin interactions, 1490
Vitamin interactions, broiler chick diet, vitamin A, vitamin D_3, vitamin E, 1490
Vitamin supplementation, immune response, turkey performance, 161*
Vitamin and electrolytes, broiler, heat stress, performance and immune function, 53*
Vitellogenin, demethylation, gene expression, quail–Japanese, yolk, 1678
Volatile fatty acids, crop fermentation, layer, octanoate, vagus nerve, 97*
Volcanic rock, layer performance, perlite, 149*
Vomitoxin, deoxynivalenol, egg residues, layer, mycotoxins, 744
ω-3 fatty acids, canola, egg yolk, flax, tissues, 106*
W-chromosome, biotin, DNA probe, repetitive sequences, sex identification, 850†
Washing treatments, composition, mechanically deboned meat, texture, turkey, 136*
Waste digesters, anaerobic digestion, DNA hybridization, Marek's disease, pathogen control, 188*
Waste loads, pollution prevention, processing plant, turkey, water use, 132*
Waste minimization, broiler, processing plant, water conservation, 95*
Wastewater, ozone, poultry process water, reconditioning, recycling, 1078
Water chilling, broiler breast meat, storage, thiobarbituric acid value, 5*
Water conservation, broiler, processing plant, waste minimization, 95*
Water consumption, acclimation, broiler, environmental temperature, feed consumption, 91*
fecal moisture, layer, sodium chloride, wheat middlings, 830†
Water intake, broiler performance, CYGRO®, maduramicin, sodium and potassium level, 204*
Water restriction, broiler breeder, daily feeding, skip-a-day feeding, water usage, 617
Water source, layer performance, poultry methane digester effluent, 22*
Water usage, broiler breeder, daily feeding, skip-a-day feeding, water restriction, 617
Water use, pollution prevention, processing plant, turkey, waste loads, 132*
Water withdrawal, broiler, digestive tract clearance, feed withdrawal, 627
Wattle, glycosaminoglycan, hyaluronic acid, rooster comb, 1303†
Wattle response, 5-hydroxytryptamine, leukocyte migration, serotonin, 91*
Weed seed, *Cassia obtusifolia,* coffeeweed, layer performance, nutrient fortification, 909
quail–Bobwhite, *Sesbania macrocarpa,* 37*
Weight gain, bone calcium, broiler chick, *Eimeria acervulina,* zeolite A, 1236
breast meat, carcass composition, protein level, turkey, 1547
broiler, feed consumption, feed efficiency, taste, 1519
Weight loss, bacterial count, fecal load, magnesium sulfate, 140*
egg production, fasting, feather loss, strain, 177*
Welfare, adaptability, behavior, Leghorn pullet, open field, 157*
Wet bulb temperature, broiler hatching eggs, dry bulb temperature, humidity, 207*
Wheat, amino acid(s), broiler chick, crooked neck, tremors, 32*
barley, body composition, turkey, 183*
environmental factors, nutritive content, 24*
broiler chick, growth, lysine, sunflower meal, 123*
broiler performance, feed:gain ratio, milo, pancreatic α-amylase, 176*
corn, dietary energy, lighting programs, turkey, 69*
dietary energy, lighting programs, turkey, yield carcass, 70*
Wheat middlings, fecal moisture, layer, sodium chloride, water consumption, 830†
White blood cell development, cooling, growth, turkey embryo, 3*

White meat yield, age, feed efficiency, turkey, 155*
Whole carcass rinse, bacterial attachment, broiler, 190*
Wing bone measures, broiler, caged rearing *versus* floor rearing, humerus strength, selection, 1168
Wing bone strength, broiler, genetic correlation, heritability, phenotypic correlation, 1174
Wing restraint, broiler breast meat, muscle tension, tenderness, 238
Xanthophyll, canola, mustard seed, pigmentation, 1718†
Xenobiotics, body burdens, carcass lipids, polychlorinated biphenyls, restricted feeding, 885
Yellow grease, broiler performance, fat blends, fat stabilization, poultry, 109*
Yield, age, broiler, feed withdrawal, strain, 152*
antibiotic treatment, broiler, growth, small intestine, 651
breast weight, broiler, carcass weight, fructooligosaccharide, 167*
broiler, carcass composition, diet energy, 205*
broiler performance, marketing, strain, 165*
cholesterol, proximate composition, quail–Japanese, 153*
Yield carcass, dietary energy, lighting programs, turkey, wheat, 70*
Yolk, albumen, dwarf *versus* normal, egg composition, 591
demethylation, gene expression, quail–Japanese, vitellogenin, 1678
egg composition, egg production, genetic effects, selected lines, 27
Yolk fatty acids, barley, full-fat canola seed, layer diet, yolk pigment, 1485
Yolk lipid composition, linoleic acid, yolk size, 89*
Yolk media, albumen media, egg microbiology, pathogenic bacteria, 136*
Yolk pigment, barley, full-fat canola seed, layer diet, yolk fatty acids, 1485
Yolk pigmentation, egg yolk, heat stability, pigments, 169*
Yolk sac, dosing method, fasting, glucose, turkey poult, 1141
Yolk size, linoleic acid, yolk lipid composition, 89*
Yolk utilization, chick growth, egg size, 99*
Yolk weight, cholesterol, egg production, egg weight, eggs, 1703†
Zeolite, broiler, feed efficiency, growth, tibial dyschondroplasia, 181*
egg production, layer, phosphorus, 180*
Zeolite A, bone calcium, broiler chick, *Eimeria acervulina*, weight gain, 1236
broiler breeder, Ethacal® feed component, hot climates, layer, 83*
Zinc, aged hens, chick performance, 55*
antibody response, endotoxin, iron, sheep red blood cells, 161*
bioavailability, chick, tissue uptake, 185*
bone strength, copper, manganese, turkey growth, 16*
chick, metallothionein, *Salmonella gallinarum*, 297
copper, egg, iron, turkey, 122*
transferrin, turkey, 122*
layer, tissue accumulation, tissue depletion, 539
Zinc bacitracin, bacitracin methylene disalicylate, feed efficiency, halofuginone, turkey, 178*
Zinc toxicity, amylase, chick, pancrease, 88*
Zinc utilization, broiler chick, coccidiosis, growth, sodium zeolite A, 156*
Zinc-copper interactions, breeder hen, copper, egg composition, immune response, 140*